

TAT

**FLEA
AND
TICK
KILLER**

WITH RESIDUAL ACTION

Kills Fleas and Ticks Fast

Keeps Killing Up To 5 Weeks

STAINLESS

ACCEPTED
JUN 25 1991
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 506-158

ACTIVE INGREDIENTS:

d-trans Allethrin	0.050%
+N-Octyl bicycloheptene dicarboximide	0.400%
*Chlorpyrifos [0,0-diethyl 0-(3,5,6- trichloro-2-pyridyl) phosphoro- thioate]	0.500%
INERT INGREDIENTS	99.050%
Total 100.000%	

This product contains petroleum distillate.
+MGK-264, Insecticide Synergist
*U.S. Patent No. 3,244,586 -- Dow Chemical Company

NET WT. 16 OZ.

Keep Out of Reach of Children
C A U T I O N
See back panel for additional
precautionary statements.

BEST AVAILABLE COPY

TAT

**FLEA AND TICK
KILLER
WITH RESIDUAL ACTION**

- Kills Fleas and Ticks Fast
- Kills Fleas Up To 5 Weeks
- Stainless

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is for residential use.

To operate: Shake can before using. Hold container upside down. Point valve away from body and press button.

TO KILL FLEAS AND TICKS

Remove and destroy old pet bedding. Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks and floors. Repeat as necessary. Put fresh bedding in pets' quarters after spray has dried. Do not use this product on pets. Treat dogs and cats with a registered flea and tick control product before allowing them to enter treated area. Pay particular attention to areas where pets congregate.

To treat carpets, spray at the rate of one square foot per second. Repeat treatment as necessary.

STORAGE: Store in a cool area away from heat or open flame.

DISPOSAL: Replace cap, wrap container and put in trash can.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Avoid breathing spray mist and provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. May be harmful if swallowed, inhaled, or absorbed through the skin. Wash thoroughly with soap and water after handling. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Cover exposed food. Remove pets, birds and cover fish aquariums before spraying.

BEST AVAILABLE COPY

Statement of Practical Treatment

IF IN EYES: Immediately flush with plenty of water. Get medical attention if irritation persists. **IF ON SKIN OR CLOTHING:** Remove contaminated clothing. Wash skin with soap and water. Get medical attention if irritation persists. Wash clothing prior to reuse. **IF INHALED:** Remove person to fresh air if effects occur and call a physician. **IF SWALLOWED:** Get immediate medical attention. Do not induce vomiting. Vomiting may cause aspiration pneumonia. Gastric lavage may be indicated if swallowed. **NOTE TO PHYSICIAN:** Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

Environmental Hazards

Do not contaminate water when disposing of equipment washwaters.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° may cause bursting.

WALCO-LINCK COMPANY

P.O. Box 769

Clifton, NJ 07015

EPA Reg. No. 506-158

EPA Est. _____

BEST AVAILABLE COPY