

Reg # 506-159

PM-13

173

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

FEB 14

345 SA 11576
173

Ms. Kim Davis
Walco-Linck Company
c/o RegWest Company
P.O. Box 2220
Greeley, CO 80632-2220

Dear Ms. Davis:

Subject: Updated Confidential Statement of Formula and Labeling
TAT Area Fogger II
EPA Registration No. 506-159
Your Submission Dated September 27, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Your updated CSF is being returned to you unreviewed. According to PR Notice 91-2: Registrants having products subject to reregistration under FIFRA section 4 (a) are to comply with the requirements of this Notice when specific products are called in by the Agency under Phase V of the Reregistration Program.

Sincerely,

George T. LaRocca
Product Manager 13
Insecticide-Rodenticide Branch
Registration Division (E7505C)

Enclosure

CONCURRENCES

SYMBOL								
SURNAME	Helmut							
DATE	2-13-92							

293

TAT

AREA FOGGER II

Kills Flies, Cockroaches, Fleas,
Saw-Toothed Grain Beetles, Ticks,
Confused Flour Beetles, Rice Weevils,
Small Flying Moths, Pillbugs and Crickets

For Use in Rooms, Apartments, Homes, Attics,
Basements, Campers, Boats, Household Storage Areas,
Garages, Pet Sleeping Areas and Cabins

One Unit Treats up to 5,000 Cubic Feet

ACTIVE INGREDIENTS:

Pyrethrins	0.050%
*N-octyl bicycloheptene dicarboximide ..	0.400%
Permethrin [**(3-phenoxyphenyl)methyl (±) cis-trans-3-(2,2-dichloro- ethenyl) 2,2-dimethylcyclopropane- carboxylate]	0.400%
Related reaction products	0.035%
INERT INGREDIENTS	99.115%
Total	100.000%

*MGK 264, Insecticide Synergist

**cis-trans isomer ratio: Min. 35% (±) cis
Max. 65% (±) trans

Keep Out of Reach of Children

C A U T I O N

See back panel for additional
precautionary statements.

Net Wt. 6 ounces

EPA Reg. No. 506-159

EPA Est. _____

WALCO-LINCK COMPANY
P.O. Box 769
Clifton, NJ 07015

ACCEPTED

14 1992

506-159

FEB 14 1992

506-159

393

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.

This product will kill Cockroaches, Houseflies, Confused Flour Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Fleas, Ticks, Pillbugs and Crickets.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 5,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before reentry.

TO OPERATE VALVE: Place a stand or table in the center of the room, with several layers of newspaper or a pad, beneath the stand or table. Then place fogger on stand or table with valve locked open. To lock valve in open position for automatic discharge, press the valve button all the way down, hooking the catch. Leave building at once and keep building closed for four hours before airing out. To air out, open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

To Kill Ticks and Fleas: Destroy pet's old bedding and replace. Use product as above. Prior to pet's reentry into treated area, treat dogs and cats with a flea and tick control product registered for use on pets.

STORAGE: Store in a cool, dry area away from heat or open flame. **DISPOSAL:** Replace cap and discard container in trash. Do not incinerate or puncture.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. Avoid contamination of food or feedstuffs. Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food. Remove pets, birds and cover fish aquariums before spraying.

Statement of Practical Treatment

If Swallowed: Call a physician or poison control center immediately. **If In Eyes:** Flush with plenty of water. Get medical attention if irritation persists. **If On Skin:** Remove contaminated clothing. Wash skin with soap and water. Get medical attention if irritation persists. **If Inhaled:** Remove person to fresh air. Apply artificial respiration if indicated. Contact a physician if warranted.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.