

Reg no : 506-161

PM-15

192

JUN 11 1990

345/239778
17 | 1

Walco-Linck Company
c/o Mr. John M. Wise
John Wise & Associates, Ltd.
P.O. Box 336
Liberty, MO 64068

Dear Mr. Wise:

Subject: Update Confidential Statement of Formula/Final Label
TAT Area Fogger III
EPA Registration No. 506-161
Your Application Dated January 30, 1989 and April 13, 1990

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes indicated below prior to release for shipment of product bearing the amended labeling.

With respect to your comment on the proper way to conduct a flash point test, the Agency is currently reevaluating the product chemistry guidelines and expects to revise this data requirement in the near future. In the interim however, the Agency is evaluating the text of flammability statements on a case-by-case basis. Due to the presence of isobutane and propane, two highly flammable components in this product, the Agency is recommending the Physical/Chemical Hazards paragraph below:

Extremely flammable. Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130 °F may cause bursting.

Submit five copies of your final printed labeling before you release the product for shipment. A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager 15
Insecticide-Rodenticide Branch
Registration Division (87505C)

6/11/90

Reg no: 506-161

PM-15

**Precautionary Statements
Hazards to Humans and
Domestic Animals
CAUTION**

Harmful if Swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes: Flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs.

Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

Physical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

**STATEMENT OF PRACTICAL
TREATMENT**

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists. **IF ON SKIN OR CLOTHING:** Remove contaminated clothing. Wash with soap and warm water. Get medical attention if irritation persists. **IF INHALED:** Remove to fresh air if effects occur and call a Physician. **IF SWALLOWED:** Do not induce vomiting because of aspiration hazard. Get medical attention.

STORAGE AND DISPOSAL

Storage: Store in a cool dry area away from heat or open flame. **Disposal:** Do not reuse empty container. Securely wrap container in several layers of newspaper and discard in trash.

EPA REG No. 506-161

EPA EST No. 62221-NJ-1

Manufactured For: Walco Leick Company
Clifton, New Jersey 07015



USE TAT AREA FOGGER IN:

- Apartments Cabins Household Storage Areas
- Attics Campers Pet Sleeping Areas
- Basements Garages Rooms
- Boats Homes

ACTIVE INGREDIENTS:

Telamethrin [(1-Cyanoheptane 1,2-dicarbonyl) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate] 0.20%

Cyano (3-phenoxyphenyl) methyl 4-chloro-alpha (1-methylethyl) benzeneacetate 0.40%

INERT INGREDIENTS: 99.40%
TOTAL: 100.00%

*Licensed under U.S. Patent No. 4,082,868 of Sumitomo Chemical Company.
EVERICIDE® - Registered Trademark of McLaughlin Gormley King Company

**KEEP OUT OF REACH OF CHILDREN
CAUTION**


SEE BACK PANEL FOR ADDITIONAL CAUTIONS

Net Wt. 6 Oz.

One Unit treats up to 6,000 cubic feet
DIRECTIONS FOR USE
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This Product Will Kill	
Cockroaches	Pill Bugs
Confused Flour Beetles	Flour Weevils
Crickets	Saw Toothed Grain Beetles
Fleas	Small Flying Moths
Houseflies	Ticks

GENERAL: Cover exposed food, dishes and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Pull out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flowing mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.
TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.
TO KILL TICKS AND FLEAS: Destroy pet's bed bedding and replace. Use product as directed. Treat dogs and cats with a registered tick control product prior to re-entry. Do not spray animals.



BEST AVAILABLE COPY

ACC with CC in EPA L
Under the Fungicide, and amended, for registered...

**Precautionary Statements
Hazards to Humans and
Domestic Animals
CAUTION**

Harmful if Swallowed: Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs.

Do not use in commercial food processing preparation, serving or storage areas in the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatic ally. Atropine is an antidote.

Physical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

**STATEMENT OF PRACTICAL
TREATMENT**

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists. **IF ON SKIN OR CLOTHING:** Remove contaminated clothing. Wash with soap and warm water. Get medical attention if irritation persists. **IF INHALED:** Remove to fresh air if effects occur, and call a Physician. **IF SWALLOWED:** Do not induce vomiting because of aspiration hazard. Get medical attention.

STORAGE AND DISPOSAL

Storage: Store in a cool dry area away from heat or open flame. Disposal: Do not reuse empty container. Securely wrap container in several layers of newspaper and discard in trash.

EPA REG No. 506-161
EPA EST No. 62221 NJ 1

Manufactured For: Walco Linck Company
Cotton, New Jersey 07015

TAT

AREA FOGGER III

USE TAT AREA FOGGER IN:

Apartments Cabins Household Storage Areas
Attics Campers Pet Sleeping Areas
Basements Garages Rooms
Boats Homes

ACTIVE INGREDIENTS:

Telamethrin (1 Cyclohexane-1,2-dicarboximido) methyl 2,2 dimethyl 3 (2 methylpropenyl) cyclopropanecarboxylate)	0.20%
Cyano (3 ohenoxyphenyl) methyl 4-chloro alpha (1 methyl ethyl) benzeneacetate*	0.40%
INERT INGREDIENTS.	99.40%
TOTAL	100.00%

*Licensed under U.S. Patent No. 4,082,968 of Sumitomo Chemical Company.
EVERCIDE® - Registered Trademark of McLaughlin Gormley King Company.

**KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE BACK PANEL FOR ADDITIONAL CAUTIONS**


Net Wt. 6 Oz.

One Unit treats up to 6,000 cubic feet
DIRECTIONS FOR USE
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This Product Will Kill	
Cockroaches	Pill Bugs
Confused Flour	Rice Weevils
Beetles	Saw Toothed Grain
Crickets	Beetles
Fleas	Small Flying Moths
Houseflies	Ticks

GENERAL: Cover exposed food, dishes and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flowing mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying at two weeks or when necessary.
TO KILL TICKS AND FLEAS: Destroy pet's old bedding and replace. Use product as above. Treat dogs and cats with a registered tick control product prior to re-entry. Do not spray animals.



ACCEPTED

In EPA Letter Dated:

Under the
Fungicide
amended, for
registered

506-161

BEST AVAILABLE COPY