

506-166

1991

ACCEPTED

JUN 23 1991

U.S. Environmental Protection Agency
Office of Pesticide Programs
Registration Division
EPA No. **506-166**

TAT ROACH & ANT KILLER III

Pressurized Spray

**Residually Kills:
Ants, Cockroaches, Ticks, Fleas
and Other Listed Insects**

**For Use in Homes and Non-Food Areas of
Commercial Buildings: Warehouses, Theatres,
Office Buildings, Schools, Hotels, Motels,
Restaurants, Food Processing Facilities and Kennels**

ACTIVE INGREDIENTS:

Pyrethrins	0.050%
*N-Octyl bicycloheptene dicarboximide	0.250%
Permethrin [**(3-Phenoxyphenyl) methyl (±)cis-trans-3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate]	0.200%
Related compounds	0.020%
INERT INGREDIENTS	99.480%
*MGK-264, Insecticide Synergist.	
**cis-trans isomer ratio: Min. 35% (±) cis; Max. 65% (±) trans	

Keep Out of Reach of Children

C A U T I O N
**See back panel for additional
precautionary statements.**

EPA Reg. No. 506-166

EPA Est. _____

**WALCO-LINCK COMPANY
P.O. Box 769; Clifton, NJ 07015**

NET CONTENTS: 12 OZ.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL: Use this residual spray as a spot or crack and crevice treatment to control cockroaches, waterbugs, silverfish, ticks, fleas and other insects listed below. Apply this product only as a coarse spray or crack and crevice treatment to localized areas where pests are found or may occur. Spray surfaces until wet. Repeat as needed.

FOR SPOT TREATMENT:

To Kill Ants, Cockroaches, Crickets, Silverfish, Spiders, Sowbugs, Earwigs and Carpet Beetles: Spray areas where these pests are found or may hide, including dark corners of rooms and closets; cracks and crevices in walls; along baseboards and door and window frames; behind and beneath sinks, stoves, refrigerators and cabinets; and around garbage cans, plumbing and other utility installations. Pests driven out of hiding places should be sprayed directly. For ants, apply to ant trails, also around doors and windows and wherever else these pests may find entrance. Repeat as necessary.

To Kill Brown Dog Ticks and Fleas: Thoroughly apply as a spot treatment to infested areas such as pet beds and resting quarters; nearby cracks and crevices; along and behind baseboards; window and door frames and localized areas of floor and floor coverings where these pests may be present. Old bedding should be removed and replaced with clean, fresh bedding after treatment. **DO NOT SPRAY PETS WITH THIS PRODUCT.** Pets should be treated with a product registered for flea and tick control on pets in conjunction with this treatment.

Flies and Mosquitoes: Use only out-of-doors as an aid in reducing annoyance from these insects. Spray outside surfaces of window and door frames as well as other areas where these pests may enter the home. Also spray dark corners and localized resting areas (such as under eaves) or porches, patios and garages where these insects may congregate. Flies and mosquitoes coming to rest on treated surfaces will be killed. Repeat treatment when necessary.

STORAGE: Store in a cool dry place (inaccessible to children and pets) away from sources of heat or ignition. **DISPOSAL:** Replace cap, wrap container in newspaper and discard in trash.

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: May be harmful if swallowed, inhaled or absorbed through skin. Avoid breathing spray mist and provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling and before smoking.

Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where food may be prepared or held. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, closets and storage areas (after canning or bottling).

Not for use in USDA Meat and Poultry plants.

Remove pets, birds and cover fish aquariums before spraying. Do not allow children or pets to contact treated surfaces until spray has dried.

Statement of Practical Treatment

If Swallowed: Call a physician or poison control center. Do not induce vomiting due to aspiration hazard. **If In Eyes:** Immediately flush with plenty of water. Get medical attention if irritation persists. **If Inhaled:** Remove person to fresh air. Apply artificial respiration if warranted. Contact a physician if needed. **If On Skin or Clothing:** Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

BEST AVAILABLE COPY