506-180 New Label: Page 1 of 4 01/03/01

## TAT MULTI-PURPOSE INSECT KILLER

Contains the Synthetic Pyrethroid Permanone®
Controls Named Residential, Industrial and Garden Insects
For Use on Dogs and on Premises to Control Fleas and Ticks
Controls Fleas and Ticks on Dogs for 14 Days
For Use on Livestock and Their Premises
An Aqueous, Stable Microemulsion
Controls Pests for Up To Four Weeks
Kills Lice and Their Eggs
For use on Bedding, Furniture and Other Inanimate Objects Infested with Lice

**GUARANTEED!** See Details on Back

Not for Use on Humans

ACTIVE INGREDIENT:	
Permethrin (CAS No. 52645-43-1)	0.25%
OTHER INGREDIENTS	99.75%
Total	

Keep Out of Reach of Children CAUTION

See back panel for additional precautionary statements.

Net Weight:	oz. ( g.)
EPA Reg. No. 506-180	EPA Est.

Manufactured for Walco-Linck Company P.O. Box 598

Valley Cottage, NY 10989 CCE 3 1-800-338-2329

NO CFCs

JAN 17 2001

Under the Federal Institution of the Function and Red and a respondent to the propriate of the Rev. Sec. 506-180

Contains no CFCs or Other Ozone Depleting Substances Federal Regulations Prohibit CFC Propellants in Aerosols

506-180 New Label: Page 2 of 4

01/03/01

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

{Domestic/homeowner storage and disposal directions:}

## [Storage and Disposal]

Storage: Store in a cool, dry (preferably locked) storage area inaccessible to children and pets and away from heat or open flame. Do not transport or store below 32°F or over 130°F. Disposal: Replace cap, wrap container and put in trash. Do not incinerate or puncture. [Alternate Disposal Directions: Disposal: This container may be recycled in aerosol recycling centers. Before offering for recycling, empty the can by using the product according to the label (Do not puncture!). If recycling is not available, replace cap, wrap the container and put in trash.]

{Non-domestic/homeowner storage and disposal directions:}

## Storage and Disposal

Pesticide Storage: Store in a cool, dry (preferably locked) storage area inaccessible to children and pets and away from sources of heat or ignition. Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Container Disposal: This container may be recycled in aerosol recycling centers. Before offering for recycling, empty the can by using the product according to the label (Do not puncture!). If recycling is not available, replace cap, wrap the container and put in trash.

General: Not for use on plants being grown for sale or other commercial use, for commercial seed production or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, golf courses or lawns and grounds.

In the home, cover all food processing surfaces and utensils during treatment or thoroughly wash before use. Cover or remove exposed food. Do not use in the edible product areas of food/feed processing plants, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served, such as dining rooms, but excluding areas where food feed may be prepared or held. Nonfood nonfeed areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, closets and storage (after canning or bottling). Authorized for use in non-food/non-feed areas of federally-inspected meat and poultry plants.

#### Shake Well Before Using

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches. When used indoors, remove pets and birds and cover fish aquariums before spraying. Do not apply this product to or near children's toys. Do not allow children or pets to contact treated areas until surfaces are dry. When applying to cracks and crevices, fabric, bedding, furniture or rooms spray until surface is just damp, but not to the point of run-off. Avoid excess application

Angoumois Grain Moths and Indian Meal Moths: Close doors and windows then direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application in 4 weeks.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat in 4 weeks.

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Allow all sprayed articles to thoroughly dry before reuse. Repeat treatment in 4 weeks.

Bees, Black Flies, Blow Flies, Fruit Flies, Gnats, Hornets, Houseflies. Mosquitoes, Skipper Flies, Small Flying Moths and Wasps: Close all doors and windows and spray room at the rate of 2 to 3 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources, that attract these insects. Keep nozzle in constant motion. Repeat treatment in 4 weeks.

Carpet Beetles: Spray directly on beetles, floors, baseboards, shelves and carpets. Repeat treatment in 4 weeks.

Centipedes, Cockroaches, Crickets, Firebrats, Millipedes, Palmetto Bugs, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders and Waterbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment in 4 weeks.

Exposed Stages of Confused Flour Beetles, Grain Mites, Granary Weevils, Red Flour Beetles. Rice Weevils and Sawtoothed Grain Beetles: Spray into cracks and crevices, processing and handling equipment, around cartons or containers or other areas where

506-180 New Label: Page 3 of 4 01/03/0

these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat application as necessary. Put infested home-stored food products in the trash.

To Control Carpet Beetles and Clothes Moths on Wool and Other Proteinaceous Fibers: Remove infested articles from storage, brush thoroughly and, if possible, air for several hours in sunlight. Liberally apply spray to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by lightly spraying, keeping nozzle at least three feet from fabric to avoid staining. Allow all sprayed articles to thoroughly dry before use.

In Animals Quarters and Milk Rooms: For rapid control of Bees, Gnats, Hornets, Houseflies. Mosquitoes, Small Flying Moths and Wasps: Close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed. Upon reentry, open windows and ventilate at least 2 hours.

To Treat Livestock: To protect beef cattle, dairy cattle, goats, hogs, horses and sheep from attacks of Deer Flies, Face Flies, Gnats, Horn Flies, Horse Flies, Mosquitoes and Stable Flies: Spray about 3 seconds on each side being careful to thoroughly spray back, withers and forelegs. To protect from Face Flies spray the face and head, but do not spray into eyes or nostrils. Repeat treatment when insects are troublesome. To control blood sucking lice apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required. For Swine: Do not ship animals for slaughter within 5 days of last treatment.

To Control Poultry Lice: Thoroughly spray roosts, walls and nests or cages. This should be followed by spraying a fine mist over the birds. To Control Bedbugs and Mites in Poultry Houses, spray crevices of roost poles, cracks in walls and cracks in nests where the bedbugs and mites hide.

To Kill and Control Fleas and Ticks (Adults and Larvae): Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, entire floor and floor covering, paying special attention to cracks and crevices, around baseboards and window and doorframes. Infested upholstered furniture may also be treated with this product. A test application, in an inconspicuous area, to upholstery or drapery fabrics is recommended before general spraying.

To Kill Lice and Louse Eggs: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle pointed away from you. Degress valve and spray article from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of bedding, including mattresses and furniture, that cannot be either laundered or dry-cleaned. Allow all sprayed articles to thoroughly dry before use.

To Kill and Control Garden Insects (such as Aphids, Armyworms, Clover Mites, Japanese Beetles, Lace Bugs, Leafminers, Pavement Ants, Red Mites, Spiders, Spider Mites, Thrips (exposed) and Whiteflies) on African violets, asters, azaleas, begonias, amellias, carnations, chrysanthemums, crassula, dahlias, delphiniums, dogwood. English ivy, euonymus, fuschia, geraniums, grape vines. Kentia palms, laurels, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews, zinnias, and other ornamental plants. May be used on plants, as well as small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas. When spraying plants do not operate closer than 18 inches. Use sweeping motion. Spray in one-second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Directly contact insects whenever possible. Repeat treatment as infestations occur.

# READ ENTIRE LABEL BEFORE USE USE ONLY ON DOGS

To Control Lice, Fleas and Ticks on Dogs: Starting at the tail, stroke against the lay of the hair, spraying the parted fur in short bursts, directly behind the hand to ensure penetrating the coat. Dampen the fur up to the head. Repeat application weekly, if necessary, to control infestations. Do not use on puppies under 12 weeks. Consult a veterinarian before using this product on debilitated, medicated, aged, pregnant or nursing animals.

For questions or in case of an emergency call 800-338-2329.

#### PRECAUTIONARY STATEMENTS

#### Hazards to Humans & Domestic Animals

CAUTION: Humans: Harmful if inhaled or absorbed through skin. Avoid breathing spray mist or contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. Vacate room after treatment and ventilate before reoccupying. Do not contaminate feed and foodstuffs. This product is not for use on humans. Animals: Do not spray directly in/on eyes, mouth or genitalia of pets. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue consult a veterinarian immediately.

506-180 New Label: Page 4 of 4 01/03/01

#### First Aid

If Inhaled	Move person to fresh air.	
	• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.	
If on Skin	Take off contaminated clothing.	
or Clothing	Immediately rinse skin with plenty of water for 15-20 minutes.	
If in Eyes	es Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.	
control center	ontrol center or doctor for treatment advice. Have the product container or label with you when calling a poison or doctor, or going for treatment. You may also contact 1-888-740-8712 (the international poison center) for lical treatment information.	

## Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Incineration may cause explosion. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

## **Environmental Hazards**

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

#### For additional information call 1-800-338-2329

Notice: Buyer assumes all responsibility for safety and use not in accordance with directions.

Money Back Guarantee: If this product fails to kill the listed insects when used as directed, mail container to Walco-Linck for a full refund.

## Made in [the] USA

{Note: The First Aid statements' grid format will be used if market label space permits; otherwise a paragraph format will be used.}