

IMPROVED TIMSEN BEADS,
ONE OF THE MOST ECONOMICAL,
EFFICIENT AND CONVENIENT
MULTIUSE SANITATION
PRODUCTS EVER DEVELOPED.

IMPROVED TIMSEN DILUTION TABLE

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

1 Dose = 3.8 grams
3.8 gram measuring device included
1 Packet = 3.8 grams

Empty TIMSEN dose/packet into container, add water

1 qt. added to 1 dose/packet = 1600 ppm.
2 qts. added to 1 dose/packet = 800 ppm.
1 gal. added to 1 dose/packet = 400 ppm.
2 gals. added to 1 dose/packet = 200 ppm.
4 gals. added to 1 dose/packet = 100 ppm.
8 gals. added to 1 dose/packet = 50 ppm.

PPM (PARTS PER MILLION OF
IMPROVED TIMSEN QUATERNARY)

Do not wipe, everything immersed in the TIMSEN solution will air dry quickly without spots and stains.

IMPROVED TIMSEN, PREMEASURED SINPECTANT-SANITIZER-DEODORANT IS FORMULATED TO PRODUCE A RAPIDLY SOLUBLE, FREE-FLOWING, EASILY HANDLED PRODUCT. AS IN THE CASE OF MOST DISINFECTANTS, CAUTION SHOULD BE EXERCISED.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS. DANGER
KEEP OUT OF REACH OF CHILDREN.

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT: In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIANS: Probable mucosal damage may contraindicate the use of gastric lavage.

ACTIVE INGREDIENTS: n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₀) dimethyl benzyl ammonium chlorides 40%
INERT INGREDIENT: Urea 60%


IMPROVED TIMSEN THE ORIGINAL DRY QUATERNARY CONCENTRATE IN BEAD FORM.

EPA REG. #507-3

EPA EST. NO. 507-CA-1

Available in Quantities of:
1.25 lbs. (.567 kg.) (150 packets)
10 lbs. (4.536 kg.)
25 lbs. (11.34 kg.)
kg = kilogram

50 lbs. (22.68 kg.)
100 lbs. (45.36 kg.)
300 lbs. (136.08 kg.)



DANGER: KEEP OUT OF REACH OF CHILDREN.

SEE TOP PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS
TIMSEN fulfills the criteria of Appendix F, the Grade "A" Pasteurized Milk Ordinance, 1978 Recommendations of the United States Public Health Service. When tested by the method outlined by Chambers, 200 ppm. of the active ingredient will reduce 99.999% of the test organisms within 30 seconds, in water hardness up to 350 ppm when calculated as CaCO₃.

STORAGE AND DISPOS.

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

STORAGE

Store in a dry place no higher than 120°F. Avoid creasing or impacting of side walls.

CONTAINER DISPOSAL

Do not reuse bag/container. Discard bag/container in trash.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Mfg. by:

UNIT CHEMICAL CORP.
4161 Redwood Avenue
Los Angeles, Calif. 90066

DIRECTIONS FOR BULK USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. A fresh solution should be prepared at least daily or more often if the solution becomes diluted or soiled.

SANITIZING SOLUTIONS

Shipping brackets, metal shavings and tubes, meat cutters and general equipment, cutlery, pots and pans, metal pans and containers.

Mixture
1 dose per 2 gallons
of warm water = 200 ppm

1. Wash with a good detergent
 2. Rinse with clean warm water
 3. Sanitize with TIMSEN solution by immersion for 2 minutes
 4. Let air dry
- No possible rinse is required

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV (AIDS VIRUS) OF SURFACES OR OBJECTS SOILED WITH BLOOD OR BODY FLUIDS.

Disposable latex gloves, gowns, masks, or eye coverings must be used when handling items soiled with blood or body fluids. Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of a 200 ppm TIMSEN solution. A 200 ppm dilution of TIMSEN (1 dose to 2 gallons of water) is effective against the HIV-1 (AIDS Virus) with a contact time of 4 minutes. This contact time will not control other common types of viruses and bacteria. Blood and other body fluids should be removed and disposed of according to local regulations for infectious waste disposal.

CLEANING PROCEDURE:

CONTACT TIME:

DISPOSAL OF INFECTIOUS MATERIAL:

Cold rooms, refrigerated showcases, floors and surfaces of warehouses, kitchens, drains, trash and transportation vehicles.

Mixture
1 dose per 1 pint
of water = 3200 ppm

ODORLESS DEODORIZING SOLUTION

Dissolve TIMSEN in water and pour into fine mist spray bottle. Spray throughout area containing odor. Area will be completely odorless.

DISINFECTING SOLUTIONS

Mixture
1 dose per 1 gallon
of water = 400 ppm

Clean in regular manner, then wet-wipe all surfaces thoroughly with solution by sponge or mop. Allow to remain wet for at least 10 minutes and air dry. Aids in cleaning. Results in sanitary and odor-free surfaces.

NOTE: For hospital surfaces, previously cleaned porous surfaces, & hard to clean surfaces, use packet/2 gal. water is required. 800 ppm

DO NOT MIX WITH SOAP OR DETERGENTS.

DIRECTIONS FOR INDIVIDUAL PACKET USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. A fresh solution should be prepared at least daily or more often if the solution becomes diluted or soiled.

SANITIZING SOLUTIONS

Dishes, Glasses, Utensils

Mixture
1 packet per 2 gal.
warm water = 200 ppm.

1. Scrub & prewash dishes and glasses
 2. Wash with a good detergent
 3. Rinse with clean warm water
 4. Sanitize in TIMSEN solution by immersion for 2 minutes
 5. Let air dry on rack or dishboard.
- No possible rinse is required

FOR CLEANING AND DECONTAMINATION AGAINST HIV (AIDS VIRUS) OF SURFACES OR OBJECTS SOILED WITH BLOOD OR BODY FLUIDS, SEE SPECIAL INSTRUCTIONS WITH DIRECTIONS FOR BULK USE ABOVE.

Coffee makers

2 packets per
gallon capacity
of coffee maker

Clean thoroughly. Empty in packets and fill to top with water. Soak for a maximum of 1 hour - sanitization and penetrates pores ... drawing out bitter, rancid oils and all odors. Rinse with water.

Refrigerator

Mixture
1 packet
1 small receptacle
1 pint water

ODORLESS DEODORIZING SOLUTIONS

Empty packet in receptacle and add water. Place in refrigerator; receptacle in each 10 cubic feet of refrigerator space.

Kitchen, Restroom, Deodorant Spray

1 packet
1 pint water

Dissolve TIMSEN in water and pour into fine mist spray bottle. Spray throughout area containing odor. Area will be completely odorless.

Drains

1 packet per drain

Add contents to drain, flush with glass of water. Will completely eliminate all odor from drain.

Toilets

1 packet

Empty 1 packet into toilet or urinal, agitate with brush. Do not flush. Repeat for 1 week. Thereafter 1/4 packet each night. Results - odor-free toilet.

DISINFECTING SOLUTIONS


Showers, Toilets, Floors, Surfaces

Mixture
1 packet
1 gallon water

Clean in regular manner, then wet-wipe all surfaces thoroughly with solution by sponge or mop. Allow to remain wet for at least 10 minutes and air dry. Aids in cleaning. Results in sanitary and odor-free surfaces.

NOTE: For hospital surfaces, previously cleaned porous surfaces, & hard to clean surfaces, use packet/2 gal. water is required. 800 ppm

DO NOT MIX WITH SOAP OR DETERGENTS.



BEST AVAILABLE COPY