

FARM HOUSES - DAIRY ROOMS - Spray with this insecticide as needed, but do not spray directly on foods and utensils.

SPRAYING PLACES such as walls, ceilings, floors, and other places where insects are likely to hide.

SPRAYING PLACES such as walls, ceilings, floors, and other places where insects are likely to hide.

SPRAYING PLACES such as walls, ceilings, floors, and other places where insects are likely to hide.

FLY, MOSQUITOES, GNATS - Spray with this insecticide from about 10 to 15 ft. distance, especially near (1,000 sq. ft. per 1,000 cu. ft.) and about 15 minutes during treatment.



FLY, MOSQUITOES, WASPS, HORNETS - 20 sq. ft. per 1,000 cu. ft. Spray liberally into cracks of woodwork, walls, floors, ceilings or other breeding places.

ROCK, ANTS, FLEAS, SILVER - Spray liberally into cracks of woodwork, walls, floors, ceilings or other breeding or hiding places. Thoroughly clean sleeping quarters of animal pens as necessary. Do not spray for more than 1 1/2 minutes per room at any one time.

BED BUGS - Spray bed frame, springs, mattress, pillows, seams and all cracks and hiding places about bedroom. Do not spray general surface of mattress. Air mattress until completely dry, at least 4 days before re-use.

MOTH, WORMS, CARPET BEETLES - Clean, dry, and brush clothing, rugs, carpets, fabrics. Spray thoroughly from 3 ft. distance, especially seams, folds, under collars and lapels, and cuff. Clean and spray closets, drawers, chest, and storage mass. Repeat each 30 days.

17-11 **ACCEPTED**



CAUTION

Do not spray plants or exhaust the spray. Avoid contact with exposed food, milk or drinking utensils. Remove birds, cages and fish tanks from rooms being sprayed. To avoid staining, hold spray 3 ft. from fabrics and painted surfaces.

Do not puncture container or throw in fire. Container should not be stored where temperature exceeds 120 degrees Fahrenheit.

HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. Avoid breathing of spray mist. Wash thoroughly with soap and water after handling and before eating or smoking.

If swallowed, induce vomiting immediately and get medical attention. Atropine is antidotal.

Do not apply to areas which will be contacted frequently by children and do not allow them in treated areas until surfaces are dry. Do not spray directly on the skin or on animals.

Do not remain in treated areas and ventilate the area after treatment is completed.

WARRANTY

ROBERTS LABORATORIES makes no warranty of merchantability, fitness for any purpose, or otherwise, express or implied, concerning this product or its use, which extend beyond the statements on this label.

ROBERTS LABORATORIES, INC.
ROCKFORD, ILLINOIS
E.P.A. REG. NO. 523-35AA

ACTIVE INGREDIENTS		BY WT.
2,2-dichlorovinyl dimethyl phosphate		0.46%
Related Compounds		0.04%
Pyrethrins		0.10%
Technical Piperonyl Butoxide		0.40%**
Petroleum Distillates		34.00%
INERT INGREDIENTS		65.00%
TOTAL		100.00%

CAUTION

KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

* Equivalent to 0.5% Vapone(R) Insecticide
** Equivalent to .32% (butylcarbityl) (6-propyl piperonyl) ether and .08% other related compounds
(R) Registered T.M. Shell Chemical Co.

NET CONTENTS 1 LB.