

### DIRECTIONS FOR USE

ROBERTS DUO-KILL is prepared for use on animals, in and around buildings, outdoor areas, etc. Applications may be mist or spray.

**LACTATING DAIRY & BEEF CATTLE:** Flies (Face, Horn, House and Stable), Mosquitoes. Apply 2 fl. oz. daily per adult beef or dairy animal. Reduce dosage 1/2 for younger animals. For best results apply in the morning for protection during the day. Do not overdose. Do not apply regularly to calves under 6 months of age. Brahman cattle should not be treated as they may show hypersensitivity to organic phosphates.

**BACKRUBBERS OR CATTLE OILERS:** For control of Horn Flies use undiluted in backrubber reservoir; or if backrubber has no reservoir, saturate cable at the rate of 2 to 3 quarts per 20 ft. of cable. Repeat every two weeks or more often if necessary. Backrubbers should be located where animals usually congregate.

**KENNELS:** Flies, Gnats, Mosquitoes, Fleas, Brown Dog Ticks, apply a coarse spray to outside dog runways, window sills and ledges using 1 quart per 100 sq. ft. Do not contaminate water or feed. Repeat as necessary.

**MAGGOT BREEDING AREAS, GARBAGE DUMPS AND MANURE PILES:** Apply a coarse spray at the rate of 1/2 to 1 quart per 100 sq. ft. of area. Repeat as necessary.



# 'DUO-KILL'

Ready to use Animal and Area Spray

Kills  
Face Flies, Horn Flies, Stable  
and House Flies

ACTIVE INGREDIENTS	BY WEIGHT
Dimethyl phosphate of alpha-methylbenzyl 3-hydroxy-cis-crotonate*	1.00%
2,2-Dichlorovinyl dimethyl phosphate	0.24%**
Related compounds	0.01%**
Petroleum Hydrocarbons (Mineral Seal Oil)	98.55%
INERT INGREDIENTS	0.20%
TOTAL	100.00%

\*Clodrin Insecticide  
\*\*Equivalent to 0.25 Vapona Insecticide

Registered TM Shell Chemical Co.

### CAUTION

KEEP OUT OF REACH OF CHILDREN

DO NOT REUSE EMPTY CONTAINER. DESTROY WHEN EMPTY.

See additional precautions on Back Panel

NET CONTENTS GALLON

### CAUTION

Avoid inhalation of mist and contact with skin. Harmful if swallowed, inhaled or absorbed through the skin or eyes. Wash thoroughly with soap and water after handling and before eating or smoking. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention. Atropine is antidotal.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Apply this product only as specified on this label.

KEEP OUT OF REACH OF CHILDREN

Do not contaminate feed, water or foodstuffs. Do not contaminate food handling or milking equipment. Keep away from open flame.

### NOTICE OF WARRANTY

ROBERTS LABORATORIES, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESS OR IMPLIED, concerning this product or its use, which extend beyond the statements on this label.

KEEP COVER TIGHTLY CLOSED  
WHEN NOT IN USE.

Manufactured by  
ROBERTS LABORATORIES, INC.  
ROCKFORD, ILLINOIS