

[523-69]


DIRECTIONS FOR USE

For outdoor use. Can also be used in attics, warehouses and other storage areas where foods and foodstuffs are not exposed.

FOR OUTDOOR USE: Application should be made in late evening when insects are at rest. Hold can upright. Remove cap. Point valve away from face. With wind at back, aim at nests in trees, bushes, under leaves, chimneys, cracks or crevices, etc.

FOR INDOOR USE: Point valve opening away from face. Aim directly at nests under rafters, etc. Do not spray in areas where foods and foodstuffs are exposed or handled.

Thoroughly saturate nest with spray, contacting as many insects as possible. To prevent insects from falling on skin and clothes, do not stand directly under nest. Best results can be obtained if nest is sprayed in late evening when most insects are at rest. If reinfestation occurs, repeat treatment.



ACTIVE INGREDIENTS:

*+(5-Benzyl-3-furyl)methyl 2,2-dimethyl-3-(2-methylpropenyl)
cyclopropanecarboxylate 0.250%
Related Compounds 0.034%
Aromatic petroleum hydrocarbons . . . 0.331%
Petroleum distillate 26.375%
Inert Ingredients 73.010%
100.000%

*Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.

*U.S. Patent No. 3,465,007

CAUTION

KEEP OUT OF REACH OF CHILDREN

Cautions on Side Panel

CONTENTS UNDER PRESSURE

NET WEIGHT 15 OUNCES



CAUTION

Harmful if swallowed.

Avoid contamination of food and foodstuffs.

Do not puncture. Do not expose container to temperature above 120°F.

Do not throw container into fire or incinerator.

Avoid breathing spray mist.

MANUFACTURED BY

ROBERTS LABORATORIES
Rockford, Illinois 61101

EPA Reg. No. 523-69

3-7-72
523-69