

524-1

Keep out of reach of children.

WARNING!

HARMFUL IF INHALED OR SWALLOWED.
CAUSES SKIN IRRITATION.
INJURIOUS TO EYES
ABSORBED THROUGH SKIN
FROM SOLUTIONS.

Do not breathe dust or spray mist.
Do not get in eyes, on skin, or on
clothing. Wear rubber gloves and
goggles.
Wash thoroughly after handling.

In case of contact with dry material or its
solution, wash skin at once with plenty
of soap and warm water; for eyes, flush
with plenty of water for at least 15
minutes and get medical attention.
Remove and wash clothing before
reuse.

If swallowed, induce vomiting. Call a physician.

NOTE TO PHYSICIAN: This product is a metal
stimulant, causes hyperthermia. Treat sympto-
matically.

ACTIVE INGREDIENTS	96%
Pentachlorophenol	86%
Other chlorophenols	10%
INERT INGREDIENTS	4%
	<hr/> 100%

Meets Fed. Spec. TT-W-570

Vapors from solutions may cause injury if adequate
ventilation is not insured. Do not spray or apply
solutions to surfaces indoors, or in any confined
areas, where the vapors may concentrate and cause
injury to plant or animal life.

Do not reuse container. Destroy when empty.

**DIRECTIONS FOR USE: FOR PRESERVATION OF
WOOD AGAINST DECAY AND ATTACK BY INSECTS
SUCH AS TERMITES AND POWDER POST BEETLES.**
PRESSURE TREATMENT: (Poles, heavy timbers,
fence posts, construction material and so forth).
With agitation and heat, as necessary, dissolve 5
parts by weight of Monsanto PENTA in 95 parts by
weight of a suitable petroleum solvent. Apply solu-
tion by accepted pressure processes. For detailed
recommendations consult "Manual of Recommended
Practices of the American Wood Preserver's Asso-
ciation" or Monsanto.

NON-PRESSURE (THERMAL PROCESS) TREATMENT:
(Poles, fence posts and so forth). Prepare solution
by accepted non-pressure methods. Details of im-
mersion period, temperature and other conditions
must be determined by trial (for pole treatment
consult "Manual of Recommended Practices of the
American Wood Preserver's Association"). **CAUTION:**
Maximum temperature of solution must be safely
below flash point of the oil.


PAINT PRESERVATION: Disperse Monsanto PENTA
in the paint at time of manufacture at the rate of

1 to 5% of the weight of the finished product. Tests
should be made to determine proper dosage to
obtain mildew and mold control, as well as the com-
patibility of Monsanto PENTA in a particular paint.

**FOR ADDITIONAL INFORMATION CONSULT
MONSANTO.**

This product is toxic to fish and wildlife. Keep out of
lakes, streams or ponds. Do not contaminate water
by cleaning of equipment or disposal of wastes.
Apply this product only as specified on this label.

(EPA Reg. No. 524.5 AA)

LOT NO	PACKER		NET/LEGAL	LB.	KG
--------	--------	---	-----------	-----	----

LIMIT OF WARRANTY AND LIABILITY

Monsanto Company warrants that this material conforms to the chemical description on the label and is reasonable for the purposes referred to in the directions for use. This product is sold subject to the understanding that the buyer assumes all risks of use or handling which may result in loss or damage which are beyond the control of the seller, such as for example incompatibility with other products, the manner of its use or application, or the presence of

other products. **MONSANTO MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY.** The exclusive remedy of the user or buyer and the limit of the liability of Monsanto Company or any other seller for any and all losses, injuries or damages resulting from the use or handling of this product shall be the purchase price paid by the user or buyer for the quantity of this product involved. The buyer and all users are deemed to have accepted the terms of this notice which may not be varied by any verbal or written agreement.