

Eighty percent solution

METHYL PARATHION

ACTIVE INGREDIENTS:

O,O-dimethyl O-p-nitrophenyl phosphorothioate	76.0%
Related compounds	4.0%
Xylene	17.8%

INERT INGREDIENTS: 2.2%

Keep out of reach of children.

DANGER!

POISONOUS BY SKIN CONTACT, INHALATION, OR SWALLOWING.

RAPIDLY ABSORBED THROUGH SKIN.

REPEATED EXPOSURE MAY, WITHOUT SYMPTOMS, BE INCREASINGLY HAZARDOUS.

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams, ponds and public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

NOTE: DO NOT HEAT THIS MATERIAL ABOVE 131°F (55°C). STORE AT TEMPERATURES ABOVE 65°F (18.3°C) TO AVOID CRYSTALLIZATION.

DO NOT GET ON SKIN, IN EYES, ON CLOTHING:

Wear clean heavy natural rubber gloves, goggles, and clean waterproof protective clothing (coveralls, rubber boots, cap, etc.) Destroy and replace gloves frequently.

Bathe immediately after work and change all clothing. Wash clothing thoroughly with soap and hot water before re-use. In case of contact immediately remove contaminated clothing and wash skin thoroughly with soap and water; for eyes flush with water for 15 minutes.

DO NOT BREATHE VAPOR OR DUST:

Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for METHYL PARATHION protection.

IN CASE OF SPILL OR LEAK, keep all unprotected persons away. Cover with absorbent such as soda ash, lime, clay or saw dust. Sweep up and bury. Wash area thoroughly with strong lye solution.

EMPTY DRUMS should be decontaminated by washing with hot, 5% caustic soda solution. Perforate to prevent use other than for this insecticide. Bury or discard in a safe place away from water supplies.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. In case of fire, use water spray, foam, dry chemical or CO₂.



FIRST AID: ATROPINE IS AN ANTIDOTE—

CONSULT PHYSICIAN FOR EMERGENCY SUPPLY. CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED METHYL PARATHION POISONING.

If symptoms or signs of poisoning include blurred vision, abdominal cramps, and tightness in the chest, do not wait for a doctor but give two atropine tablets (each 1/100 grain or 0.65 milligrams) at once. (One tablet to children under five years of age.)

Move patient immediately from the area where methyl parathion is present.

Remove contaminated clothing and wash the skin clean with plenty of soap and water to remove all traces of methyl parathion. If swallowed, induce vomiting by giving salty or soapy warm water. Have victim lie down and keep quiet.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

LOT NO. _____

NET LEGAL _____

EPA Reg. No. 524-68-AA

MONSANTO COMPANY • AGRICULTURAL PRODUCTS • ST. LOUIS, MISSOURI 63166, U.S.A. EPA

FOR FORMULATING ACCORDING TO RECOMMENDATIONS

PHYSICIANS NOTE: Antidote—administer TWO to FOUR mg. as soon as cyanosis is present. Repeat at 15 minute intervals until 2-PAM chloride is administered in conjunction with MORPHINE OR TRIMORPHINE. VERY strong cholinesterase inhibitor and peripheral nerve diac and respiratory pulmonary edema. Supplemental oxygen. Continued absorption. relapses have been reported; VERY CLOSE OBSERVATION IS INDICATED FOR 24 HOURS.

NOT

Antidote—administer TWO to FOUR mg. as soon as cyanosis is present. Repeat at 15 minute intervals until 2-PAM chloride is administered in conjunction with MORPHINE OR TRIMORPHINE. VERY strong cholinesterase inhibitor and peripheral nerve diac and respiratory pulmonary edema. Supplemental oxygen. Continued absorption. relapses have been reported; VERY CLOSE OBSERVATION IS INDICATED FOR 24 HOURS.

Eighty percent solution in xylene ION

FOR FORMULATING INSECTICIDES AND MITICIDES
ACCORDING TO REGISTERED LABELING.

 **POISON** 

FIRST AID: ATROPINE IS AN ANTIDOTE—

CONSULT PHYSICIAN FOR EMERGENCY SUPPLY.

CALL A PHYSICIAN AT ONCE IN ALL CASES OF
SUSPECTED METHYL PARATHION POISONING.

If symptoms or signs of poisoning include blurred
vision, abdominal cramps, and tightness in the chest,
do not wait for a doctor but give two atropine tablets
(each 1/100 grain or 0.65 milligrams) at once. (One
tablet to children under five years of age.)

Move patient immediately from the area where
methyl parathion is present.

Remove contaminated clothing and wash the skin
clean with plenty of soap and water to remove all
traces of methyl parathion. If swallowed, induce
vomiting by giving salty or soapy warm water. Have
victim lie down and keep quiet.

**NEVER GIVE ANYTHING BY MOUTH TO AN
UNCONSCIOUS PERSON.**

LOT NO. _____ PACKER _____

NET LEGAL _____ **LBS.**


EPA Reg. No. 524-68-AA

COMPANY • AGRICULTURAL PRODUCTS • ST. LOUIS, MISSOURI 63166, U.S.A. EPA Est. 524-AL-1 896.05-000.23/53

PHYSICIANS NOTE: This product is a cholinesterase
inhibitor. Warning symptoms include weakness,
headache, tightness in the chest, blurred vision, non-
reactive pin-point pupils, salivation, sweating,
nausea, vomiting, diarrhea, and abdominal cramps.

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses,
TWO to FOUR mg. intravenously or intramuscularly as
soon as cyanosis is overcome. Repeat at 5 to 10 min-
ute intervals until signs of atropinization appear.
2-PAM chloride is also antidotal and may be admin-
istered in conjunction with atropine. **DO NOT GIVE
MORPHINE OR TRANQUILIZERS.** Parathion is a
strong cholinesterase inhibitor affecting the central
and peripheral nervous systems and producing car-
diac and respiratory depression. At first sign of
pulmonary edema, the patient should be given sup-
plemental oxygen and treated symptomatically. Con-
tinued absorption of the poison may occur and fatal
relapses have been reported after initial improve-
ment; **VERY CLOSE SUPERVISION OF THE PATIENT
IS INDICATED FOR AT LEAST 48 HOURS.**



METHYL PARATHION

In case of any evidence of damaged
telephone collect, (205) 236-6381 Mo

ACCEPTED
 FEB 19 1975
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act.
 as amended
 registered
 EPA Reg. No. 538-69

6435



Kwit chinchbug control



controls chinchbugs and other insects listed below:

- | | | |
|-----------------|-------------------|--------------------|
| ants | carwigs | soil webworms |
| brown dog ticks | grasshoppers | (lawn moth larvae) |
| crickets | lice beetles | vegetable weevils |
| cutworms | (in dichondra) | (in dichondra) |
| | Hyperodes weevils | |

For use on grass or dichondra lawns
 A problem-solving product from Scotts, the lawn people

NET WEIGHT 5½ LBS. (treats 2,500 sq ft)

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. May be absorbed through the skin. Avoid inhalation or contact with skin, eyes and clothing. Do not apply by hand. Wash thoroughly with soap and water after using. Flush contaminated eyes with plenty of water and get medical attention if irritation persists. Wash all contaminated clothing with soap and hot water before reuse. Avoid contamination of food and foodstuffs. As directed, water lawn after application and allow to dry before permitting children or pets on treated areas. Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is antidotal.

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply where runoff is likely to occur. Apply this product only as specified on this label.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

Active ingredient: Chlorpyrifos [0,0-dimethyl 0-(3, 5, 6-trichloro-2-pyridyl) phosphorothioate] 1.35%
 Inert ingredients 98.65%
 Total 100.00%

US Composition Pat No 3,083,089 EPA Reg No 538-69-AA EPA Est 538-041-1 Product of USA
 O M Scott & Sons Marysville, Ohio 43040

Kwit chinchbug control

Treats 2,500 sq ft



controls chinchbugs and other insects listed below:

- | | | |
|-----------------|-------------------|--------------------|
| ants | carwigs | soil webworms |
| brown dog ticks | grasshoppers | (lawn moth larvae) |
| crickets | lice beetles | vegetable weevils |
| cutworms | (in dichondra) | (in dichondra) |
| | Hyperodes weevils | |

For use on grass or dichondra lawns

A problem-solving product from Scotts, the lawn people

How To Use

- DO for chinchbugs (plus ants, ticks, crickets and grasshoppers), apply at Scotts Spreader (Standard or Automatic Model) setting **7**. At this setting, contents will cover 2,500 sq ft of lawn. Use Kwit when temperatures reach 50° or above. Repeat treatment at two months intervals.
- DO for soil webworms, lice beetles, carwigs, vegetable weevils, and cutworms, apply at Scotts Spreader (Standard or Automatic Model) setting **5½**. At this setting, contents will cover 5,000 sq ft of lawn. Repeat as needed.
- DO for Hyperodes weevils, apply at Scotts Spreader (Standard or Automatic Model) setting **8½**. At this setting, contents will cover 1,875 sq ft of lawn. Use Kwit as soon as grass greens in spring. Repeat in one month.
- DO overlap spreader wheel tracks so no strips are missed.
- DO when treating for chinchbugs, water lawn thoroughly after application.
- DO when treating for all other insects listed above, sprinkle lightly after application to remove particles from foliage.
- DO NOT spot treat only damaged areas—apply over entire lawn area to provide complete protection.
- DO NOT use when grass is wet and so tall it touches bottom of spreader (let lawn dry, or mow, before making application).
- DO NOT mow for 24 hours after application.
- DO NOT allow children or pets on lawn area until grass has dried off (after watering in).
- DO NOT use any other control product (such as a seed control) for one week after application.

Free Bulletin Service

For a free copy of this Bulletin Service, please print your name and address on the card below and mail to: **Scotts Bulletin Service**, P.O. Box 100, Marysville, Ohio 43040. We will mail you the Bulletin Service promptly. Yes No

Scotts No-Quibble Guarantee
 If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of product use and we will mail you a check about promptly.

6435

6435

6435

