

DANGER! POISON

DO NOT GET ON SKIN, IN EYES, ON CLOTHING. DO NOT BREATHE VAPOR.

Exposed persons must be given prompt medical attention or they may die.

(1) Wear water-proof pants, coat, hat, rubber boots or gaiters, overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

NOTE TO PHYSICIAN

Antidote — administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is a pharmacologic antidote and may be administered as an adjunct to, but not a substitute for, atropine which is a symptomatic and often life-saving antidote. DO NOT GIVE MORPHINE, THEOPHYLLINE, THEOPHYLLINE ETHYLENE-DIAMINE (AMINO-PHYLLINE) PHENOTHIAZINES OR PHENOTHIAZINE TYPE OF TRANQUILIZERS AS THESE ANTIDOTES MAY PRODUCE ADVERSE EFFECTS ACCENTUATING THE PHARMACOLOGIC EFFECT OF THIS PRODUCT. This product is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.



SIGNATURE FRAG. "LE"
COPY AREA 7" x 19 1/2"



DRUM HANDLING

1. Handle drums carefully so as to avoid damage and prevent leakage.
2. Store drums in a cool, well-ventilated area.
3. Do not use drums as a receptacle for any other material. Do not use drums for any purpose other than that intended by the manufacturer.
4. Do not use drums for any purpose other than that intended by the manufacturer.

DRUM DISPOSAL

1. Drain completely. Tighten bungs. Decontaminate the outside only with hot 5% caustic soda solution and rinse with water. Transport to a professional drum reconditioner, having burning or decontaminating equipment to make the drums suitable for use as a container for non food products.

OR

DECONTAMINATE inside and outside by washing with hot 5% caustic soda solution. Tighten bungs. Roll drum for 15 minutes to wet all interior surfaces. Triple rinse with water then perforate to prevent other use and discard in a safe place, preferably by burying.

2. Dispose of wash and rinse solution according to procedures approved by Federal, State or Local disposal authorities.

IN CASE OF ANY EVIDENCE OF DAMAGED OR LEAKING CONTAINERS, TELEPHONE YOUR SUPPLIER.

Keep all unprotected persons and children away from spills and leaks.

Soak up spill with soda ash, lime, clay or sawdust. Sweep up and bury. Wash area thoroughly with strong lye solution.

1104.01-17C

5/16/77

DANGER! POISON

DO NOT GET ON SKIN, IN EYES, ON CLOTHING. DO NOT BREATHE VAPOR.

Exposed persons must receive prompt medical treatment or they may die.

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

NOTE TO PHYSICIAN

Antidote — administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is a pharmacologic antidote and may be administered as an adjunct to, but not a substitute for, atropine which is a symptomatic and often life-saving antidote. DO NOT GIVE MORPHINE, THEOPHYLLINE, THEOPHYLLINE ETHYLENE-DIAMINE (AMINO-PHYLLINE) PHENOTHIAZINES OR PHENOTHIAZINE TYPE OF TRANQUILIZERS AS THESE ANTIDOTES MAY PRODUCE ADVERSE EFFECTS ACCENTUATING THE PHARMACOLOGIC EFFECT OF THIS PRODUCT. This product is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.



MINIATURE FACSIMILE
COPY AREA 7" x 19½"



DRUM HANDLING

1. Handle drums carefully so as to avoid damage and prevent leakage.
2. Store drums in a cool, well ventilated place.
3. Open drums only when set on end and under a ventilated hood. Unscrew bungs slowly, to release any internal pressure. Then fit both bungs with valves.
4. To empty drums, connect one valve to an open vent pipe and the other to a closed storage or impregnation system.
5. Reuse drum ONLY for formulations of this insecticide. If outside is contaminated, decontaminate and rinse as shown below.

DRUM DISPOSAL

1. Drain completely. Tighten bungs. Decontaminate the outside only with hot 5% caustic soda solution and rinse with water. Transport to a professional drum reconditioner having burning or decontaminating equipment to make the drums suitable for use as a container for non-food products.

OR

DECONTAMINATE inside and outside by washing with hot 5% caustic soda solution. Tighten bungs. Roll drum for 15 minutes to wet all interior surfaces. Triple rinse with water then perforate to prevent other use and discard in a safe place, preferably by burying.

2. Dispose of wash and rinse solution according to procedures approved by Federal, State or Local disposal authorities.

IN CASE OF ANY EVIDENCE OF DAMAGED OR LEAKING CONTAINERS TELEPHONE YOUR SUPPLIER.

Keep all unprotected persons and children away from spills and leaks.

Soak up spill with soda ash, lime, clay or sawdust. Sweep up and bury. Wash area thoroughly with strong lye solution.

1099.01

5/16/77