

24,5-T AMINE



24,5-T AMINE

For controlling woody plants.

24,5-T AMINE is a herbicide for use on woody plants. It is a selective herbicide that kills woody plants without harming the surrounding vegetation.

Keep out of reach of children.

WARNING: CAUSES IRRITATION OF EYES AND SKIN.

Use 24,5-T AMINE as directed. Do not use on crops, lawns, or ornamentals. Do not use on plants that are sensitive to herbicides. Do not use on plants that are growing in or near water. Do not use on plants that are growing in or near a body of water. Do not use on plants that are growing in or near a body of water.

ACTIVE INGREDIENTS

24,5-T AMINE	56.5%
INERT INGREDIENTS	43.5%
	100.0%

NET CONTENTS 5 U.S. GALLONS



MINIATURE FACSIMILE
Smallest Type size on package 12 point.



2,4,5-T AMINE

For controlling woody plants.

Keep out of reach of children.

WARNING: CAUSES IRRITATION OF EYES AND SKIN

ACTIVE INGREDIENTS
INERT INGREDIENTS

56.5%

43.5%

100.0%

NET CONTENTS 5 U.S. GALLONS



DIRECTIONS FOR USE

For control of weeds in corn, sorghum, soybeans, cotton, and other crops, apply 2,4,5-T as directed. Do not apply to crops or plants which are sensitive to 2,4,5-T. Do not apply to crops or plants which are sensitive to 2,4,5-T. Do not apply to crops or plants which are sensitive to 2,4,5-T.

For control of weeds in corn, sorghum, soybeans, cotton, and other crops, apply 2,4,5-T as directed. Do not apply to crops or plants which are sensitive to 2,4,5-T. Do not apply to crops or plants which are sensitive to 2,4,5-T. Do not apply to crops or plants which are sensitive to 2,4,5-T.

For control of weeds in corn, sorghum, soybeans, cotton, and other crops, apply 2,4,5-T as directed. Do not apply to crops or plants which are sensitive to 2,4,5-T. Do not apply to crops or plants which are sensitive to 2,4,5-T. Do not apply to crops or plants which are sensitive to 2,4,5-T.

For control of weeds in corn, sorghum, soybeans, cotton, and other crops, apply 2,4,5-T as directed. Do not apply to crops or plants which are sensitive to 2,4,5-T. Do not apply to crops or plants which are sensitive to 2,4,5-T. Do not apply to crops or plants which are sensitive to 2,4,5-T.

WARNING NOTICE

Warning: 2,4,5-T is a known carcinogen. It may cause cancer in humans. It may also cause other health problems. Use 2,4,5-T only as directed. Do not apply to crops or plants which are sensitive to 2,4,5-T. Do not apply to crops or plants which are sensitive to 2,4,5-T. Do not apply to crops or plants which are sensitive to 2,4,5-T.

MONSANTO COMPANY AGRICULTURAL DIVISION ST. LOUIS, MO. U.S.A.

MINIATURE FACSIMILE
Smallest Type size on package 12 point.



2,4,5-T AMINE

For controlling woody plants

Keep out of reach of children

WARNING: CAUTION: IRRITANT TO EYES AND SKIN

ACTIVE INGREDIENTS

NET WEIGHT

NET CONTENTS 5 U.S. GALLONS



WARNING: Extreme care must be used when applying 2,4,5-T to prevent injury to plants and crops. 2,4,5-T should not be used on susceptible crops such as cotton, tomatoes, vegetables, grapes, fruit trees, soybeans, tobacco or beans. Do not allow spray to drift onto such plants. Since even minute quantities of spray may cause severe injury. Use low pressures when spraying to produce dense sprays which are less likely to drift. Do not spray on windy days.

Do not use 2,4,5-T on newly seeded lawns, creeping grasses, such as Bermuda grass, etc. It should not be sprayed on or near ornamental plants, shrubs, or trees. Do not spray on or near water bodies. Do not spray on or near livestock. Do not spray on or near children.

For control of weeds

Apply 2,4,5-T as directed. Do not apply to crops or plants which are sensitive to 2,4,5-T. Do not apply to crops or plants which are sensitive to 2,4,5-T. Do not apply to crops or plants which are sensitive to 2,4,5-T.

For control of weeds in corn, sorghum, soybeans, cotton, and other crops, apply 2,4,5-T as directed. Do not apply to crops or plants which are sensitive to 2,4,5-T. Do not apply to crops or plants which are sensitive to 2,4,5-T. Do not apply to crops or plants which are sensitive to 2,4,5-T.

For control of weeds in corn, sorghum, soybeans, cotton, and other crops, apply 2,4,5-T as directed. Do not apply to crops or plants which are sensitive to 2,4,5-T. Do not apply to crops or plants which are sensitive to 2,4,5-T. Do not apply to crops or plants which are sensitive to 2,4,5-T.

For control of weeds in corn, sorghum, soybeans, cotton, and other crops, apply 2,4,5-T as directed. Do not apply to crops or plants which are sensitive to 2,4,5-T. Do not apply to crops or plants which are sensitive to 2,4,5-T. Do not apply to crops or plants which are sensitive to 2,4,5-T.

For control of weeds in corn, sorghum, soybeans, cotton, and other crops, apply 2,4,5-T as directed. Do not apply to crops or plants which are sensitive to 2,4,5-T. Do not apply to crops or plants which are sensitive to 2,4,5-T. Do not apply to crops or plants which are sensitive to 2,4,5-T.

ACCEPTED

DEC 2 1969

U.S. PATENT OFFICE
FEDERAL BUREAU OF INVESTIGATION
FEDERAL BUREAU OF INVESTIGATION
FEDERAL BUREAU OF INVESTIGATION

MONSANTO COMPANY ST. LOUIS, MISSOURI, U.S.A.

BPUSH-O-CIDE offers a new dimension of control that gives the mixed spray better kill power. It kills, spreads...penetrates...toxy leaf can't stand and for a deep kill. BPUSH-O-CIDE knocks out tough weeds, plants by working deep into the soil.

WHERE TO USE: On regulated clearance, rights-of-way, fence rows and industrial sites, to control mixed stands of susceptible brush.

See also: "Only Plants"

[illegible]

134

SUPER O CONCENTRATE

BRUSH-O-CIDE

BRUSH KILLER

Keep out of reach of children.

CAUTION: MAY CAUSE SKIN IRRITATION.

ACTIVE INGREDIENTS

1. <i>Chrysomelidae</i>	46.6%
2. <i>Curculionidae</i>	44.5%

INERT INGREDIENTS

INERT INGREDIENTS	89
	100.0

NET CONTENTS 1 U.S. GALLON

Monsanto

Do not use around the home or recreation areas

Use of this handbook may be governed by local regulations.

Large amounts of BROSH-O CIDE in the soil may temper
and retard seed germination.

Keep this can's lid closed when not in use and do not reuse.
© 2010 Borden's, Inc. All rights reserved.

to the primary market of ethanol recommended by the
to provide the following primary objectives at least:

Start with a separate container, applying 2-4 drops of oil per gallon. You must use the same equipment for all sprays. Then, flush the equipment spray wand with water before mixing. Then fill the sprayer with water containing 1 drop of oil per gallon. Add 1 drop of oil to each 25 gallons of water, and allow 5 to 7 days. Finally, flush equipment thoroughly, including hoses and nozzles, several times with water.