

A C L 85

Granular

CHLORINE COMPOSITION BY
Monsanto

ACCEPTED
3 FEB 1975
524-107
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND MITICIDIC ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO.

Comment

Keep out of reach of children.
DANGER!
STRONG OXIDIZER.
CONTACT WITH ORGANIC MATTER MAY CAUSE FIRE.
MAY CAUSE EYE DAMAGE AND BURNS TO BROKEN SKIN.
MAY CAUSE IRRITATION OF NOSE AND THROAT.
HARMFUL IF SWALLOWED.
CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE CONTAINING GASES.
Avoid contact with skin.
Do not get in eyes. Protect eyes when handling.
Avoid contact with organic material.
Avoid breathing dust.

FIRST AID: IN CASE OF CONTACT remove loose powder and flood skin or eyes with cold water for at least 15 minutes; for eyes, get medical attention.

IF SWALLOWED, drink milk, water, or raw egg whites. Call a physician.

In case of:
FIRE, if possible, isolate container in open air or well ventilated area. Flood with large volume of water.
SPILL, sweep up and flush down sewer with LARGE VOLUME of water and provide adequate ventilation.

Decomposes at 460 to 480 F. with liberation of harmful gases.

ACTIVE INGREDIENT:
TRICHLORO-S-TRIAZINETRIONE 100%

FOR REPACKAGING OR PRODUCING DISINFECTANTS, SANITIZERS, FUNGICIDES AND ALGICIDES.

CONTAINER HANDLING AND STORAGE
Re-tie polyethylene liner after each use and keep container tightly closed.
Store in dry place. Do not allow water to get into container. Keep containers off wet floors.
Rinse empty container with water and discard.
Refer to Monsanto Technical Bulletin IC/SCS-310 for detailed information on handling and storing.

ACCEPTED WITH COMMENTS

LOT NO. _____ PACKER _____  NET/LEGAL **300** LB. **136.08** KG.

A C L • 85

CHLORINE COMPOSITION BY

Monsanto

Granular

3 FEB 1975
524-107

Comment

Keep out of reach of children.
DANGER!
STRONG OXIDIZER.
CONTACT WITH ORGANIC MATTER MAY CAUSE FIRE.
MAY CAUSE EYE DAMAGE AND BURNS TO BROKEN SKIN.
MAY CAUSE IRRITATION OF NOSE AND THROAT.
HARMFUL IF SWALLOWED.
CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE CONTAINING GASES.
Avoid contact with skin
Do not get in eyes. Protect eyes when handling.
Avoid contact with organic material
Avoid breathing dust.

FIRST AID: IN CASE OF CONTACT remove loose powder and flood skin or eyes with cold water for at least 15 minutes. for eyes, get medical attention
IF SWALLOWED, drink milk, water, or raw egg whites. Call a physician
In case of
FIRE, if possible, isolate container in open air or well ventilated area. Flood with large volume of water.
SPILL, sweep up and flush down sewer with LARGE VOLUME of water and provide adequate ventilation
Decomposes at 462° to 480° F. with liberat harmful gases.

ACTIVE INGREDIENT:
TRICHLORO-S-TRIAZINETRIONE 100%
FOR REPACKAGING OR PRODUCING DISINFECTANTS, SANITIZERS, FUNGICIDES AND ALGICIDES.
CONTAINER HANDLING AND STORAGE
Re-tie polyethylene liner after each use and keep container tightly closed.
Store in dry place. Do not allow water to get into container. Keep containers off wet floors.
Rinse empty container with water and discard
Refer to Monsanto Technical Bulletin IC/SCS 310 for detailed information on handling and storing.

LOT NO. _____ PACKER _____
NET LEGAL **300** LB **136.08** KG

EPA Est. 524-IL-1 MONSANTO COMPANY, ST. LOUIS, MISSOURI 63166 U.S.A. 815-18-0000 BR (EPA Reg. No. 524-107-AA)