VEGETABLES

POTATOES —

SWEET POTATOES —

ARTICHOKE —

BROCCOLI —

BRUSSELS SPROUTS—

CAULIFLOWER —

KOHLRABI —

RUTABAGAS —

CABBAGE —

COLLARDS, KALE AND MUSTARD —

PEA

TOMATOES

BEANS (Dry and Green)

BEETS (Red)

CARROTS

CELERY—

CUCUMBERS—

ONIONS

PEPPERS—

SPINACH

TURNIPS

LETTUCE—

CEREAL

BARLEY, OATS, RYE AND WHEAT —

FRUIT

Keep out of reach of children

DANGER!

POISONOUS BY SKIN CONTACT INHALATION OR SWALLOWING

RAPIDLY ABSORBED THROUGH SKIN

REPEATED EXPOSURE MAY WITHOUT SYMPTOMS, BE INCREASINGLY HAZARDOUS

DO NOT GET ON SKIN, IN EYES, ON CLOTHING

DO NOT BREATHE DUST, VAPOR OR SPRAY MIST

DO NOT STORE NEAR FOOD OR FEED PRODUCT

POISON

ATROPINE IS AN ANTIDOTE
CONSULT PHYSICIAN FOR
EMERGENCY SUPPLY

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON

MINIATURE FACSIMILE
Type size meets requirements
Color: Red and Black on White

50 Weight/Volume %

METHYL PARATHION

Monsanto

Emulsifiable insecticide for controlling certain insects on the listed field, forage, fruit and vegetable crops

DANGER!

ATTENTION

POISON

DIRECTIONS FOR USE

FIELD AND FORAGE CROPS

ALFALFA AND CLOVER

COTTON

CAUTION — When necessary to enter treated cotton

GRASS (forage) — For control of armyworm

HOPS

SOYBEANS

SUGAR BEETS

TOBACCO

CAUTION

AUG 1 1975