



63



NET 50 LBS.



For controlling rootworms and certain weeds in hybrid seed corn

MINIATURE FACSIMILE
Smallest Type size on package 12 point.

DANGER! POISON
KEEP OFF FOOD PRODUCTS
ADDITION TO THE
POISON
KEEP OFF FOOD PRODUCTS
ADDITION TO THE
POISON

NET WT. 50 LBS.

ACTIVE INGREDIENTS
NET WEIGHTS



9-30-69
524-156

For controlling rootworms and certain weeds in hybrid seed corn.

READ "WARNING NOTICE" BEFORE BUYING OR USING. IF NOTICE TERMS ARE NOT ACCEPTABLE, RETURN AT ONCE UNOPENED.

9-30-69
524-156

KEEP OUT OF REACH OF CHILDREN.

DANGER!  **POISON** 
POISONOUS BY SKIN CONTACT, INHALATION, OR SWALLOWING.
RAPIDLY ABSORBED THROUGH SKIN.
REPEATED EXPOSURE MAY, WITHOUT SYMPTOMS, BE INCREASINGLY HAZARDOUS.
MAY CAUSE ALLERGIC SKIN REACTION

NET WT. 50 LBS.

Use only according to label instructions.

ACTIVE INGREDIENTS:

Parathion (O,O-diethyl O-p-nitrophenyl phosphorothioate) 10.0%
2-chloro-N-isopropylsartanilide 8.3%

INERT INGREDIENTS:

81.7%
100.0%


See additional warning statements, first aid and antidote information on back of bag.


MONSANTO COMPANY • AGRICULTURAL DIVISION • ST. LOUIS, MISSOURI • U.S.A.

WALLOP®

WEED AND WORM PESTICIDE

NET 50 LBS.







CUT OFF CORNER

POUR FROM OPENING

63



Some of the product will come out of the silver can. Do not use the silver can for disposal. © 1974

MONSANTO COMPANY • AGRICULTURAL DIV.



KEEP OUT OF REACH OF CHILDREN

DANGER!
POISONOUS BY SKIN CONTACT, INHALATION, OR SWALLOWING
RAPIDLY ABSORBED THROUGH SKIN.
REPEATED EXPOSURE MAY, WITHOUT SYMPTOMS, BE INCREASINGLY HAZARDOUS.
MAY CAUSE ALLERGIC SKIN REACTION

POISON

FIRST AID
If you get this product on your skin, wash it off immediately with plenty of water. If you get it in your eyes, wash them out with plenty of water. If you swallow it, do not induce vomiting. Get medical attention immediately.

WARNING NOTICE

Wallop is a highly effective herbicide for the control of weeds and grasses in agricultural crops. It is also effective against many insects and mites. It is a contact herbicide and insecticide. It is not a systemic herbicide. It is not a soil sterilant. It is not a defoliant. It is not a growth regulator. It is not a plant hormone. It is not a nutrient. It is not a fertilizer. It is not a pesticide. It is not a fungicide. It is not a bactericide. It is not a nematocide. It is not a molluscicide. It is not a rodenticide. It is not an acaricide. It is not an insecticide. It is not a miticide. It is not a molluscicide. It is not a rodenticide. It is not an acaricide. It is not an insecticide. It is not a miticide.

DIRECTIONS FOR USE

Read the label carefully before using this product. Follow the directions on the label. Do not use this product in a way that is inconsistent with the label. Do not use this product on crops that are not listed on the label. Do not use this product on crops that are listed on the label but for which it is not registered. Do not use this product on crops that are listed on the label but for which it is not registered.

2-chloro-N-iscopylacetanilide
INERT INGREDIENTS:

8.3%
81.7%
100.0%

VISION • ST. LOUIS, MISSOURI • U.S.A.

WORM PESTICIDE WALLOP®

weeds. It should be applied to the soil in a band utilizing a spreader plate immediately in front of the press or row wheel during the corn planting operation.
7 INCH BAND (40 inch row spacing) apply 10 pounds of Wallop per acre in a band in front of the press or row wheel at planting time.
10 INCH BAND (40 inch row spacing) apply 14.5 pounds of Wallop per acre in a band in front of the press or row wheel at the planting time.
NOTE: For row spacings greater than 40 inches, use the amount of Wallop listed and use proper broadcast amount of Wallop per acre.

WEEDS CONTROLLED

Giant Foxtail (Wild Millet) Setaria faberi	Crabgrass Digitaria spp.
G Foxtail Setaria viridis	Pigweed Amaranthus sp.
Yellow Foxtail Setaria glauca	Ragweed Ambrosia artemisiifolia
Barnyardgrass (Watergrass) Echinochloa crusgali	Lambsquarter Chenopodium album

Do Not Store Near Food or Feed Products.

- Keep out of reach of children and domestic animals.
- Do not store in areas planted for crops. Do not apply in feed troughs or near livestock.
- Swirl up and bury spillage whether it occurs in a hopper or in the field. A bag has been opened, dust completely empty the remainder. Make sure that the hoppers of equipment are emptied of Wallop granules when in the field.
- Destroy empty containers by burning, incineration. Store out of sight when buying containers.
- Keep all persons and animals out of treated tanks for 48 hours.
- Valued areas should not be re-entered until drifting insecticide and residue residues have dissipated.
- Highly toxic to fish and will be fatal to water birds taken from the water. Wash hands and other exposed areas from contact with any spilled material at the site.

© 1974, Monsanto, MSDA Reg. No. 4427

and dizziness in the chest. Do not walk for 1 hour after you have used 4 or 5 tablets (each 1/100 grain or 0.65 milligrams) at once. (One tablet to children under five years of age.)

Move patient immediately from the area where parathion is present. Remove contaminated clothing and wash the skin clean with plenty of soap and water to remove all traces of parathion. If washed under vomiting by giving salty or soapy warm water. Have a hot tea towel and keep it hot. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

Physicians Note: This product is a weak to moderate parasympathomimetic. It causes weakness, incontinence, diarrhea, vomiting, salivation, lacrimation, miosis, and bradycardia. It is a potent pupil dilator. Avoiding this drug in the family with atropinal tamias.

Treatment: Give 1 mg. of atropine immediately by injection at the site of the injection and parentally or orally every hour until pupils dilate. Avoid atropine if possible. If necessary, 4 mg. of 1% P.A.M. (1% solution) and 1 mg. of atropine is available. Administer according to manufacturer's instructions. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously 48 hours. Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Avoid any further exposure until time for cholinesterase reactivation has been allowed as determined by blood tests.

Do Not Get on Skin, in Eyes, or Clothing.

- Wear freshly laundered long-sleeved work clothing. When transferring Wallop granules from package to equipment, wear an apron, gloves, and shoes. If cotton gloves are used, they must be kept separate and changed after each day's use. Rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work when changing into clean clothing or gloves frequently.
- Wash thoroughly with soap and warm water before going to bed.
- Bathe and shower after work. Do not change clothes until you are clean. Wash your face with soap and hot water before going to bed.
- Do not contact children or animals until you are clean. Do not get Wallop on your face with soap and water. Do not get Wallop on your face with soap and water before going to bed.

Do Not Breathe Dust.

- Wash empty containers of Wallop granules in a separate sink. Wash and change work clothes before going to bed. Do not get Wallop on your face with soap and water before going to bed.
- Do not inhale dust or spray particles when transferring Wallop granules. Do not inhale dust or spray particles when using Wallop granules. Do not inhale dust or spray particles when using Wallop granules.
- Do not apply Wallop granules to plants, crops, or soil in a way that causes dust or spray particles to be inhaled.

NET 50 LBS.



WARNING
KEEP AWAY FROM FEED OR FOOD PRODUCTS
POISON
CAUTION-DO NOT DROP
IF LEAKING DON'T BREATHE DUSTS OR FUMES
MONSANTO COMPANY

244033