

A C L 66

Granular

CHLORINE COMPOSITION BY
Monsanto

ACCEPTED
3 FEB 1975
524-261
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND MOLLUSCICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO.

Comment

Keep out of reach of children.
DANGER!
STRONG OXIDIZER.
CONTACT WITH ORGANIC MATTER MAY
CAUSE FIRE.
MAY CAUSE EYE DAMAGE AND BURNS
TO BROKEN SKIN.
MAY CAUSE IRRITATION OF NOSE AND
THROAT.
HARMFUL IF SWALLOWED.
WILL BURN WITH EVOLUTION OF
CHLORINE AND EQUALLY TOXIC
GASES.
Avoid contact with skin.
Do not get in eyes. Protect eyes when
handling.
Avoid contact with organic material.
Avoid breathing dust.

FIRST AID: IN CASE OF CONTACT remove loose
powder and flood skin or eyes with cold water
for at least 15 minutes; for eyes, get medical
attention.

IF SWALLOWED, drink milk, water, or raw egg
whites. Call a physician.

In case of:

FIRE or sustained decomposition flood with water,
avoid breathing fumes.

SPILL, sweep up and flush down sewer with
LARGE VOLUME of water and provide adequate
ventilation.

Decomposes at 460° to 480° F. with liberation of
heat and harmful gases.

ACTIVE INGREDIENT:

[mono-(TRICHLORO)tetra-
(MONOPOTASSIUM DICHLORO)]-
PENTA-S-TRIAZINETRIONE 100%

FOR REPACKAGING OR PRODUCING DISINFECT-
ANTS, SANITIZERS, FUNGICIDES AND ALGICIDES.

CONTAINER HANDLING AND STORAGE

Re-tie polyethylene liner after each use and keep
container tightly closed.

Store in dry place. Do not allow water to get into
container. Keep containers off wet floors.

Rinse empty container with water and discard.

Refer to Monsanto Technical Bulletin IC: SCS-310
for detailed information on handling and storing.

LOT NO. _____ PACKER _____
 NET/LEGAL **300** LB. **136.08** KG.