

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification



INSECTICIDE BY **Monsanto.**

Emulsifiable insecticide for controlling certain insects on the listed field, forage, fruit and vegetable crops.

Use only according to label instructions

READ "LIMIT OF WARRANTY AND LIABILITY" BEFORE BUYING OR USING

IF TERMS ARE NOT ACCEPTABLE RETURN AT ONCE UNOPENED

POISON

See side panel for antidote and precautions



DANGER

Keep out of reach of children

NOT FOR HOME USE

ACTIVE INGREDIENTS	
Dimethyl D-thiosphenyl phosphorothioate	62.6%
Aromatic petroleum derivative solvent	27.2%
INERT INGREDIENTS	
	10.2%
	100.0%

*Equivalent to 5.0 lbs. of 100% methyl parathion per gallon



Keep out of reach of children

DANGER!

POISONOUS BY SKIN CONTACT, INHALATION, OR SWALLOWING. RAPIDLY ABSORBED THROUGH SKIN.

REPEATED EXPOSURE MAY, WITHOUT SYMPTOMS, BE INCREASINGLY HAZARDOUS.

DO NOT GET ON SKIN, IN EYES, OR CLOTHING. Wear heavy natural rubber gloves and goggles. Wear clean, waterproof or freshly laundered protective clothing (coveralls, rubber boots, etc.). Destroy and replace gloves frequently.

Wash thoroughly with soap and warm water before eating or smoking.

Bathe immediately after work and change all clothing. Wash clothing thoroughly with soap and hot water before reuse.

In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water. For eyes, flush with water for 15 minutes.

DO NOT BREATHE DUST, VAPOR, OR SPRAY MIST: Wear a mask or respirator of a type passed by the Mine Safety and Health Administration for METHYL PARATHION protection. Airplane pilots should wear full-face canister-type mask.

If handled indoors, provide mechanical exhaust ventilation.

Do not apply or allow drift to areas occupied by unprotected humans or beneficial animals.

DO NOT STORE NEAR FOOD OR FEED PRODUCTS. Keep out of reach of children and domestic animals.

Not for use or storage in or around the home.

Ruby spillage: Clean up area with strong lye solution.

NET GAL.

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63166 U.S.A.



ATROPINE IS AN ANTIDOTE CONSULT PHYSICIAN FOR EMERGENCY SUPPLY.

FIRST AID: CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED METHYL PARATHION POISONING.

If symptoms or signs of poisoning include blurred vision, abdominal cramps and tightness in the chest, do not wait for a doctor but give two atropine tablets (each 1-100 grain or 0.65 milligrams) at once. (One tablet to children under five years of age.)

Move patient immediately from the area where methyl parathion is present.

Remove contaminated clothing and wash the skin clean with plenty of soap and water to remove all traces of methyl parathion. If swallowed, induce vomiting by giving salty or soapy warm water. Have victim lie down and keep quiet.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

PHYSICIANS NOTE: This product is a cholinesterase inhibitor. Warning symptoms include weakness, headache, tightness in the chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

TREATMENT: Large doses of atropine are required. For adults, give 2.0 mg. to 4.0 mg. of atropine preferably by intravenous injection, at once and repeat every 10 to 15 minutes until pupils dilate. In addition to atropine, if 2-PAM Chloride (prothidone-mechloride) is available, administer according to manufacturer's directions. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood tests.

DISPOSAL OF EMPTY CONTAINER: Do not reuse this container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies. Rinse out the inside of the container with water to which has been added detergent and caustic soda. Carefully discard the rinse solution by burning at least 18 inches deep in an isolated area away from water supplies. Puncture and crush empty metal container and bury at least 18 inches deep in a supervised public or private dump.

LIMIT OF WARRANTY AND LIABILITY

Monsanto Company forms to the chemist reasonably in directions for use of the understanding of use or handling age which are as for example if the manner of its of other product crop. **MONSANTO IMPLIED WARRANTY LIABILITY:** The exc and the limit of or any other sale damages result in product shall be or buyer for the. The buyer and all the terms of this any verbal or written **TO PREVENT FATALITIES**

Keep all persons for 48 hours

Vacated areas should be insecticide and v

DIRECTIONS

Be sure to read it

This product is a hazard and precaution with water. This container is concentrate to the and mix thoroughly cover all surface application over. Never apply late levels at harvest by the Food and

Consult the State Experiment Station regarding application amount of spray at least 3; carbon by area; cleared per acre; substituted with crop quantities of wet coverage of soil

POISON
ATROPINE IS AN ANTIDOTE
CONSULT PHYSICIAN FOR
EMERGENCY SUPPLY

PHYSICIAN AT ONCE IN CASE OF
 D METHYL PARATHION POISONING
 In case of poisoning, do not use diluted
 amount crops and tightness in the chest
 for a doctor but give two atropine tablets
 10 grain or 665 milligrams at once. One
 tablet under five years of age
 Do not immediately from the area where
 poison is present
 Decontaminated clothing and wash the skin
 with plenty of soap and water to remove
 methyl parathion. If swallowed, induce
 vomiting with plenty of warm water. Have
 person lie down and keep quiet.

**DO NOT TAKE ANYTHING BY MOUTH TO AN
 INFECTIOUS PERSON**

NOTE: This product is a cholinesterase
 inhibitor. Warning symptoms include weakness,
 tightness in the chest, blurred vision,
 pinpoint pupils, salivation, sweating,
 nausea, diarrhea and abdominal cramps.

IF Large doses of atropine are required,
 give 20 mg to 40 mg of atropine pref-
 erentially by injection at once and repeat
 15 minutes until pupils dilate. In addition
 if 2 PAM Chloride (pralidoximechloride)
 administer according to manufacturer's
 directions. Never give morphine. Clear chest
 by suction. Artificial respiration or oxygen
 may be necessary. Observe patient
 closely 48 hours. Repeated exposure to
 cholinesterase inhibitors may without warn-
 ing produce susceptibility to very small
 doses of cholinesterase inhibitor. Allow
 sufficient time for cholinesterase regenera-
 tion as determined by blood tests.

IF EMPTY CONTAINER—Do not re-use
 container. Completely empty the contents and
 rinse chemical at least 12 inches deep
 in a location away from water such as
 the inside of the container with water to
 be added detergent and caution should
 be added the rinse solution by burying at
 least 2 feet deep in an isolated area away from
 water. Puncture and crush empty metal
 cans and bury at least 18 inches deep in a
 public or private dump.

LIMIT OF WARRANTY AND LIABILITY

Monsanto warrants that the product is
 free from intentional adulteration and
 that it is suitable for the uses and
 purposes for which it is intended. It
 does not warrant that the product will
 perform satisfactorily under all conditions
 of use or that it will be free from
 defects. The product is sold as a
 concentrate and is intended to be
 diluted before use. The amount of
 dilution to be used is indicated on the
 label. The product is not intended for
 use on food crops. The product is not
 intended for use on crops which are
 to be used for seed. The product is
 not intended for use on crops which are
 to be used for animal feed. The
 product is not intended for use on
 crops which are to be used for
 human consumption. The product is
 not intended for use on crops which
 are to be used for human consumption.
 The product is not intended for use
 on crops which are to be used for
 human consumption. The product is
 not intended for use on crops which
 are to be used for human consumption.

**TO PREVENT PERSONAL INJURY AND POSSIBLY
 FATALITY:**


Keep all persons and animals out of treated areas
 for 48 hours.
 Vacated areas should not be entered until drifting
 insecticide and volatile residues have dissipated.

DIRECTIONS FOR USE


Be sure to read the precautionary statements before
 using.

This product is designed for application after dilu-
 tion with water and for use by trained operators
 using airplane or power ground equipment. The
 hazards and precautions for handling the product in
 this container are equally applicable to it after dilu-
 tion with water for spray application. Add the con-
 centrate to the spray tank while filling with water
 and mix thoroughly either by means of a tank ag-
 itator or pump by pass. For best results, thoroughly
 cover all surfaces to be treated with spray. Rates of
 application given below should not be exceeded.
 Never apply later than indicated to assure residue
 levels at harvest are below tolerances established
 by the Food and Drug Administration.

Consult the State Agricultural Extension Service or
 Experiment Station for specific recommendations
 regarding application, dosage and timing of sprays.
 For application by ground equipment, add the de-
 sired amount of concentrate to sufficient water to
 apply at least 3 gallons of water per acre. For ap-
 plication by airplane, add the amount of concentrate
 desired per acre to 4 to 5 gallons of water con-
 sistent with crop growth and good flying. Greater
 quantities of water may be applied to give sufficient
 coverage of orchard trees.



Apple
 Apricot
 Cherry
 Citrus
 Grape
 Peach
 Pear
 Plum
 Prune
 Strawberry
 Tomato
 Tobacco
 Walnut
 Watermelon
 Zucchini



FEED CROPS
 (None)

VEGETABLES

- | | |
|---------------|----------------|
| ARTICHOKE | KALE |
| BEANS | KOHLRABBI |
| Dry and Green | LETTUCE |
| BEETS Red | MUSTARD |
| BROCCOLI | ONIONS |
| BRUSSELS | PEAS |
| SPROUTS | PEPPERS |
| CABBAGE | POTATOES |
| CARROTS | PUMPKINS |
| CAULIFLOWER | SPINACH |
| CELERY | SWEET POTATOES |
| COLLARDS | TOMATOES |
| CUCUMBERS | TURNIPS |

POISONOUS TO WILDLIFE

This product is toxic to wildlife. Birds and other
 wildlife in treated areas may be killed. Keep out of
 any body of water. Do not apply when weather
 conditions favor drift from treated areas. Do not
 apply where runoff is likely to occur. Do not
 contaminate water by cleaning equipment or disposal
 of wastes.

This product is highly toxic to bees exposed to direct
 treatment of residues on crops. Protective informa-
 tion may be obtained from your Cooperative Ag-
 ricultural Extension Service.

ATTENTION

Be sure to read and understand the precautionary
 statement before using.

Do not use in any manner other than recommended
 on this label.

Because this material is poisonous by skin contact,
 inhalation or swallowing, it should not be used in
 such a manner as to create conditions as with
 permitted drift of the spray onto areas not intended
 to be sprayed.

To avoid excessive residues on methyl parathion
 on food or forage crops, always observe the state-
 ments found under Directions for use, limiting
 the time before harvest when methyl parathion may
 be applied.

Combustible. Do not store or use near heat or open
 flame. In case of fire, use water spray, foam or
 chemical CO₂.

IN CASE OF ANY EVIDENCE OF DAMAGED OR LEAK-
 ING CONTAINERS, TELEPHONE COLLECT (205)
 236-6381 MONSANTO ANNISTON, ALABAMA.

859-03-15 EPA Reg. No. 524-1-1

RESTRICTED USE PESTICIDE

For use only by persons licensed or certified by the State Department of Agriculture or persons licensed by the State Department of Agriculture. For sale only to such persons.

NIRXIN M-6
ACCEPTED
 Monsanto
EMERGENCY INSECTICIDE
 for controlling certain insects on fruit and vegetable crops
NOT FOR HOME USE
 Complete Directions for Use
 EPA Reg. No. 524-234

Use only according to these label instructions.
 Read **LIMIT OF WARRANTY AND LIABILITY** before buying or using. If terms are not acceptable, return to vendor unopened.
RESEALABLE BAG
 Pull flaps apart to open.
 Press along ridge to close.
 859 02 53

LIMIT OF WARRANTY AND LIABILITY

Monsanto Company warrants that the product is free from adulteration and contains the ingredients stated on the label. It is not warranted that the product will control insects on any crop, or that it will control insects on any crop under all conditions. The product is warranted only for the uses and conditions stated on the label. The exclusive remedy of the purchaser is the purchase price paid by the user. The purchaser shall be responsible for any damages resulting from the use of the product. This warranty shall be void if the product is used for any purpose other than that stated on the label. This warranty is not applicable to any other product of Monsanto Company.

ATTENTION

Do not use in any manner other than recommended on this label.
 To avoid excessive residues of methyl parathion on food or forage crops, always observe the state or local laws regarding the use of this pesticide before harvest when a harvest residue may be applied.

INSECTS

GENERAL APPLICATIONS
 GENERAL APPLICATIONS
 VEGETABLE INSECTS

VEGETABLE INSECTS
 Beans 16
 Broccoli 16
 Brussels 16
 Cabbage 18
 Carrots 19
 Cauliflower 17
 Celery 19
 Coddards 18
 Cucumbers 19

FIELD AND FORAGE CROP INSECTS
 Alfalfa 12
 Clover 12
 Cotton 12
 Grass Forage 13
 Hops 13

FRUIT INSECTS
 Apples 14
 Grapes 14
 Peaches 15

OIL SEED CROP INSECTS
 Sunflower 15

VEGETABLE INSECTS

Beans	16	Pumpkin	16
Broccoli	16	Spinach	17
Brussels	16	Sweet Potatoes	16
Cabbage	18	Tomatoes	18
Carrots	19	Turnips	19
Cauliflower	17		
Celery	19		
Coddards	18		
Cucumbers	19		

POISONOUS TO WILDLIFE

This pesticide is toxic to wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift into treated areas. Do not apply within 100 feet of water. Do not contaminate water by cleaning equipment or disposal of wastes.
 Combustible. Do not store or use near heat or open flame. In case of fire, use water spray from dry chemical or CO₂.

! DANGER ! POISON !

POISONOUS BY SKIN CONTACT, INHALATION OR SWALLOWING.
 RAPIDLY ABSORBED THROUGH SKIN.
 REPEATED EXPOSURE MAY WITHOUT SYMPTOMS BE INCREASINGLY HAZARDOUS.
 Keep out of reach of children.
 Do not breathe dust, vapor, or spray mist.
 Do not get on skin, in eyes, or in mouth.
 If on skin, wash with soap and water.
 If in eyes, flush with water for 15 minutes.
 If swallowed, do not induce vomiting. Drink water and get medical attention immediately.

ACTIVE INGREDIENTS
 Methyl parathion (50% concentrate) 62.6%
 Methyl parathion derivative solvent 27.2%
INERT INGREDIENTS 10.2%
100.0%
 *Equivalent to 6.0 lbs. of 100% methyl parathion per gallon.

BEST DOCUMENT AVAILABLE

Hazards and Safeguards

Keep out of reach of children.

DANGER!

POISONOUS BY SKIN CONTACT, INHALATION OR SWALLOWING.
 RAPIDLY ABSORBED THROUGH SKIN.
 REPEATED EXPOSURE MAY WITHOUT SYMPTOMS, BE INCREASINGLY HAZARDOUS.

DO NOT GET ON SKIN, IN EYES, OR IN MOUTH.

If on skin, wash with soap and water. If in eyes, flush with water for 15 minutes. If swallowed, do not induce vomiting. Drink water and get medical attention immediately.

Do not breathe dust, vapor, or spray mist. Do not get on clothing or shoes. Do not eat, drink, or smoke while using this pesticide.

Do not apply to water. Do not apply to crops that are to be eaten raw.

Do not use in any manner other than that recommended on this label.

DO NOT BREATHE DUST, VAPOR, OR SPRAY MIST.

Do not get on clothing or shoes. Do not eat, drink, or smoke while using this pesticide.

Do not apply to water. Do not apply to crops that are to be eaten raw.

Do not use in any manner other than that recommended on this label.

Do not breathe dust, vapor, or spray mist. Do not get on clothing or shoes. Do not eat, drink, or smoke while using this pesticide.

Do not apply to water. Do not apply to crops that are to be eaten raw.

! DANGER ! POISON !

ATROPINE IS AN ANTIDOTE. CONSULT PHYSICIAN FOR EMERGENCY SUPPLY.

Do not breathe dust, vapor, or spray mist. Do not get on clothing or shoes. Do not eat, drink, or smoke while using this pesticide.

Do not apply to water. Do not apply to crops that are to be eaten raw.

Do not use in any manner other than that recommended on this label.

Do not breathe dust, vapor, or spray mist. Do not get on clothing or shoes. Do not eat, drink, or smoke while using this pesticide.

NEVER GIVE ANYTHING TO DRINK TO AN INTOXICATED PERSON.

Do not get on clothing or shoes. Do not eat, drink, or smoke while using this pesticide.

Do not apply to water. Do not apply to crops that are to be eaten raw.

Do not use in any manner other than that recommended on this label.

Do not breathe dust, vapor, or spray mist. Do not get on clothing or shoes. Do not eat, drink, or smoke while using this pesticide.

Do not apply to water. Do not apply to crops that are to be eaten raw.

Do not use in any manner other than that recommended on this label.

Do not breathe dust, vapor, or spray mist. Do not get on clothing or shoes. Do not eat, drink, or smoke while using this pesticide.

Do not apply to water. Do not apply to crops that are to be eaten raw.

Do not use in any manner other than that recommended on this label.

Do not breathe dust, vapor, or spray mist. Do not get on clothing or shoes. Do not eat, drink, or smoke while using this pesticide.

Do not apply to water. Do not apply to crops that are to be eaten raw.

NEVER GIVE ANYTHING TO DRINK TO AN INTOXICATED PERSON.

Do not get on clothing or shoes. Do not eat, drink, or smoke while using this pesticide.

Do not apply to water. Do not apply to crops that are to be eaten raw.

Do not use in any manner other than that recommended on this label.

Do not breathe dust, vapor, or spray mist. Do not get on clothing or shoes. Do not eat, drink, or smoke while using this pesticide.

Do not apply to water. Do not apply to crops that are to be eaten raw.

Do not use in any manner other than that recommended on this label.

Do not breathe dust, vapor, or spray mist. Do not get on clothing or shoes. Do not eat, drink, or smoke while using this pesticide.

Do not apply to water. Do not apply to crops that are to be eaten raw.

Do not use in any manner other than that recommended on this label.

Do not breathe dust, vapor, or spray mist. Do not get on clothing or shoes. Do not eat, drink, or smoke while using this pesticide.

Do not apply to water. Do not apply to crops that are to be eaten raw.

CEREAL

BARLEY, OATS, RYE AND WHEAT - For control of insects...

CORN - For control of insects...

RICE - For control of insects...

SORGHUM - For control of insects...

Cereal Insects

FIELD AND FORAGE CROPS
MILK AND COVER

ALFALFA - For control of insects...

COTTON - For control of insects...

FIELD PEAS - For control of insects...

CAUTION - When using...

FRUIT

APPLES - For control of insects...

PEACHES - For control of insects...

PLUMS - For control of insects...

PRUNES - For control of insects...

STRAWBERRIES - For control of insects...

CAUTION - When using...

FRUIT

APPLES - For control of insects...

PEACHES - For control of insects...

PLUMS - For control of insects...

PRUNES - For control of insects...

STRAWBERRIES - For control of insects...

CAUTION - When using...

FRUIT

APPLES - For control of insects...

PEACHES - For control of insects...

PLUMS - For control of insects...

PRUNES - For control of insects...

STRAWBERRIES - For control of insects...

CAUTION - When using...

Cereal Insects

VEGETABLES

BRUSSELS SPROUTS - For control of insects...

CABBAGE - For control of insects...

CARROTS - For control of insects...

CUCUMBERS - For control of insects...

EGGPLANTS - For control of insects...

KALE - For control of insects...

LETTUCE - For control of insects...

POTATOES - For control of insects...

SWEET POTATOES - For control of insects...

TOMATOES - For control of insects...

VEGETABLES - For control of insects...

CAUTION - When using...

VEGETABLES

BRUSSELS SPROUTS - For control of insects...

CABBAGE - For control of insects...

CARROTS - For control of insects...

CUCUMBERS - For control of insects...

EGGPLANTS - For control of insects...

KALE - For control of insects...

LETTUCE - For control of insects...

POTATOES - For control of insects...

SWEET POTATOES - For control of insects...

TOMATOES - For control of insects...

VEGETABLES - For control of insects...

CAUTION - When using...

VEGETABLES

BRUSSELS SPROUTS - For control of insects...

CABBAGE - For control of insects...

CARROTS - For control of insects...

CUCUMBERS - For control of insects...

EGGPLANTS - For control of insects...

KALE - For control of insects...

LETTUCE - For control of insects...

POTATOES - For control of insects...

SWEET POTATOES - For control of insects...

TOMATOES - For control of insects...

VEGETABLES - For control of insects...

CAUTION - When using...

VEGETABLES

BRUSSELS SPROUTS - For control of insects...

CABBAGE - For control of insects...

CARROTS - For control of insects...

CUCUMBERS - For control of insects...

EGGPLANTS - For control of insects...

KALE - For control of insects...

LETTUCE - For control of insects...

POTATOES - For control of insects...

SWEET POTATOES - For control of insects...

TOMATOES - For control of insects...

VEGETABLES - For control of insects...

CAUTION - When using...

VEGETABLES

BRUSSELS SPROUTS - For control of insects...

CABBAGE - For control of insects...

CARROTS - For control of insects...

CUCUMBERS - For control of insects...

EGGPLANTS - For control of insects...

KALE - For control of insects...

LETTUCE - For control of insects...

POTATOES - For control of insects...

SWEET POTATOES - For control of insects...

TOMATOES - For control of insects...

VEGETABLES - For control of insects...

CAUTION - When using...

Handwritten number: 524274

BEST DOCUMENT AVAILABLE

U.S. GOVERNMENT PRINTING OFFICE

1967 O-350-000