

Avoid breathing dust.	harmful gases.	EPA Reg. No. 524-313-AA Dílb. 136.08 kg.
Avoid contact with organic material.	 FIRE, if possible, isolate container in open air or well ventilated area. Flood with large volume of water. SPILL, sweep up and flush down sewer with LARGE VOLUME of water and provide adequate ventilation. Decomposes at 350° to 480° F. with liberation of barmful means 	Rinse empty container with water and discard.
Do not get in eyes. Protect eyes when handling.		Re-tie polyethylene liner after each use and keep container tightly closed. Store in dry place. Do not allow water to get into container. Keep containers off wet floors.
Avoid contact with skin.		
CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE CONTAINING GASES.		
HARMFUL IF SWALLOWED.		
MAY CAUSE IRRITATION OF NOSE AND THROAT.	In case of:	CONTAINER HANDLING AND STORAGE
CAUSE FIRE. MAY CAUSE EYE DAMAGE AND BURNS TO BROKEN SKIN.	IF SWALLOWED, drink milk, water, or raw egg whites. Call a physician.	FOR REPACKAGING OR PRODUCING DISINFECT- ANTS, SANITIZERS, FUNGICIDES AND ALGICIDES.
STRONG OXIDIZER. CONTACT WITH ORGANIC MATTER MAY	attention.	
Keep out of reach of children. DANGER!	FIRST AID: IN CASE OF CONTACT remove loose powder and flood skin or eyes with cold water for at least 15 minutes; for eyes, get medical	ACTIVE INGREDIENT: SODIUM DICHLORO-S-TRIAZINETRIONE DIHYDRATE 100%

to get into s. iscard. 524-313- AA
-
-
e and keep
DISINFECT- Algicides.
DIHYDRATE . 100%
NE

EPA Est. 524-LA-1

MONSANTO COMPANY, ST. LO:11S, MISSOURI 63166, U.S.A.

Granular

A REAL PROPERTY OF THE OWNER OF T

ACCEPTED 524-313 UNDER THE FEDERAL INSECTICIDE FUNDIC FERRE AUTOMOTION ACTING ACT FOR ECONDAIC PUISON AEGISTER ED UNDER NO.

892.62