

A C L 56

Granular

CHLORINE COMPOSITION BY **Monsanto**

ACCEPTED
Feb. 3, 1975
524-313
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND WEEDKILLER ACT
FOR CHLORINE COMPOSITION REGISTERED
UNDER NO.

BEST DOCUMENT AVAILABLE

Keep out of reach of children.

DANGER!

STRONG OXIDIZER.

CONTACT WITH ORGANIC MATTER MAY CAUSE FIRE.

MAY CAUSE EYE DAMAGE AND BURNS TO BROKEN SKIN.

MAY CAUSE IRRITATION OF NOSE AND THROAT.

HARMFUL IF SWALLOWED.

CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE CONTAINING GASES.

Avoid contact with skin.

Do not get in eyes. Protect eyes when handling.

Avoid contact with organic material.

Avoid breathing dust.

FIRST AID: IN CASE OF CONTACT remove loose powder and flood skin or eyes with cold water for at least 15 minutes; for eyes, get medical attention.

IF SWALLOWED, drink milk, water, or raw egg whites. Call a physician.

In case of:

FIRE, if possible, isolate container in open air or well ventilated area. Flood with large volume of water.

SPILL, sweep up and flush down sewer with **LARGE VOLUME** of water and provide adequate ventilation.

Decomposes at 350° to 480° F. with liberation of harmful gases.

ACTIVE INGREDIENT:

SODIUM DICHLORO-S-TRIAZINETRIONE DIHYDRATE

100%

FOR REPACKAGING OR PRODUCING DISINFECTANTS, SANITIZERS, FUNGICIDES AND ALGICIDES.


CONTAINER HANDLING AND STORAGE

Re-tie polyethylene liner after each use and keep container tightly closed.

Store in dry place. Do not allow water to get into container. Keep containers off wet floors.

Rinse empty container with water and discard.

EPA Reg. No. 524-313-AA

LOT NO. _____ PACKER _____  89 NET/LEGAL **300** LB. **136.08** KG

90

892 62