

**PRECAUTIONARY STATEMENTS**

**Hazard to Humans and Domestic Animals**

**D A N G E R I**

RIGOROUSLY CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE. CAUSES BURNS TO SKIN. IRRITATING TO NOSE AND THROAT. MAY BE FATAL IF SWALLOWED. WILL BURN WITH THE EVOLUTION OF CHLORINE AND Equally TOXIC GASES.

Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing dust or fumes. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

**Environmental Hazard**

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with NPDES Permit. For guidance, contact the regional office of EPA.

**Physical or Chemical Hazard**

STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE AND Equally TOXIC GASES. CONTACT WITH WATER SLIGHTLY IRRITATING AND HAZARDOUS CHLORINE-CONTAINING GASES. DECOMPOSES AT 460°F. TO 480°F. WITH EVOCATION OF HAZARDOUS GASES.

Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion.

IN CASE OF: FIRE, If possible isolate container in open air or well ventilated area. Flood with large volume of water.

IN CASE OF: CONTAMINATION OR DECOMPOSITION, do not reseal container.

**ACIO 56  
Chlorinating Composition**

CAS NO. 5150-26-0

ACTIVE INGREDIENT:  
SODIUM DICHLORO-S-TRIAZINETRIONE DIHYDRATE . . . . .

90%  
1%  
100%

OTHER INGREDIENTS: . . . . .

Provides 55% available Chlorine.

KEEP OUT OF REACH OF CHILDREN  
**D A N G E R I**

**FIRST AID (PRACTICAL TREATMENT)**

IF SWALLOWED, promptly drink one or two large glasses of water or milk. DO NOT induce vomiting. Get medical attention. Avoid alcohol.

IF ON SKIN, immediately brush off excess chemical and flush with plenty of water. Remove contaminated clothing. Wash clothing before reuse. If irritation persists, call a physician.

IF IN EYES, flush with plenty of water. Get medical attention.

IF INHALED, remove person to fresh air. Call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

**Directions for Use**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.


FOR INDUSTRIAL USE ONLY. FOR REPACKING OR FORMULATING AS A DISINFECTANT, SANITIZER, BACTERICIDE, FUNGICIDE OR ALGICIDE. Repackagers or formulators must obtain their own EPA Registration Number to legally market this product for these uses.

**Storage and Disposal**

STORAGE: Retie polyethylene liner after each use and keep container tightly closed. Store in a dry place. Do not allow water to get into container. Keep container off wet floors. Do not contaminate water, food, or feed by storage or disposal.

DISPOSAL: Wastes of this pesticide may cause irreversible eye damage and burns to skin and may be dangerous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loose clinging particles. Empty residue onto application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. Rinse empty container with water, and dispose of in the same manner.



See side panel for DIRECTIONS FOR USE

EPA Reg. No. 524-313  
EPA Est. No. 524-LA-1

Manufactured by Monsanto Company  
St. Louis, Missouri 63167  
Tel. (314) 694-1000

BEST AVAILABLE COPY