ACL® 56 Plus Chlorinating Composition

CAS NO: 51580-86-0

ACTIVE INGREDIENT:

Provides 55% available Chlorine.

KEEP OUT OF REACH OF CHILDREN D A N G E R !

FIRST AID (PRACTICAL TREATMENT)

IF SWALLOWED, drink promptly a large quantity of water. DO NOT induce vomiting. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. Avoid alcohol. Get medical attention.

IF IN EYES, flush with plenty of water for 15 minutes. Get medical attention.

IF ON SKIN, immediately brush off excess chemical and flush with plenty of soap and water. Remove cortaminated clothing. Wash clothing before reuse. Get medical attention if irritation persists.

IF INEALED, remove person to fresh air. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Beel valueers uped

See side panel for DIRECTIONS FOR USE

EPA Reg. No. 524-313 EPA Est. No. Manufactured by Monsanto Company St. Louis, Missouri 63167 Rev. 3/15/92

ACCEPTED

MAY 13 1991

Under the Federal Insecticide.

Under the Federal Inserticide.
Fungicide, and Redenticide Act,
or emended, for the perticide
registered under
EPA Reg. No. 524-313

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

DANGER!

CORROSIVE. CAUSES EYE AND SKIN DAMAGE. IRRITATING TO NOSE AND THROAT. HARMFUL OR PATAL IF SWALLOWED. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOLIC GASES.

Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing dust or fumes. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

Environmental Hazard

ļ

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES Permit. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plan authority. For guidance, contact your State Water Board or Regional Office of the EPA.

Physical or Chemical Hazard

STRONG OXIDISING AGENT. WILL BURK WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES. CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE-CONTAINING GASES. DECOMPOSES AT 460 F. to 480 F. WITH LIBERATION OF HARMFUL GASES.

Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion.

IN CASE OF: FIRE, if possible isolate container in open air or well ventilated area. Flood with large volume of water.

IN CASE OF: CONTAMINATION OR DECOMPOSITION, do not reseal container.



1.....

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

그 (국왕

FOR INDUSTRIAL USE CHLY. THIS PRODUCT IS INTENDED FOR REPACKING OR FORMULATING AS A DISINFECTANT, SANITISER, BACTERICIDE, FUNGICIDE OR ALGICIDE FOR INDOOR AND AQUATIC NON-FOOD GENERAL USE PATTERNS ONLY.

Repackagers or formulators must obtain their own EPA Registration Number to legally market this product for these uses.

STORAGE AND DISPOSAL

STORAGE: Retie polyethylene liner after each use and keep container tightly closed. Store in a dry place. Do not allow water to get into container. Keep container off wet floors. Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray sixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by state and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.