

PM 25 524-326 1073  
DEDICATED TRANSFER CONTAINER  
FOR

# accord<sup>®</sup>

## HERBICIDE

by **Monsanto**

EPA Reg. No. 524-326

Keep out of reach of children

**CAUTION!**

**FOR USE ONLY WITH ACCORD HERBICIDE**

**ACCEPTED**  
APR - 1 1993  
Under the Federal Insecticide, Fungicide, and  
Rodenticide Act, as amended, for the  
pesticide registered under  
EPA Reg. No. 524-326

**USE ONLY FOR TRANSPORT OF ACCORD HERBICIDE BY THE OWNER/APPLICATOR FROM A LARGE CONTAINER TO THE APPLICATION SITE OR APPLICATION EQUIPMENT.**  
The current "COMPLETE DIRECTIONS FOR USE" for Accord herbicide must be in the possession of the user. It is a violation of Federal law to use this product in any manner inconsistent with its labeling. Refer to these DIRECTIONS for PRECAUTIONARY STATEMENTS, FIRST AID INSTRUCTIONS, ENVIRONMENTAL HAZARDS and PHYSICAL OR CHEMICAL HAZARDS.

**DO NOT USE FOR LONG-TERM STORAGE  
RESALE, REFORMULATION AND REPACKAGING PROHIBITED.**

**ACTIVE INGREDIENT:**

*Glyphosate, N-(phosphonomethyl)glycine in the form of its isopropylamine salt .....	41.5%
INERT INGREDIENTS .....	58.5%
	100.0%

\*Contains 480 grams per litre or 4 pounds per U.S. gallon of glyphosate, N-(phosphonomethyl) glycine, in the form of its isopropylamine salt. Equivalent to 356 grams per litre or 3 pounds per U.S. gallon of the acid, glyphosate.

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

**DISPOSAL:** Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures.

Emptied container retains vapor and product residue. Observe all labeled safeguards while container is in use or until container is destroyed.

To destroy emptied container, triple rinse container, then puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

MONSANTO COMPANY, 800 N. LINDBERGH BLVD. ST. LOUIS, MISSOURI 63167

● Accord is a registered trademark of Monsanto Company.

MAP-

**BEST AVAILABLE COPY**

PH25

ACCEPTED  
APR - 1 1963  
Under the Federal Insecticide, Fungicide and  
Rodenticide Act, as amended, for the  
pesticide registered under  
524-326

2072

**SUPPLEMENTAL LABELING**

**READ AND FOLLOW THE ENTIRE LABELS FOR ALL PRODUCTS USED BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.**

"Labels" as used in this supplemental labeling refers to the label booklet for Accord® herbicide, for Arsenal™ Applicators Concentrate, for Entry™ II surfactant and this supplement.

**ACCORD  
HERBICIDE BY MONSANTO**

EPA Reg. No. 524-326

**TANK MIXTURE OF ACCORD HERBICIDE AND ARSENAL APPLICATORS CONCENTRATE FOR FORESTRY CONIFER RELEASE IN THE STATES OF MAINE, NEW HAMPSHIRE AND VERMONT.**

Keep out of reach of children.

**CAUTION!**

In case of emergency involving this product, call Collect, day or night, 314-694-4000.

- Accord is a registered trademark of Monsanto Company.
- ™ Arsenal is a trademark of American Cyanamid Company.
- ™ Entry II is a trademark of Monsanto Company.

**Directions for Use**

It is a violation of Federal law to use this product in any manner inconsistent with the labeling.

This label must be in the possession of the user at the time of the herbicide application.

Apply a mixture of 2 quarts of this product and 1 to 2.5 fluid ounces of Arsenal Applicators Concentrate per acre as a release treatment for balsam fir and red spruce. Include 10 to 20 fluid ounces of Entry II surfactant per acre in the spray mix.

This mixture is recommended for controlling woody brush, deciduous trees and herbaceous weeds on sites regenerated with balsam fir and red spruce. Make applications only after formation of final resting buds on these conifers.

Use the higher recommended rate for sites with dense, tough-to-control woody brush and deciduous trees.

When using ground application equipment, use 10 to 60 gallons of spray solution per acre. For aerial application (helicopter only),

**BEST AVAILABLE COPY**

use 5 to 15 gallons of spray solution per acre.

Injury may occur to conifers treated for release, especially where spray patterns overlap. Injury can be accentuated if applications are made when conifers are actively growing or are under stress.

Read and carefully observe the label claims, cautionary statements, and all information on the label for all products used.

Read the "LIMIT OF WARRANTY AND LIABILITY" in the label booklet for Accord before using this product. Those terms apply to this supplemental labeling and, if those terms are not acceptable, return the product unopened at once.

MONSANTO COMPANY 1993

MONSANTO COMPANY  
AGRICULTURAL PRODUCTS  
ST. LOUIS, MISSOURI 63167

BEST AVAILABLE COPY