

SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR ACCORD® HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Accord herbicide and this supplement.

**ACCORD
HERBICIDE BY MONSANTO**

EPA Reg. No. 524-326

BROADCAST APPLICATIONS FOR WEED CONTROL IN CHRISTMAS TREE PLANTATIONS IN WASHINGTON AND OREGON.

Keep out of reach of children.

CAUTION!

In case of an emergency involving this product, call Collect, day or night, 314-694-4000.

Accord® is a registered trademark of Monsanto Company.

Directions for Use

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This label must be in the possession of the user at the time of application.


NOTE: IF IMPROPERLY APPLIED, THIS PRODUCT HAS THE POTENTIAL TO CAUSE SEVERE CHRISTMAS TREE INJURY. FOLLOW ALL LABELED DIRECTIONS.

This product may be applied as a broadcast spray over established Christmas trees. Ensure that adequate buffers are maintained to prevent drift onto desirable adjacent crops. Read the entire **APPLICATION EQUIPMENT AND TECHNIQUES** section of the Accord label booklet for additional application precautions.

This application is approved for the following Christmas tree species:

Douglas fir	(<i>Pseudotsuga menziesii</i>)
Fir species	(<i>Abies</i> spp.)
Pine species*	(<i>Pinus</i> spp.)
Spruce species	(<i>Picea</i> spp.)

*Includes all pine species EXCEPT eastern white, loblolly, longleaf, shortleaf and slash.



202

Applications should be made only after trees have completed at least a full growing season since planting or transplanting.

Extreme care should be taken to ensure that applications are made after the formation of final conifer resting buds in the fall or prior to initial bud swell in the spring. Applications made at any other time may result in unacceptable Christmas tree injury.

Avoid spray pattern overlap, as injury may occur.

Apply 1 quart of this product per acre in 5 to 30 gallons of water per acre. For best results, mix up to 10 fluid ounces of Entry® II surfactant per acre. If surfactants other than Entry II are used, ensure that the surfactant manufacturer's recommendations for this use are followed and that conifer safety has been adequately tested for that surfactant.

NOTE: SURFACTANTS OTHER THAN ENTRY II HAVE THE POTENTIAL TO CAUSE SEVERE CHRISTMAS TREE INJURY IF IMPROPER RATES ARE USED. ENSURE THAT THE SURFACTANT HAS BEEN ADEQUATELY TESTED BY THE SURFACTANT MANUFACTURER AND THAT THE RECOMMENDED RATES ARE NOT EXCEEDED. IN GENERAL, SURFACTANT RATES FOR THIS USE MUST BE MUCH LOWER THAN FOR OTHER USES TO MAINTAIN CHRISTMAS TREE SAFETY.

This product may be used at rates from 1 to 2 quarts per acre in some areas. Consult your local Monsanto representative or Accord supplier for specific recommendations if you require rates greater than 1 quart per acre.

Drift control additives may increase Christmas tree injury and their use is not recommended.

Read "LIMIT OF WARRANTY AND LIABILITY" in the label booklet for Accord before using this product. Those terms apply to this supplemental labeling and, if those terms are not acceptable, return the product unopened at once.

MONSANTO COMPANY 1996

MONSANTO COMPANY
ST. LOUIS, MISSOURI 63167

ACCEPTED
DEC 11 1996
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 524-326