

136 8

ROUNDUP L&G R.T.U.

I.

 $\rho$  :2  $\bigcirc$  Do not apply directly to water or wetland (swamps, bogs, marshes or potholes). Do not contaminate water by cleaning of equipment or disposal of waste.





477

Nev						
No	Hixing					
Red	uired					

(Product Name/Logo)

2068

# ROUNDUPS L & G

# HERBICIDE BY MONSANTO

## Ready-To-Use

- Systemic grass and weed killer for spot treatment of undesirable vegetation
- Kille weeds and grass, roots and all
- Does not have soil activity
- Suitable for use around flower beds, trees, shrubs, fences, walks and spot treatment in lawns
- Covers approximately \_\_\_\_\_\_ square feet

Active Ingredient:

Inert Ingredients ..... 99.04%

\*Contains N-(phosphonomethyl)glycine

Keep out of reach of children.

CAUTION!

See back panel for additional precautionary statements and directions for use.

tegistered under EPA Reg. No.5-2

ACCEPTED<sup>b0.00x</sup>

MAR 2 3 1987

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide

NOTICE: Fuyer assumes all responsibility for safety and use not in accordance with directions. If these terms are not acceptable, return at once unopened.

NET CONTENTS

Read the entire label before using this product. Use only according to label instructions.

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### Keep out of reach of children.

CAUTION! If swallowed, may cause gastrointestinal tract irritation. Wash thoroughly with soap and water after handling. Keep children and pets off treated area until spray is thoroughly dry. In case of an emergency involving this product, Call Collect, day or night. (314) 694-4000.

#### ENVIRONMENTAL HAZARDS

Do not apply to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

### DIRECTIONS FOR USE

1

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Roundup<sup>®</sup> L&G Ready-To-Use herbicide is a nonselective grass and weed killer which, when absorbed by contacted foliage, is carried throughout the stems and roots to give complete kill of tough annual and perennial grasses and broadleaf weeds. This product has no herbicidal activity in the soil and will not wash or leach to affect nearby vegetation. It is formulated for "spot" application to kill individual weeds around trees, shrubs, fences, patios, walks and in flower gardens and lawns. Yellowing and wilting usually occurs within one week with a complete kill in 2 to 4 weeks. For best results, apply to actively growing plants in warm sunny weather.

HOW TO USE: Adjust the nozzle to a coarse spray. Position sprayer tip approximately 1-2 feet from the weed and apply to completely cover the weed, stopping just before the spray begins to drip or run off. One application will control most listed weeds. If certain hard-to-control weeds are not completely killed within 4 weeks, repeat application. Treated areas in lawns can be reserved 7.5 or more days after application.

WEEDS CONTROLLED: Bahiagrass, Barnyardgrass, Bermudagrass, Blackberries, Canada Thistle, Chickweed, Common Ragweed, Crabgrasses, Dandelion, Fescues, Field Bindweed, Field Sandbur, Foxtail, Johnsongrass, Kentucky Bluegrass, Lambsquarters, Orchardgrass, Perennial Ryegrass, Poison Ivy, Poison Oak, Quackgrass, Red Clover, Shepherdspurse, Smooth Bromegrass, Sowthistle, White Clover and Yellow Nutsedge.

- . . . <sup>.</sup>

-19:

IMPORTANT: THIS PRODUCT IS A NONSELECTIVE WEED KILLER WHICH CAN INJURE OR KILL ALL VEGETATION CONTACTED. AVOID SPRAY CONTACT ON DESIRABLE PLANTS. APPLY ONLY WHEN THE AIR IS CALM. If spray or drift accidentally contacts desirable vegetation, wash off immediately with water. Do not apply when rainfall is expected within 24 hours. Avoid mowing, cutting or otherwise disturbing treated vegetation for at least 7 days.

-3-

## STORAGE AND DISPOSAL

Do not contaminate water, feed, seed or foodstuffs by storage or disposal.

STORAGE: USE AND STORE THIS PRODUCT ONLY IN ITS URIGINAL CONTAINER. Store product in a secure storage area. Protect product from freezing.

DISPOSAL: To dispose of unused product, securely wrap original container in several layers of newspaper and discard in trash. In case of SPILL or LEAK, soak up with paper towels and discard in trash. Do not reuse container. Rinse thoroughly before discarding in trash.

Do not reuse container. Rinse thoroughly before discarding in trash.

Roundup<sup>®</sup> herbicide is protected by U.S. Patent No. 3,799,758 and U.S. Patent No. 4,405,531. Other patents are pending.

Registered Trademark of Monsanto Company


CMonsanto Company 1987


MONSANTO COMPANY ST. LOUIS, MISSOURI 63167 U.S.A.

EPA Reg. No. 524-

UPC BAR CODE

EPA Est. No.







### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children.

If swallowed, may cause gastrointestinal tract irritation. Wash thoroughly with soap and water after handling. Keep children and pets off treated area until spray is thoroughly dry. In case of an emergency involving this product, Call Collect, day or night, (314)694-4000.


Environmental Hazards

Do not apply to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

(Continued on opposite side panel)

Roundup  $^{(R)}$  herbicide is protected by U.S. Pat. No. 3,799,758 and 4,405,531. Other patents are pending.

C MONSANTO COMPANY 1987



XXX

XXXXX

XXXXX

(See other side panel for Precautionary Statements)

# Storage and Disposal

Do not contaminate water, feed, seed or foodstuffs by storage or disposal.

STORAGE: USE AND STORE THIS PRODUCT ONLY IN ITS ORIGINAL CONTAINER. Store product in a secure storage area. Protect product from freezing.


DISPOSAL: To dispose of unused product, securely wrap original container in several layers of newspaper and discard in trash. In case of SPILL or LEAK, soak up with paper towels and discard in trash.

Do not reuse container. Rinse thoroughly before discarding in trash.

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.




MONSANIO COMPANY SI. LOUIS, MISSOURI 63167, U.S.A.



- o Open: Turn sprayer nozzle to spray.
- o Prime: Pump trigger 10-15 times. Never insert sharp object into nozzle.
- o Store: Keep out of reach of children. Place sprayer nozzle under handle on container so that sprayer is not below level of container contents.

To insure long sprayer life - remove from container after each use and clean by pumping water through sprayer for 10 seconds and replace in bottle.



LANGARE FOR CLARKE BAG




o Open: Jurn sprayer needle to spray.

.

- Prime: Pump trigger 10-15 times. Never insert sharp object into needle.
- o Store: Reep out at reach of children. Flace sprayer nergle under handle on container r chat sprayer is not below level of container contents.

To insule long sprayer life s resove from container after each use and clean by pumping water through sprayer for 10 seconds and replace in bottle.



Jeh7

New No Mixing Required (Product Name/Logo)

## ROUNDUP" L & G

## HERBICIDE BY MONSANTO

Ready-To-Use

- Systemic grass and weed killer for spot treatment of undesirable vegetation
- Kills weeds and grass, roots and all
- Does not have soil activity
- Suitable for use around flower beds, trees, shrubs, fences, walks and spot treatment in lawns
- Covers approximately \_\_\_\_\_\_ square feet

Active Ingredient:

ACCEPTED	0.00X
MAR 2 3 1987	

Under the Federal Insecticide,

Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 57(2 - 73)

\*Contains N~(phosphonomethyl)glycine

Keep out of reach of children.

CAUTION!

٩,

See back panel for additional precautionary statements and directions for use.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions. If these terms are not acceptable, return at once unopened.

NET CONTENTS

ŧ

Read the entire label before using this product. Use only according to label instructions.

### PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## Keep out of reach of children.

CAUTION! If swallowed, may cause gastrointe inal tract irritation. Wash thoroughly with soap and water after handling. Keep children and pets off treated area until spray is thoroughly dry. In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

### ENVIRONMENTAL HAZARDS

Do not apply to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Roundup<sup>6</sup> L&G Ready-To-Use herbicide is a nonselective grass and weed killer which, when absorbed by contacted foliage, is carried throughout the stems and roots to give complete kill of tough annual and perennial grasses and broadleaf weeds. This product has no herbicidal activity in the soil and will not wash or leach to affect nearby vegetation. It is formulated for "spot" application to kill individual weeds around trees, shrubs, fences, patios, walks and in flower gardens and lawns. Yellowing and wilting usually occurs within one week with a complete kill in 2 to 4 weeks. For best results, apply to actively growing plants in warm sunny weather.

HOW TO USE: Adjust the nozzle to a coarse spray. Position sprayer tip approximately 1-2 feet from the weed and apply to completely cover the weed, stopping just before the spray begins to drip or run off. One application will control most listed weeds. If certain hard-to-control weeds are not completely killed within 4 weeks, repeat application. Treated areas in lawns can be reseeded 7 or more days after application.

WEEDS CONTROLLED: Bahiagrass, Barnyardgracs, Bermudagrass, Blackberries, Canada Thistle, Chickweed, Common Ragweed, Crabgrasses, Dandelion, Fescues, Field Bindweed, Field Sandbur, Foxtail, Johnsongrass, Kentucky Bluegrass, Lambsquarters, Orchardgrass, Perennial Ryegrass, Poison Ivy, Poison Oak, Quackgrass, Red Clover, Shepherdspurse, Smooth Bromegrass, Sowthistle, White Clover and Yellow Nutsedge.

t

- 7

IMPORTANT: THIS PRODUCT IS A NONSELECTIVE WEED KILLER WHICH CAN INJURE OR KILL ALL VEGETATION CONTACTED. AVOID SPRAY CONTACT ON DESIRABLE PLANTS. APPLY ONLY WHEN THE AIR IS CALM. If spray or drift accidentally contacts desirable vegetation, wash off immediately with water. Do not apply when rainfall is expected within 24 hours. Avoid mowing, cutting or otherwise disturbing treated vegetation for at least 7 days.

STORAGE AND DISPOSAL

Do not contaminate water, feed, seed or foodstuffs by storage or disposal.

STORAGE: USE AND STORE THIS PRODUCT ONLY.IN ITS ORIGINAL CONTAINER. Store product in a secure storage area. Protect product from freezing.

DISPOSAL: To dispose of unused product, securely wrap original container in several layers of newspaper and discard in trash. In case of SPILL or LEAK, soak up with paper towels and discard in trash. Do not reuse container. Rinse thoroughly before discarding in trash.

Do not reuse container. Rinse thoroughly before discarding in trash.

Roundup<sup>®</sup> herbicide is protected by U.S. Patent No. 3,799,758 and U.S. Patent No. 4,405,531. Other patents are pending.

Registered Trademark of Monsanto Company

CMonsanto Company 1987


ŧ

MONSANTO COMPANY ST. LOUIS, MISSOURI 63167 U.S.A.


EPA Reg. No. 524- EPA Est. No.

UPC BAR CODE

7-57



•	•*		•		-	٠	····		- sale - in also	• • • •	ويترجع والمتحدين والمرادر	
---	----	--	---	--	---	---	------	--	------------------	---------	---------------------------	--





PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children. CAUTION!

'If swallowed, may cause gastrointestinal tract irritation. Wash thoroughly with soap and water after handling. Keep children and pets off treated area until spray is thoroughly dry. In case of an emergency involving this product, Call Collect, day or night, (314)694-4000.

Environmental Hazards

Do not apply to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

(Continued on opposite side panel)

Roundup  $\bigcirc R$  herbicide is protected by U.S. Pat. No. 3,799,758 and 4,405,531. Other patents are pending.

C MONSANTO COMPANY 1987



(See other side panel for Precautionary Statements)


## Storage and Disposal

Do not contaminate water, feed, seed or foodstuffs by storage or disposal.

STORAGE: USE AND STORE THIS PRODUCT ONLY IN ITS ORIGINAL CONTAINER. Store product in a secure storage area. Protect product from freezing.

DISPOSAL: To dispose of unused product, securely wrap original container in several layers of newspaper and discard in trash. In case of SPILL or LEAK, soak up with paper towels and discard in trash.

Do not reuse container. Rinse thoroughly before discarding in trash.



In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.



MONSANTO COMPANY St. Louis, missouri 63167, U.S.A.