

JAN/SAN™ II

DIRECTIONS FOR USE

ACCEPTED
MAY - 8 1990
U.S. Federal Insecticide, Fungicide, and
Herbicide Act, as amended, for the
pesticide registered under
EPA Reg. No. 324-330

HERBICIDE BY
Monsanto

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This product is a nonselective grass and weed killer which, when absorbed by contacted foliage, is carried through-out the stems and roots to give complete kill of tough annual and perennial grasses and broadleaf weeds. This product has no herbicidal activity in the soil and will not wash or leach to affect nearby vegetation. It is formulated for "spot" application to kill individual weeds around trees, shrubs, fences, walks and in flower gardens and lawns. Yellowing and wilting usually occur within one week with a complete kill in 2 to 4 weeks. For best results, apply to actively growing plants in warm sunny weather.

HOW TO USE: Adjust the nozzle to a coarse spray. Position sprayer tip approximately 1-2 feet from the weed and apply to completely cover the weed, stopping just before the spray begins to drip or run off. One application will control most listed weeds. If certain hard-to-control weeds are not completely killed within 4 weeks, repeat application. Treated areas in lawns can be reseeded 7 or more days after application.

WEEDS CONTROLLED: Bahiagrass, Barnyardgrass, Bermudagrass, Blackberries, Canada Thistle, Chickweed, Common Ragweed, Crabgrasses, Dandelion, Fescues, Field Bindweed, Field Sandbur, Fodder, Johnsongrass, Kentucky Bluegrass, Lambsquarter, Orchardgrass, Perennial Ryegrass, Poison Ivy, Poison Oak, Quackgrass, Red Clover, Shepherds-purse, Smooth Brome-grass, Sowthistle, White Clover and Yellow Nutsedge.

IMPORTANT: This product is a nonselective weed killer which can injure or kill all vegetation contacted. **AVOID SPRAY CONTACT ON DESIRABLE PLANTS. APPLY ONLY WHEN THE AIR IS CALM.** If spray or drift accidentally contacts desirable vegetation, wash off immediately with water. Do not apply when rainfall is expected within 24 hours. Avoid mowing, cutting or otherwise disturbing treated vegetation for at least 7 days.

Keep out of reach of children.

CAUTION!

Read the entire label before using this product. Use only according to label instructions. Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable, return at once unopened. REFORMULATION OR REPACKAGING IS PROHIBITED.

ACTIVE INGREDIENT:

Glyphosate, N-(phosphonomethyl) glycine, in the form of its isopropylamine salt	0.96%
INERT INGREDIENTS	99.04%
	100.00%

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION! If swallowed, may cause gastrointestinal tract irritation. Wash thoroughly with soap and water after handling. Keep children and pets off treated area until spray is thoroughly dry. In case of an emergency involving this product, Call Collect, day or night (314) 694-4000.

Environmental Hazards

Do not apply directly to water or wetland (swamps, bogs, marshes or potholes). Do not contaminate water when disposing of equipment washwaters.

Physical or Chemical Hazards

Mix, store or apply this product ONLY in stainless steel, aluminum, fiberglass plastic or plastic-lined steel containers.

DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. Use of this product in such containers could result in the formation of an explosive hydrogen gas mixture which could flash or explode if ignited by open flames or any other ignition source.

This product is protected by U.S. Patents No. 3,799,758, No. 4,405,131 and No. 4,840,640. Other patents pending. No claim is granted under any non-U.S. patent(s).

Trademark of Monsanto Company.

EPA Est. 524-1-A-7
EPA Reg. No. 324-330

© 1990

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.

NET

GAL

GPL-002 01

Storage and Disposal

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

STORAGE: Store this product in its original container and in a secured storage area.

DISPOSAL: Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures.

Emptied container retains vapor and product residue. Observe all labeled safeguards until container is destroyed.

Do not reuse container. Triple rinse container. Then puncture and dispose of in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

LIMIT OF WARRANTY AND LIABILITY

This Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use label booklet ("Directions") when used in accordance with those Directions under the conditions described therein. **NO OTHER EXPRESS WARRANTY OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE.** This warranty is also subject to the conditions and limitations stated herein.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this Company, including, but not limited to, incompatibility with products other than those set forth in the Directions, application to or contact with desirable vegetation, unusual weather, weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application ranges set forth in the Directions, application in any manner not explicitly set forth in the Directions, moisture conditions outside the moisture range specified in the Directions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED, OR, AT THE ELECTION OF THIS COMPANY OR OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY, OR, IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

Buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement.

READY-TO-USE

methyl, glycine, in the form of its isopropylamine salt

Grass & Weed Killer

- SYSTEMIC GRASS AND WEED KILLER FOR SPOT TREATMENT OF UNDESIRABLE VEGETATION
- KILLS WEEDS AND GRASS, ROOTS AND ALL

- DOES NOT HAVE SOIL ACTIVITY
- SUITABLE FOR USE AROUND FLOWER BEDS, TREES, SHRUBS, FENCES, WALKS AND SPOT TREATMENT IN LAWNS

Read the entire label before using this product.

Use only according to label instructions.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions. If these terms are not acceptable, return of unopened.

Keep out of reach of children.

CAUTION!

See back panel for Precautionary Statements and Directions for Use.

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.

ACTIVE INGREDIENT	9.96%
INERT INGREDIENTS	90.04%
100.00%	

Product protected by U.S. Pat. No. 3,799,758 and 4,405,531. Other patents are pending.
© Monsanto Company
© MONSANTO COMPANY 1988

NET 24 fl. oz.
(1 pt. 8 oz.)

EPA Reg. No. 524-138
697.09-000.26-1

Delete:

Add:

No license granted under any non-U.S. patent.

Change to:

1989

ACCEPTED

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for use as a pesticide against weeds.

EPA Reg. No. 524-330

1
2
3
4
5
6
7
8
9
0
A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

PRECAUTIONS
SYMPTOMS
DANGER TO HUMANS
AND DOMESTIC ANIMALS

Keep out of reach of children.

CAUTION: If swallowed, may cause gastrointestinal tract irritation. Wash thoroughly with soap and water after handling. Keep children and pets off treated area until spray is thoroughly dry. In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetland (swamps, bays, marshes or salt flats). Do not contaminate water by cleaning of equipment or disposal of wastes.

RESTRICTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Roundup® L&G Ready-To-Use Herbicide is a nonselective grass and weed killer which, when applied by spraying or pouring, is highly effective on stems and roots to give complete kill of annual and perennial grasses and broadleaf weeds. This product has no herbicidal activity on the soil and will not wash or leach to affect nearby vegetation. It is formulated for "spot" application to kill individual weeds around trees, shrubs, lawns, patios, walks and in flower gardens and lawns. Following and using exactly other with use with use a complete 24 to 48 hours. For best results, apply to actively growing plants on warm sunny weather.

HOW TO USE: Adjust the nozzle to a coarse spray. Position sprayer to approximately 1-2 feet from the weed and spray to thoroughly cover the weed. Stop and pull back the spray trigger to dry or run off. One application will control most listed weeds. If serious hard-to-control weeds are not completely killed within 4 weeks, repeat application. Treated areas in lawns can be reseeded 7 or more days after application.

WEEDS CONTROLLED: Bahagras, Beyerolgras, Bermudagrass, Bisculbarras, Canada Thistle, Chickweed, Common R. grass, Crabgrass, Dandelion, Fescue, Field Bindweed, Field Sandbar, Foxtail, Johnsongrass, Kentucky Bluegrass, Lambsquarters, Orchardgrass, Perennial Ryegrass, Pitted Ivy, Pitted Oak, Quackgrass, Red Clover, Shepherds-purse, Smooth Bromegrass, Spoutgrass, White Clover and Yellow Rumpweed.

IMPORTANT: This product is a nonselective weed killer which can harm or kill all vegetation contacted. AVOID SPRAY CONTACT ON DESIRABLE PLANTS. APPLY ONLY WHEN THE AIR IS CALM. If spray or drift accidentally contacts desirable vegetation, wash off immediately with water. Do not apply where rainfall is expected within 24 hours. Avoid grazing, cutting or otherwise disturbing treated vegetation for at least 7 days.

STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal. **STORAGE, USE AND STORE THIS PRODUCT ONLY IN ITS ORIGINAL CONTAINER.** Store product in a secure storage area. Protect product from freezing.

DISPOSAL: To dispose of unused product, securely wrap original container in several layers of newspaper and discard in trash. In case of SPILL or LEAK, wash up with paper towels and discard in trash.

Do not reuse containers. Clean thoroughly before discarding in trash.



EPA Est. 56100-LA-01
Supermarket departments to the first
letter of the lot number printed on label.

807.09-000.26-2X1



70183 50030

Change to:

When disposing of
equipment wash waters.

Add:

Labeled

Add:

For more product informa-
tion, call toll-free 1-
800-225-2883.

Roundup

READY-TO-USE

by Monsanto

Grass & Weed Killer

- SYSTEMIC GRASS AND WEED KILLER FOR SPOT TREATMENT OF UNDESIRABLE VEGETATION
- KILLS WEEDS AND GRASS, ROOTS AND ALL
- DOES NOT HAVE SOIL ACTIVITY
- SUITABLE FOR USE AROUND FLOWER BEDS, TREES, SHRUBS, FENCES, WALKS AND SPOT TREATMENT IN LAWNS

Read the entire label before using this product.
Use only according to label instructions.
NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions. If these terms are not acceptable, return at once unopened.

Keep out of reach of children.

CAUTION! See back panel for Precautionary Statements and Directions for Use.

Product protected by U.S. Pat. Nos. 2,799,758 and 4,405,531. Other patents are pending.

ACTIVE INGREDIENTS

*Isopropylamine salt of glyphosate

0.96%
99.04%
100.00%

INERT INGREDIENTS ...

*Glyphosate (isopropylamine salt)

© Trademark of Monsanto Company
© MONSANTO COMPANY 1989

NET 1 GAL

EPA Reg. No. 524-330

897 00-000 28-1

Requires
No Mixing

Add:

Labeled

Delete:

Change to:


Glyphosate, N-(phosphono-
methyl) glycine, in the
form of its isopropyla-
mine salt

Add:

No license granted under
any any non-U.S. patent.

Change to:

1989



PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children.

CAUTION! If swallowed, may cause gastrointestinal tract irritation. Wash thoroughly with soap and water after handling. Keep children and pets off treated area until spray is thoroughly dry. In case of an emergency involving this product, call Collect, day or night, (314) 694-4000.

Environmental Hazards

Do not apply directly to water or wetland (swamps, bogs, marshes or potholes). Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Roundup® L&G Ready-To-Use herbicide is a nonselective grass and weed killer which, when absorbed by contacted foliage, is carried throughout the stems and roots to give complete kill of tough annual and perennial grasses and broadleaf weeds. This product has no herbicidal activity in the soil and will not wash or leach to affect nearby vegetation. It is formulated for "spot" application to kill individual weeds around trees, shrubs, fences, patios, walks and in flower gardens and lawns. Yellowing and wilting usually occur within one week with a complete kill in 2 to 4 weeks. For best results, apply to actively growing plants in warm sunny weather.

HOW TO USE: Adjust the nozzle to a coarse spray. Position sprayer tip approximately 1-2 feet from the weed and apply to completely cover the weed, stopping just before the spray begins to drip or run off. One application will control most listed weeds. If certain hard-to-control weeds are not completely killed within 4 weeks, repeat application. Treated areas in lawns can be reseeded 7 or more days after application.

WEEDS CONTROLLED: Bahagrass, Barnyardgrass, Bermudagrass, Blackberries, Canada Thistle, Chickweed, Common Ragweed, Jesses, Dandelion, Fescues, Field Bindweed, Field Sandbur, Foxtail, Johnsongrass, Kentucky Bluegrass, Lambsquarter, Ladgrass, Perennial Ryegrass, Poison Ivy, Poison Oak, Quackgrass, Red Clover, Shepherdspurse, Smooth Bromegrass, Sorghum, White Clover and Yellow Nutsedge.

IMPORTANT: This product is a nonselective weed killer which can injure or kill all vegetation contacted. AVOID SPRAY CONTACT ON DESIRABLE PLANTS. APPLY ONLY WHEN THE AIR IS CALM. If spray or drift accidentally contacts desirable vegetation, wash off immediately with water. Do not apply when rainfall is expected within 24 hours. Avoid mowing, cutting or otherwise disturbing treated vegetation for at least 7 days.

Storage and Disposal

Do not contaminate water, foodstuffs, feed or seed by storage or disposal. STORAGE: USE AND STORE THIS PRODUCT ONLY IN ITS ORIGINAL CONTAINER. Store product in a secure storage area. Protect product from freezing. DISPOSAL: To dispose of unused product, securely wrap original container in several layers of newspaper and discard in trash. In case of SPILL or LEAK, soak up with paper towels and discard in trash. Do not reuse container. Rinse thoroughly before discarding in trash.

EPA Est. 56100-.A-01 524 EA-1
Superscript corresponds to the first letter of the lot number printed on bottom.

897-00-000-28-2X2
MORSAHITO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.



4

Add:

For more product information, call toll-free 1-800-225-2883.

Add:

Labeled

change to:

when disposing of equipment wash waters.