

QUOTAMAKER™

Peanut Growth Regulator


by MONSANTO

Water soluble powder for foliar application to modify peanut growth and to increase peanut yields.

Complete Directions for Use

EPA Reg. No. 524-332

REFORMULATION OR REPACKAGING IS PROHIBITED.



1989-1

897.25-000.01/53

BEST AVAILABLE COPY

ACTIVE INGREDIENT:

Sodium sesqui salt of N-(phosphonomethyl)glycine	75%
INERT INGREDIENTS	25%
	100%

(Read the entire label before using this product.

Use only according to label instructions.

Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable, return at once unopened.

LIMIT OF WARRANTY AND LIABILITY

This Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use label booklet ("Directions") when used in accordance with those Directions under the conditions described therein. NO OTHER EXPRESS WARRANTY OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein.

Buyer and all users shall promptly notify this Company of any claims, whether based in contract, negligence, strict liability, other tort or otherwise.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this Company, including, but not limited to, incompatibility with products other than those set forth in the Directions, application to or contact with desirable vegetation, unusual weather, weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application ranges set forth in the Directions, application in any manner not explicitly set forth in the Directions, moisture conditions outside the moisture range specified in the Directions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

THE EXCLUSIVE REMEDY OF THE BUYER OR USER, AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED, OR, AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY, OR, IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

Buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children.

CAUTION!

MAY CAUSE EYE IRRITATION.
MAY BE HARMFUL IF INHALED.

Avoid contact with eyes, skin or clothing.
Avoid breathing vapor or dust.
Wash thoroughly with soap and water after handling.

FIRST AID: IF IN EYES, immediately flush with plenty of water. Call a physician if irritation persists.

IF INHALED, remove individual to fresh air. Seek medical attention if breathing difficulty develops.

In case of an emergency involving this product,
Call Collect, day or night. (314) 694-4000.

Environmental Hazards

Do not apply directly to water or wetland (swamps, bogs, marshes or potholes). Do not contaminate water by cleaning of equipment or disposal of wastes.

Physical or Chemical Hazards

Spray solutions of this product should be mixed, stored and applied only in stainless steel, aluminum, fiberglass, plastic and plastic-lined steel containers.

DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. This product or spray solutions of this product react with such containers to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark welder's torch, lighted cigarette or other ignition source.

GENERAL INFORMATION

BEST AVAILABLE COPY

This product, when applied to the foliage of peanuts, modifies peanut plant growth and typically increases peanut yields when used according to the use instructions.

Do not apply to any crop other than peanuts.

Do not apply to peanuts that have received a ^{preemergent} ~~preplant~~ application of any product containing the active ingredient, glyphosate.

Allow a minimum of at least 84 days between application of this product and harvest.

Following peanut harvest, fields treated with this product may be rotated to any crop.

Do not apply this product through any type of irrigation system.

Do not apply this product using aerial application equipment.

Do not feed or graze treated peanut forage following application.

This product works best when plants are actively growing. Do not treat under poor growing conditions, such as drought stress, disease or insect damage, as reduced performance may result. Reduced results also may occur when treating peanuts heavily covered with dust.

Rainfall or irrigation occurring within 6 hours after application may reduce effectiveness. Heavy rainfall or irrigation within 2 hours after application may wash this product off the foliage and a repeat treatment may be required.

Within two weeks after application, this product may produce a slight yellowing and brown speckling of peanut leaves. In most instances internodal growth will be reduced resulting in a shorter, more compact plant.

MIXING INSTRUCTIONS

To achieve the best spray mix, proceed as follows:

1. Place a 20 to 35 mesh screen or wetting basket over the filling port and make all additions through it.

Fill the sprayer or nurse tank one-half full of water. Begin agitation.

3. Add the recommended amount of this product. Continue agitation.
4. Continue filling the spray tank with water and add the nonionic surfactant near the end of the filling process.
5. Maintain agitation until contents of the spray tank are sprayed.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

WARNING:

BEST AVAILABLE COPY

Keep container closed to prevent spills and contamination.

DISPOSAL:

Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state and local procedures.

Emptied container retains vapor and product residue. Observe all labeled safeguards until container is destroyed.

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

USE INSTRUCTIONS

Apply the recommended rate of this product in **10 to 20 gallons of water per acre with ground equipment only.**

Carefully select proper nozzle to avoid spraying a fine mist. For best results with ground application equipment, use flat fan nozzles. Check for even distribution of spray droplets and avoid overlap that results in double application rates.

Avoid direct application to any body of water.

Ensure Uniform Application - Avoid streaking, uneven or overlapped application.


Application Instructions: Apply 0.05 pounds of this product per acre at peanut first bloom (peanut plants will be approximately 8 to 12 inches in diameter).

An agriculturally approved nonionic surfactant must be added to the spray mixture when using this product. Use a 0.5 percent surfactant concentration (2 quarts per 100 gallons of spray solution) when using surfactants which contain at least 50 percent active ingredient, or a 1 percent surfactant concentration (4 quarts per 100 gallons of spray solution) for those surfactants containing less than 50 percent active ingredient. Read and carefully observe surfactant cautionary statements and other information appearing on the surfactant label. Mix only with clean water. Reduced results may be expected if water containing soil is used, such as water from ponds and ditches.

Product protected by U.S. Pat. Nos. 3,799,758; 4,140,513; 4,405,531.

No license granted under any non-U.S. patent.


TM-R Trademarks of Monsanto Company



5
© MONSANTO COMPANY 1988

EPA Reg. No. 524-332

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.



QUOTAMAKER™

Peanut Growth Regulator


by MONSANTO

Water soluble powder for foliar application to modify peanut growth and to increase peanut yields.

Complete Directions for Use

EPA Reg. No. 524-332

REFORMULATION OR REPACKAGING IS PROHIBITED.



1989-1

897.25-000.01/53

ACTIVE INGREDIENT:

Sodium sesqui salt of N-(phosphonomethyl)glycine	75%
INERT INGREDIENTS	25%
	100%

BEST AVAILABLE COPY

Read the entire label before using this product.

Use only according to label instructions.

Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable, return at once unopened.

LIMIT OF WARRANTY AND LIABILITY

This Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use label booklet ("Directions") when used in accordance with those Directions under the conditions described therein. NO OTHER EXPRESS WARRANTY OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein.

Buyer and all users shall promptly notify this Company of any claims whether based in contract, negligence, strict liability, other tort or otherwise.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this Company, including, but not limited to, incompatibility with products other than those set forth in the Directions, application to or contact with desirable vegetation, unusual weather, weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application ranges set forth in the Directions, application in any manner not explicitly set forth in the Directions, moisture conditions outside the moisture range specified in the Directions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

THE EXCLUSIVE REMEDY OF THE BUYER OR USER, AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED, OR, AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY, OR, IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

Buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children.

CAUTION!

MAY CAUSE EYE IRRITATION.
MAY BE HARMFUL IF INHALED.

BEST AVAILABLE COPY

Avoid contact with eyes, skin or clothing.
Avoid breathing vapor or dust.
Wash thoroughly with soap and water after handling.

FIRST AID: IF IN EYES, immediately flush with plenty of water. Call a physician if irritation persists.

IF INHALED, remove individual to fresh air. Seek medical attention if breathing difficulty develops.

In case of an emergency involving this product,
Call Collect, day or night. (314) 694-4000.

Environmental Hazards

Do not apply directly to water or wetland (swamps, bogs, marshes or potholes). Do not contaminate water by cleaning of equipment or disposal of wastes.

Physical or Chemical Hazards

Spray solutions of this product should be mixed, stored and applied only in stainless steel, aluminum, fiberglass, plastic and plastic-lined steel containers.

DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. This product or spray solutions of this product react with such containers to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark welder's torch, lighted cigarette or other ignition source.

GENERAL INFORMATION

BEST AVAILABLE COPY

This product, when applied to the foliage of peanuts, modifies peanut plant growth and typically increases peanut yields when used according to the use instructions.

Do not apply to any crop other than peanuts.

Do not apply to peanuts that have received a ^{preemergent} ~~preplant~~ application of any product containing the active ingredient, glyphosate.

Allow a minimum of at least 84 days between application of this product and harvest.

Following peanut harvest, fields treated with this product may be rotated to any crop.

Do not apply this product through any type of irrigation system.

Do not apply this product using aerial application equipment.

Do not feed or graze treated peanut forage following application.

This product works best when plants are actively growing. Do not treat under poor growing conditions, such as drought stress, disease or insect damage, as reduced performance may result. Reduced results also may occur when treating peanuts heavily covered with dust.

Rainfall or irrigation occurring within 6 hours after application may reduce effectiveness. Heavy rainfall or irrigation within 2 hours after application may wash this product off the foliage and a repeat treatment may be required.

Within two weeks after application, this product may produce a slight yellowing and brown speckling of peanut leaves. In most instances internodal growth will be reduced resulting in a shorter, more compact plant.

MIXING INSTRUCTIONS

To achieve the best spray mix, proceed as follows:

1. Place a 20 to 35 mesh screen or wetting basket over the filling port and make all additions through it.

Fill the sprayer or nurse tank one half full of water. Begin agitation.

3. Add the recommended amount of this product. Continue agitation.
4. Continue filling the spray tank with water and add the nonionic surfactant near the end of the filling process.
5. Maintain agitation until contents of the spray tank are sprayed.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

ORAGE:

BEST AVAILABLE COPY

Keep container closed to prevent spills and contamination.

DISPOSAL:

Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state and local procedures.

Emptied container retains vapor and product residue. Observe all labeled safeguards until container is destroyed.

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

USE INSTRUCTIONS

Apply the recommended rate of this product in **10 to 20 gallons of water per acre with ground equipment only.**

Carefully select proper nozzle to avoid spraying a fine mist. For best results with ground application equipment, use flat fan nozzles. Check for even distribution of spray droplets and avoid overlap that results in double application rates.

Avoid direct application to any body of water.

Ensure Uniform Application - Avoid streaking, uneven or overlapped application.

Application Instructions: Apply 0.05 pounds of this product per acre at peanut first bloom (peanut plants will be approximately 8 to 12 inches in diameter).

An agriculturally approved nonionic surfactant must be added to the spray mixture when using this product. Use a 0.5 percent surfactant concentration (2 quarts per 100 gallons of spray solution) when using surfactants which contain at least 50 percent active ingredient, or a 1 percent surfactant concentration (4 quarts per 100 gallons of spray solution) for those surfactants containing less than 50 percent active ingredient. Read and carefully observe surfactant cautionary statements and other information appearing on the surfactant label. Mix only with clean water. Reduced results may be expected if water containing silt is used, such as water from ponds and ditches.

Product protected by U.S. Pat. Nos. 3,799,758; 4,140,513; 4,405,531.

No license granted under any non-U.S. patent.

TM-R Trademarks of Monsanto Company

BEST AVAILABLE COPY

© MONSANTO COMPANY 1988

EPA Reg. No. 524-332

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.

24 3 5 4

In Accordance with IF No. 1
Bundled with J. Folio 2/19/59

QUOTAMAKER™
Yield Enhancer by Monsanto

BEST AVAILABLE COPY

NOT RECALLED
In Accordance with FR Notice 82-24
Federal Craft Labeling dated 11-1-77

←TEAR HERE

TEAR HERE →

QUOTAMAKER™

Yield Enhancer by Monsanto

Water soluble powder for foliar application to modify peanut growth and to increase peanut yields.

Keep out of reach of children.

CAUTION!

Read the entire label before using this product.

Use only according to label instructions.

Read "LIMIT OF WARRANTY AND LIABILITY", which appears in the label booklet, before buying or using. If terms are not acceptable, return at once unopened

REFORMULATION OR REPACKAGING IS PROHIBITED.

PRECAUTIONARY STATEMENTS

Hazards to Humans
and Domestic Animals

CAUTION!

CAUSES EYE IRRITATION.
MAY BE HARMFUL IF INHALED.

Avoid contact with eyes, skin and clothing.
Avoid breathing vapor or dust.
Wash thoroughly with soap and water after handling.

FIRST AID IF IN EYES, immediately flush with plenty of water. Call a physician if irritation persists.

IF INHALED, remove individual to fresh air. Seek medical attention if breathing difficulty develops.

In case of emergency involving this product, Call Collect, day or night (314) 694-4000

Environmental Hazards

Do not apply directly to water or wetland (swamps, bogs, marshes or potholes). Do not contaminate water when disposing of equipment washwaters.

(Continued on bag back)

ACTIVE INGREDIENTS

Sodium sesqui salt of
N-(phosphonomethyl)glycine . . . 75%

INERT INGREDIENTS 25%
100%

NET 8 OZS

PAMPHLET ATTACHED HERE

Physical or Chemical Hazards

Spray solutions of this product should be mixed, stored and applied only in stainless steel, aluminum, fiberglass, plastic and plastic-lined steel containers

DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

..... DIRECTIONS FOR USE

..... It is a violation of Federal law to use this product in any manner inconsistent with its labeling

..... Storage and Disposal

..... Do not contaminate water, foodstuffs, feed or seed by storage or disposal

STORAGE

Keep container closed to prevent spills and contamination

DISPOSAL

Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures

Emptied container retains vapor and product residue. Observe all labeled safeguards until container is destroyed

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke

(See pamphlet for Complete Directions for Use)

Product protected by U.S. Pat. Nos. 3,799,758; 4,405,531. No license granted under any non-U.S. patent

In case of emergency involving this product, Call Collect, day or night, (314) 694-4000

©MONSANTO COMPANY 1989

™Trademark of Monsanto Company

EPA Reg. No. 524-332

MONSANTO COMPANY
AGRICULTURAL PRODUCTS

ST. LOUIS, MISSOURI 63187 U.S.A.

EPA Est. 602-MO-1 897 25 000 08RP