

T

PRECAUTIONARY STATEMENTS
Hazard to Humans and Domestic Animals

DANGER—POISON—PRECAUTIONS



CAN KILL YOU IF SWALLOWED
This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT
This product can kill you if touched by hands or spilled or splashed on skin or eyes or on clothing (liquid goes through clothes).



CAN KILL YOU IF INHALED
This product can kill you if vapors spray mist or dust are inhaled.

MIMICRY FACSIMILE
Type like major insecticides
Color: Red and Black on White

RESTRICTED USE PESTICIDE
For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

STOP! READ THE LABEL

POISON
See side panels for antidote and precautions



DANGER
Keep out of reach of children

ACCEPTED
OCT 15 1981
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 524-340

CAN KILL YOU

PARATHION INSECTICIDE

Niran 8-E Monsanto

Emulsifiable insecticide for controlling certain insects on the listed field, forage, fruit and vegetable crops.

Use only according to label instructions
READ "LIMIT OF WARRANTY AND LIABILITY" BEFORE BUYING OR USING.
IF TERMS ARE NOT ACCEPTABLE RETURN AT ONCE UNOPENED.

NOT FOR HOME USE

ACTIVE INGREDIENTS

*Parathion (0,0 diethyl 0-p-nitrophenyl phosphorothioate)	76.3%
*Related compounds	3.9%
Aromatic petroleum derivative solvent	6.9%
INERT INGREDIENTS	12.9%
*Parathion and related compounds equivalent to 80 lbs per gallon	100.0%



NET GAL

WARN SAFETY RULES
REMARKS CONCERNING THE RESTRICTION IN WHOLESALE SUCH AS ARE CONTAINED IN THIS PRODUCT MAY WITHOUT WARNING CAUSE PROLONGED SUSCEPTIBILITY TO VERY SMALL DOSES OF ANY CHOLINESTERASE INHIBITOR.
Persons working with this product should have the event and tests of their cholinesterase levels. If the cholinesterase level falls below a critical point no further exposure should be allowed until it has been determined by means of blood tests that the cholinesterase level has returned to normal. Before using this product consult the State Agricultural Extension Service or Experimental Station for specific recommendations regarding such blood tests.

Keep all unactivated persons and children away from treated area or where there is danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician) clinic or hospital — immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given see First Aid treatment section and if a doctor cannot come, the victim to clinic or hospital.

If applied indoors provide mechanical exhaust ventilation.

HANDLE ONLY WHEN WEAR THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- (1) Wear a protective suit with rubber boots or rubber over shoes.
- (2) Wear safety goggles.
- (3) Wear mask or respirator approved by the NIOSH, MSHA for parathion protection.
- (4) Wear heavy duty natural rubber gloves.

IMPORTANT: Before removing gloves wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK: Take off all work clothes and shoes. Shower with soap and water. Wear only clean clothes when leaving. Do not wear contaminated clothing. Wash and clean clothing and protective equipment with soap and water after each use. Laundry should be cleaned and later recycled according to instructions included with respirator.

ATTENTION

TO PREVENT PERSONAL INJURY AND POSSIBLE FATALITIES

Keep all persons and animals out of treated areas for 48 hours.

Do not use in any manner other than recommended on this label.

To avoid excessive residues of parathion on food or forage crops, always follow the statements found under "Directions for Use" limiting the time before harvest when parathion may be applied.

Because this material is poisonous by the contact method of application, it should not be used in such a manner as to create a mist or conditions as may permit drift of the spray into areas not intended to be sprayed.

Do not apply or allow drift to areas occupied by unprotected humans or beneficial animals.

Physical or Chemical: Do not use in heat or flame.

In case of FIRE use water spray, SPILL or LEAK keep in container with absorbent or use just absorbent. Rinse thoroughly with skin.

Environmental

This product is toxic to other wildlife. Birds or areas may be killed in ponds, tidal marshes or may be killed if applied. This label. Do not apply near water. Do not apply in drift from areas treated by cleaning of equipment. Apply this product only. This product is highly toxic to aquatic life. For more information on this product, contact your Agricultural Extension.

LIMIT OF WARRANTY

This company warrants that the chemical described herein is fit for the purpose for which it is used when used in accordance with the directions on the label. This warranty does not extend to any damage to property or persons caused by the use of this product in any manner other than that specified on the label.

Buyer and all users of this product assume the responsibility for any damage to property or persons caused by the use of this product in any manner other than that specified on the label.

THE EXCLUSIVE BENE AND THE LIMIT OF LIABILITY OF THIS COMPANY FOR ANY LOSSES, INJURIES OR DAMAGES BASED ON STRICT LIABILITY OR OTHERWISE SHALL BE THE PURCHASER OR BUYER OF THIS PRODUCT. NO EVENT SHALL THE COMPANY OR ANY AGENT OF SUCH COMPANY BE LIABLE FOR CONSEQUENTIAL DAMAGES. The buyer and user accept the terms of LIABILITY which may be stated on the label.

EPA Reg. 524-AL-1

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooping or twitching of mouth and nose, muscle spasms and cramps.

POISON

ATROPINE IS AN ANTIDOTE. CONSULT PHYSICIAN FOR EMERGENCY SUPPLY.

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED PARATHION POISONING.

If symptoms or signs of poisoning include blurred vision, abdominal cramps, and tightness in the chest, do not wait for a doctor but give the atropine tablets (each 1/100 grain or 0.65 milligrams) at once (one tablet to children under five years of age).

FIRST AID (PRACTICAL TREATMENT)

Call a doctor immediately for first aid or help at once. Explain that the victim has been exposed to parathion and describe his condition. Show patient immediately from the area where parathion is present.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake, encourage him to vomit quickly. Have victim drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Have victim lie down and keep quiet. Get medical attention.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote — administer atropine sulfate in large doses (up to FOUR mg. intravenously) or atropine muscarinyl as soon as symptoms is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2 PMB chloride is a pharmacologic antidote and may be administered as an adjunct, but not a substitute for atropine which is a symptomatic and often life-saving antidote. DO NOT GIVE MORPHINE, THEOPHYLLINE, THEOPHYLLINE ETHYLENE DIAMINE, AMBROPHOLINE, PHENOTHIAZINES OR PHENOTHIAZINE TYPE OF TRANQUILLIZERS AS THESE ANTIDOTES MAY PRODUCE ADVERSE EFFECTS, ACCENTUATING THE PHARMACOLOGIC EFFECT OF THIS PRODUCT. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and late responses have been reported after an improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

RESTRICTED USE PESTICIDE
 Use only by Certified Applicators
 under their direct supervision and only
 as directed by the Certified Applicator's
 label.

READ THE LABEL



DANGER
 Keep out of reach
 of children

KILL YOU

INSECTICIDE

8-E TM **Monsanto**

Use for controlling certain insects
 on storage, fruit and vegetable crops.

Directions
 "LIMIT OF WARRANTY" BEFORE BUYING OR USING.
 RETURN AT ONCE UNOPENED.
FOR HOME USE

(PH Bag No. 54-34)



NET

GAL.

KEEP OUT OF REACH OF CHILDREN
 RESTRICTED USE PESTICIDE
 Use only by Certified Applicators
 under their direct supervision and only
 as directed by the Certified Applicator's
 label.

Persons working with this product should wear the
 appropriate protective clothing and equipment.
 The operator should wear a respirator if the
 concentration of the spray is high. No
 further exposure should be allowed until the
 concentration has returned to normal. Before
 using this product, consult the State Agricultural
 Extension Service or Experiment Station for
 specific recommendations regarding such
 tests.

Keep all unprotected persons and children away
 from treated areas where there is danger of drift.
 Do not rub eyes or mouth with hands. If you feel
 such, stop work and get medical attention.
 Get a doctor's attention if you feel ill. Do not
 eat, drink, or smoke until you have been
 examined and cleared by a doctor. If a doctor
 cannot come, telephone a doctor or hospital.

If handled indoors, provide mechanical exhaust
 ventilation.

**HANDLE ONLY WHEN WEARING THE FOLLOWING
 PROTECTIVE EQUIPMENT AND CLOTHING:**

1. Wear water proof boots with flat, non-slip
 soles and gaiters. 2. Wear heavy gloves
 which reach up to the elbow. 3. Wear
 heavy duty rain gear. 4. Wear
 heavy duty rain boots.

IMPORTANT: Before removing gloves, wash them
 with soap and water. Wash your hands, face and
 arms with soap and water before smoking, eating or
 drinking.

After work, take off all work clothes and shoes.
 Shower with soap and water. After you have
 showered, wash your body with soap and water.
 Wash your hands and face with soap and water.
 Wash your work clothes and shoes with soap and
 water. Wash your work clothes and shoes with
 soap and water. Wash your work clothes and
 shoes with soap and water.

ATTENTION

Do not permit persons, animals and poultry
 near this product.

Keep all persons and animals out of treated areas
 until the spray has dried.

Do not use this product in areas where it will
 be in contact with food, feed, or other
 products.

Do not use this product in areas where it will
 be in contact with food, feed, or other
 products.

Because this material is poisonous to some
 animals, it should be used with caution.
 Do not use this product in areas where it
 will be in contact with food, feed, or other
 products.

Do not apply this product in areas occupied by
 unprotected persons or beneficial animals.

Environmental Hazard
 Do not use near water, fish, or other
 aquatic life.

Do not use near water, fish, or other
 aquatic life. Do not use near water, fish,
 or other aquatic life. Do not use near
 water, fish, or other aquatic life.

Environmental Hazard

This product is toxic to fish, shrimp, crab, birds, and
 other wildlife. Birds and other wildlife in treated
 areas may be killed. Keep out of lakes, streams,
 ponds, bays, marshes, and estuaries. Shrimp and crab
 may be harmed at application rates recommended on
 this label. Do not apply where these are important
 resources. Do not apply where drift is likely to
 occur. Do not apply where weather conditions favor
 drift from areas treated. Do not contaminate water
 by cleaning of equipment or disposal of wastes.
 Apply this product only as specified on this label.
 This product is highly toxic to bees exposed to direct
 treatment or residues on crops. Protective information
 may be obtained from your Cooperative
 Agricultural Extension Service.

LIMIT OF WARRANTY AND LIABILITY

This company warrants that this product conforms
 to the chemical description on the label and is
 reasonably fit for the purposes set forth in the Com-
 plete Directions for use. (See also Directions 1
 when used in accordance with these Directions.)
 Under the conditions described hereon, NO OTHER
 EXPRESS OR IMPLIED WARRANTY IS MADE AND
 THE LIMITED WARRANTY OF MERCHANTABILITY
 AND FITNESS FOR PARTICULAR PURPOSE IS EX-
 CLUDED. This warranty is a subject to the condi-
 tions and limitations stated herein.

Buyer and user assume all responsibility for any
 damage from use or handling which results from
 conditions beyond the control of this company, in-
 cluding, but not limited to, incompatibility with
 products other than those set forth in the Direc-
 tions and application in any manner not explicitly
 set forth in the Directions.

Buyer and user assume all responsibility for any
 damage from use or handling which results from
 conditions beyond the control of this company, in-
 cluding, but not limited to, incompatibility with
 products other than those set forth in the Direc-
 tions and application in any manner not explicitly
 set forth in the Directions.

THE EXCLUSIVE REMEDY OF THE USER OR BUYER
 AND THE LIMIT OF THE LIABILITY OF THIS COM-
 PANY IN ANY OTHER CASE FOR ANY AND ALL
 DAMAGES, INCLUDING DAMAGES RESULTING FROM
 THE USE OR HANDLING OF THIS PRODUCT, SHALL
 BE LIMITED TO THE PURCHASE PRICE OF THE
 PRODUCT. THIS LIMIT SHALL APPLY TO ALL
 CLAIMS BASED ON CONTRACT, NEGLIGENCE,
 STRICT LIABILITY, OTHER TORT, OR OTHERWISE.
 SHALL BE THE PURCHASE PRICE PAID BY THE
 USER OR BUYER FOR THE QUANTITY OF THIS
 PRODUCT INVOLVED OR, AT HIS OPTION, THE
 COMPANY OR ANY OTHER SELLER, THE REPLACEMENT
 OF SUCH QUANTITY OR, AT HIS OPTION, THE
 PURCHASE PRICE OF SUCH QUANTITY. IN
 NO EVENT SHALL THIS COMPANY OR ANY OTHER
 SELLER BE LIABLE FOR ANY INCIDENTAL OR
 CONSEQUENTIAL DAMAGES.

The Buyer and user assume all responsibility for any
 damage from use or handling which results from
 conditions beyond the control of this company, in-
 cluding, but not limited to, incompatibility with
 products other than those set forth in the Direc-
 tions and application in any manner not explicitly
 set forth in the Directions.

EWES 524-AL 1 87400 SJAH

MONSANTO COMPANY • AGRICULTURAL PRODUCTS • ST. LOUIS, MISSOURI



PARATHION MIXTURE, LIQUID

In case of any evidence of damaged or leaking
 telephone collect, (205) 236-6381 Monsanto, Aru



POST TREATED
 Consult your State Agricultural
 Experiment Station regarding p

CANP USE DIRECTION
 Use only according to attached
 directions.