

NOT REVIEWED


In Accordance with PR Notice 82-2.

Based on Draft Labeling Dated 3/28/90.

SUPPLEMENTAL LABELING

READ AND FOLLOW THE ENTIRE LABELS FOR RODEO® AQUATIC HERBICIDE AND ARSENAL™ 2 WSL BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Lab-Is" as used in this supplemental labeling refers to the label booklet for Rodeo aquatic herbicide, the label instructions for Arsenal 2 WSL and this supplement.

**BEST AVAILABLE COPY**

(EPA Reg. No. 524-343)

RODEO HERBICIDE PLUS ARSENAL 2 WSL FOR NONCROP AREAS SUCH AS NON-IRRIGATION DITCHBANKS, DRY DITCHES, DRY DRAINAGE DITCHES AND DRY CANALS.

Keep out of reach of children.

CAUTION!

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

Rodeo® is a registered trademark of Monsanto Company.

Arsenal™ is a registered trademark of American Cyanamid Company.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with the labeling.

This label must be in the possession of the user at the time of the herbicide application.

When applied as directed, this tank mixture will control or partially control labeled woody brush, trees and herbaceous weeds in noncrop areas. In addition to the weeds labeled for Rodeo herbicide, this tank mixture will control arrowweed, saltcedar and yaupon.

HAND-HELD AND HIGH-VOLUME APPLICATIONS

Use 6 pints of Rodeo plus up to 4 pints of Arsenal 2 WSL per 100 gallons of spray solution. Add 2 to 4 quarts of nonionic surfactant per 100 gallons of spray solution.

Apply to foliage of actively growing vegetation. Applications should be made on a spray-to-wet

basis. Spray coverage should be uniform and complete. Do not spray to the point of runoff.

BROADCAST APPLICATIONS WITH GROUND EQUIPMENT

Use 3 to 7-1/2 pints of Rodeo plus up to 4 pints of Arsenal 2 WSL in sufficient water to apply in a total spray volume of 10 to 30 gallons per acre. Add 2 to 4 quarts of a nonionic surfactant per 100 gallons of spray solution. Apply to foliage of actively growing vegetation.

AERIAL APPLICATIONS (HELICOPTER ONLY)

Use 3 to 7-1/2 pints of Rodeo plus up to 4 pints of Arsenal in sufficient water to apply in a total spray volume of 10 to 20 gallons per acre. Add 2 to 4 quarts of nonionic surfactant per 100 gallons of spray solution. Apply to foliage of actively growing vegetation.

Apply to woody brush and trees after full leaf expansion until initiation of fall color.

Avoid direct applications to any body of water. Do not apply on ditches used to transport irrigation water.

Read and carefully observe the label directions, cautionary statements and all information on the labels of both products used in this tank mixture before proceeding with this recommendation. Additional precautionary statements are made on these labels. Use according to the most restrictive label directions for each product in the mixture.

Read the "LIMIT OF WARRANTY AND LIABILITY" in the label booklet for Rodeo® herbicide before using this product. Those terms apply to this supplemental labeling. If those terms are not acceptable, return the unopened product at once.

MAP-3104

© MONSANTO COMPANY 1990


MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167



SUPPLEMENTAL LABELING

READ AND FOLLOW THE ENTIRE LABEL FOR RODEO® HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Rodeo herbicide and this supplement.



EPA Reg. No. 624-3431

TANK MIXTURES OF RODEO HERBICIDE AND 2,4-D AMINE FOR AQUATIC AND OTHER LABELED NONCROP SITES.

Keep out of reach of children.

CAUTION!

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

Rodeo® is a registered trademark of Monsanto Company

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with the labeling.

This label must be in the possession of the user at the time of the herbicide application.

When applied as a tank mixture, this product will control the annual weeds listed in the label booklet for this product. The tank mixture will control or partially control the listed perennial weeds, woody brush and trees.

Use 1 to 2 to 3 to 4 pints of this product plus 2 to 4 pints of 2,4-D amine (4 lb ai per gallon, labeled for aquatic sites) for control of annual weeds.

Use 3 to 7 1/2 pints of this product plus 2 to 4 quarts of 2,4-D amine (4 lb ai per gallon, labeled for aquatic sites) for control or partial control of perennial weeds, woody

brush and trees. The tank mixture may be used on alligatorweed, smartweed, waterprimrose, waxmyrtle and other labeled weeds.

When using this product, mix 2 or more quarts of a nonionic surfactant per 100 gallons of spray solution. Always read and follow the surfactant manufacturer's label recommendations.

Always predetermine the compatibility of the tank mixtures of this herbicide and 2,4-D amine by mixing small proportional quantities in advance.

Mix in the following sequence: Fill sprayer tank one-half full with water; add Rodeo, then 2,4-D amine and finally surfactant. Fill sprayer tank to final volume with water.

NOTE: DO NOT MIX RODEO AND 2,4-D AMINE CONCENTRATES WITHOUT WATER CARRIER. DO NOT MIX RODEO AND 2,4-D AMINE IN BYPASS INJECTOR-TYPE SPRAY EQUIPMENT.

Contact your local Monsanto representative for specific recommendations in your area.

Read and carefully observe the label claims, cautionary statements and all information on the labels of each product used in this tank mixture. Use according to the most restrictive label directions for each product in the mixture.

Read the "LIMIT OF WARRANTY AND LIABILITY" in the label booklet for Rodeo herbicide before using this product. Those terms apply to this supplemental labeling and if those terms are not acceptable, return the product unopened at once.

© MONSANTO COMPANY 1990

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167

