

pm

25

524-343

Page

1 of 4

SUPPLEMENTAL LABELING


READ AND FOLLOW THE ENTIRE LABEL FOR RODEO (R) HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Rodeo herbicide and this supplement.

RODEO

HERBICIDE BY MONSANTO

EPA Reg No. 524-343



RODEO HERBICIDE FOR CONTROL OF CORDGRASS (SPARTINA SPP.)

Keep out of reach of children.

CAUTION!

In case of emergency involving this product, Call Collect, day or night, 314-694-4000.

- Rodeo (R) is a registered trademark of Monsanto Company.

Directions for Use

It is a violation of Federal law to use this product in any manner inconsistent with the labeling.

This label should be in the possession of the user at the time of the herbicide application.

Broadcast Applications (Air)

Apply 4 to 7 1/2 pints of this product in 10 gallons of spray solution per acre. Aerial applications may be made by helicopter only. Add 1 to 2 quarts of a nonionic surfactant per 100 gallons of spray solution.

Broadcast Applications (Ground)

Apply 4 to 7 1/2 pints of this product in 10 to 60 gallons of spray solution per acre. For best results, ensure that complete coverage of cordgrass clumps is achieved. Add 1 to 2 quarts of a nonionic surfactant per 100 gallons of spray solution.

Hand-held and High-volume Equipment

Apply a 2 to 5 percent solution of this product. Ensure that complete coverage of cordgrass clumps is achieved. Do not spray to the point of run-off. Add 1 to 2 quarts of a nonionic surfactant per 100 gallons of spray solution.

Wiper Applications

For wick or wiper applications, mix 1 gallon of this product with 2 gallons of clean water to make a 33 percent solution. Addition of a nonionic surfactant at a rate of 10 percent by volume of the total herbicide solution is recommended.

In heavy stands, a double application in opposite directions may improve results.

APPLICATION CONDITIONS

NOTE: Schedule applications in order to allow 6 hours before treated plants are covered by tide water. Rainfall or emersion within 6 hours after application may reduce effectiveness.

The presence of debris and silt on the cordgrass plants will reduce performance of this product. It may be necessary to wash targeted plants prior to application to improve uptake of this product into the plant.

Read "LIMIT OF WARRANTY AND LIABILITY" in the label booklet for Rodeo before using this product. Those terms apply to this supplemental labeling and, if those terms are not acceptable, return the product unopened at once.

MONSANTO COMPANY 1991



MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167

3 19 4

SUPPLEMENTAL LABELING

READ AND FOLLOW THE ENTIRE LABELS FOR RODEO® AQUATIC HERBICIDE AND ARSENAL™ 2 WSL BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Labels" as used in this supplemental labeling refers to the label booklet for Rodeo aquatic herbicide, the label instructions for Arsenal 2 WSL and this supplement.



(EPA Reg. No. 524-343)

RODEO HERBICIDE PLUS ARSENAL 2 WSL FOR NONCROP AREAS SUCH AS NON-IRRIGATION DITCHBANKS, DRY DITCHES, DRY DRAINAGE DITCHES AND DRY CANALS.

Keep out of reach of children.

CAUTION!

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

Rodeo® is a registered trademark of Monsanto Company.
Arsenal™ is a trademark of American Cyanamid Company.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with the labeling.

This label must be in the possession of the user at the time of the herbicide application.

When applied as directed, this tank mixture will control or partially control labeled woody brush, trees and herbaceous weeds in noncrop areas. In addition to the weeds labeled for Rodeo herbicide, this tank mixture will control arrowweed, saltcedar and yaupon.

HAND-HELD AND HIGH-VOLUME APPLICATIONS

(A) Use 6 pints of Rodeo plus up to 4 pints of Arsenal 2 WSL per 100 gallons of spray solution. Add 2 to 4 quarts of nonionic surfactant per 100 gallons of spray solution.

Apply to foliage of actively growing vegetation. Applications should be made on a spray-to-wet

basis. Spray coverage should be uniform and complete. Do not spray to the point of runoff.

BROADCAST APPLICATIONS WITH GROUND EQUIPMENT

Use 3 to 7-1/2 pints of Rodeo plus up to 4 pints of Arsenal 2 WSL in sufficient water to apply in a total spray volume of 10 to 30 gallons per acre. Add 2 to 4 quarts of a nonionic surfactant per 100 gallons of spray solution. Apply to foliage of actively growing vegetation.

(C) AERIAL APPLICATIONS (HELICOPTER ONLY)

Use 3 to 7-1/2 pints of Rodeo plus up to 4 pints of Arsenal in sufficient water to apply in a total spray volume of 10 to 20 gallons per acre. Add 2 to 4 quarts of nonionic surfactant per 100 gallons of spray solution. Apply to foliage of actively growing vegetation.

Apply to woody brush and trees after full leaf expansion until initiation of fall color.

Avoid direct applications to any body of water. Do not apply on ditches used to transport irrigation water.

Read and carefully observe the label directions, cautionary statements and all information on the labels of both products used in this tank mixture before proceeding with this recommendation. Additional precautionary statements are made in these labels. Use according to the most restrictive label directions for each product in the mixture.

Read the "LIMIT OF WARRANTY AND LIABILITY" in the label booklet for Rodeo® herbicide before using this product. These terms apply to this supplemental labeling. If those terms are not acceptable, return the unopened product at once.

© MONSANTO COMPANY 1991

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST LOUIS, MISSOURI 63167



4 of 4

Make the following changes to the Rodeo supplemental label:

A. Change to:

Use 6 to 12 pints of Rodeo....

B. Change to:

. .1/2 to 4 pints of....

C. Delete:

Helicopter only.

D. Add:

When used in combination as recommended by Monsanto Company, the liability of Monsanto shall in no manner extend to any damage, loss or injury not directly caused by the inclusion of the Monsanto product in such combination use.

E. Change to:

MONSANTO COMPANY 1991

MAP-3104.01

2/1/91