

Acceptance stamp on p.3

SUPPLEMENTAL LABELING

READ AND FOLLOW THE ENTIRE LABEL FOR RODEO® HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Rodeo herbicide and this supplement.

This supplemental label has not been approved for use in California.

RODEO
EMERGED AQUATIC WEED AND BRUSH HERBICIDE BY MONSANTO

EPA Reg. No. 524-343

RODEO HERBICIDE FOR CONTROL OF CORDGRASS (SPARTINA SPP.)

Keep out of reach of children.

CAUTION!

In case of emergency involving this product, Call Collect, day or night, 314-694-4000.

Rodeo® is a registered trademark of Monsanto Company.

Directions for Use

It is a violation of Federal law to use this product in any manner inconsistent with the labeling.

This label must be in the possession of the user at the time of the herbicide application.

BROADCAST APPLICATIONS
(AIR)

Apply 4 to 7 ½ pints of this product in ~~10~~ 5-20 gallons of spray solution per acre. ~~Aerial applications may be made by helicopter only.~~ Add 1 to 2 quarts of nonionic surfactant per 100 gallons of spray solution.

BROADCAST APPLICATIONS

(GROUND)

Apply 4 to 7 1/2 pints of this product in 10 to 60 gallons of spray solution per acre. For best results, ensure that complete coverage of cordgrass clumps is achieved. Add 1 to 2 quarts of a nonionic surfactant per 100 gallons of spray solution.

HAND-HELD AND HIGH VOLUME EQUIPMENT

Apply a 2 to 5.8 percent solution of this product. Ensure that complete coverage of cordgrass clumps is achieved. Do not spray to the point of run-off. Add 1 to 2 quarts of a nonionic surfactant per 100 gallons of spray solution.

WIPER APPLICATIONS

For wick or wiper applications, mix 1 gallon of this product with 2 gallons of clean water to make a 33 percent solution. Addition of a nonionic surfactant at a rate of 10 percent by volume of the total herbicide solution is recommended.

In heavy stands, a double application in opposite directions may improve results.

APPLICATION CONDITIONS

NOTE: Schedule applications in order to allow 6 hours before treated plants are covered by tidewater. Rainfall or immersion within 6 hours after application may reduce effectiveness.

The presence of debris and silt on the cordgrass plants will reduce performance of this product. It may be necessary to wash targeted plants prior to application to improve uptake of this product into the plant. Where cordgrass has been cut or mowed prior to application with Rodeo, ensure adequate regrowth of



cordgrass occurs to allow for interception or absorption of the herbicide solution.

Read the "LIMIT OF WARRANTY AND LIABILITY" in the label booklet for Rodeo before using this product. Those terms apply to this supplemental label and, if those terms are not acceptable, return the product unopened at once.

MAP-3213-4/10/91

MONSANTO COMPANY ~~1991~~ 1997

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167

ACCEPTED
AUG 26 1997
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 524-343

