

PLEASE NOTE

This image contains more than one label approved for this product on this date.

SUPPLEMENTAL LABELING

READ AND FOLLOW THE ENTIRE LABEL FOR ACCORD® CONCENTRATE HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Accord Concentrate herbicide and this supplement.

ACCEPTED
APR 12 2001
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 524-343

ACCORD CONCENTRATE

HERBICIDE

by MONSANTO

EPA Reg. No. 524-343

DORMANT STEM AND BASAL APPLICATIONS OF ACCORD CONCENTRATE HERBICIDE PLUS QUIKSORB™ PENETRANT FOR CONTROL OR PARTIAL CONTROL OF WOODY BRUSH AND TREES

Keep out of reach of children.

CAUTION!

In case of emergency involving this product, call Collect, day or night, 314-694-4000.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with the labeling.

This label must be in the possession of the user at the time of the herbicide application.

When applied as directed, this product will control or partially control woody brush and trees in areas such as utility rights-of-way, forestry sites, roadsides, railroads, drainage ditches and canals, fence rows, and similar non-crop areas.

This application technique is recommended for directed spot treatment of trees and brush. Apply this product using backpack, hand-held, handgun or similar equipment. Use flat fan, cone, or similar nozzles that will provide effective spray coverage of target vegetation. These applications are more effective on small brush less than 10-12 feet in height or 2-3-inch stem diameter. Use the higher rates for difficult to control species, trees with bigger stems, brush growing in clusters, or species growing under stressful environmental conditions.

If needed, use propylene glycol to prevent spray solution from freezing.

DORMANT STEM APPLICATION

Apply a solution consisting of 10-25 percent v/v of this product and up to 50 percent v/v of QuikSorb penetrant. Fill spray tank or container with clean water to the desired volume if necessary. Apply from fall to spring. Spray uniformly from the crown, covering at least 75 percent of the trunks, branches, and stems of the target brush or trees.

BASAL APPLICATION

Apply a solution consisting of 25-50 percent v/v of this product and up to 50 percent v/v of QuikSorb penetrant. Fill spray tank or container with clean water to the desired volume if necessary. Completely cover the lower 18-24 inches of the brush stems or trunks. Spray-to-wet but not to the point of run-off.

Read and carefully observe the label claims, cautionary statements, and all information on the labels of all products used in this tank mixture.

Read the "LIMIT OF WARRANTY AND LIABILITY" in the label booklet for Accord Concentrate before using this product. Those terms apply to this supplemental labeling and, if those terms are not acceptable, return the product unopened at once.

Accord is a registered trademark of Monsanto Company.
QuikSorb is trademark of Monsanto Company

©2000 Monsanto Company
St. Louis, Missouri 63167

NEXT


LABEL

SUPPLEMENTAL LABELING

READ AND FOLLOW THE ENTIRE LABEL FOR ACCORD® CONCENTRATE HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Accord Concentrate herbicide and this supplement.

ACCORD CONCENTRATE
Herbicide
by Monsanto



EPA Reg. No. 524-343

FOR USE WITH QUIKSTIK™ SURFACTANT FOR SELECTIVE WEED CONTROL IN CONIFER RELEASE.

Keep out of reach of children.

CAUTION!

In case of emergency involving this product, Call Collect, day or night, 314-694-4000.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with the labeling.

This label must be in the possession of the user at the time of the herbicide application.

BROADCAST SPRAYS OF ACCORD CONCENTRATE plus QUIKSTIK SURFACTANT FOR CONIFER RELEASE

Except where specifically recommended in the label booklet for Accord Concentrate herbicide, use only where conifers have been established for more than one year.

APPLICATION MUST BE MADE AFTER FORMATION OF FINAL CONIFER RESTING BUDS IN THE FALL OR PRIOR TO INITIAL BUD SWELLING IN THE SPRING.

Injury may occur to conifers treated for release, especially where spray patterns overlap or the higher rates are applied. Damage can be accentuated if applications are made when conifers are actively growing, or are under stress from drought, flood water, improper planting, insects, animal damage or diseases.

QuikStik surfactant may be mixed with Accord Concentrate herbicide where use of a surfactant is required for improved weed control. Unless otherwise recommended in the Conifer and Herbaceous Release section of the Accord Concentrate label booklet, use QuikStik surfactant at 10-30 fluid ounces per acre. Follow the instructions under the "Surfactant" portion of the "MIXING" section of the Accord Concentrate label booklet.

Read "LIMIT OF WARRANTY AND LIABILITY" in the label booklet for Accord Concentrate herbicide before using this product. Those terms apply to this supplemental labeling and, if those terms are not acceptable, return the product unopened at once.

Accord is a registered trademark and QuikStik is a trademark of Monsanto Company.

©2000 MONSANTO COMPANY
ST. LOUIS, MISSOURI 63167