

524-343

06/2/2011

1/3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

JUN 02 2011

Ms. Dawn Fee-White
Monsanto Company
1300 I (Eye) Street, NW
Suite 450 East
Washington D.C. 20005

Subject: AquaMaster Herbicide
EPA Registration Numbers 524-343
Application dated April 5, 2011
Supplemental label: Stem Injection of Common Reed

Dear Ms. Fee-White,

The supplemental labeling referred to above and submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. It expires on December 31, 2013. At your next label printing, or within eighteen months of the date of this letter, whichever comes first, you must incorporate this supplemental labeling into the main product labeling. A stamped copy of the label is enclosed for your records. Please submit one copy of your final printed label before you release the product for shipment.

If you have any questions, please contact Hope Johnson at 703-305-5410.

Sincerely,

A handwritten signature in black ink, appearing to read "Kable Bo Davis".

Kable Bo Davis
Product Manager 25
Herbicide Branch
Registration Division (7505P)

SUPPLEMENTAL LABELING

READ THE ENTIRE AQUAMASTER® LABEL BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

When using AquaMaster® herbicide as permitted according to this supplemental labeling, read and follow all applicable directions, restrictions, and precautions on the label booklet provided with the pesticide container and on this supplemental labeling. This supplemental labeling must be in the possession of the user at the time of pesticide application.

Registered Brand Names:

AquaMaster® Herbicide

Roundup Custom Herbicide

For Stem Injection of Common Reed (*Phragmites australis*)

ACCEPTED
in EPA Letter Dated

EPA Reg. No. 524-343

JUN 02 2011

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

Keep Out of Reach of Children.

CAUTION!

524-343

In case of an emergency involving this product, Call Collect, day or night, 314-694-4000.

For product information or assistance in using this product, Call Toll-Free, 1-800-332-3111.

This label expires on December 31, 2013 and must not be used or distributed after this date.

Group 9 Herbicide

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. This labeling must be in the possession of the user at the time of herbicide application.

AVOID CONTACT OF HERBICIDE WITH FOLIAGE, GREEN STEMS, EXPOSED NON-WOODY ROOTS OR FRUIT OF CROPS, DESIRABLE PLANTS AND TREES, BECAUSE SEVERE INJURY OR DESTRUCTION MAY RESULT.

See "INFORMATION" and "MIXING" sections of the label booklet for AquaMaster herbicide for essential product performance information.

This product may be applied through hand-held injection devices that deliver specified amounts of this product into targeted hollow stem of plants growing in any aquatic or non-agricultural site specified in the label booklet for AquaMaster herbicide. For control of the following hollow stem plant, follow the use instructions below:

Reed, Common (*Phragmites australis*)

Inject 5 ml per stem of a 50% solution, equal parts of this product and water, between second and third internode or into freshly cut stems.

NOTE: Based on the maximum annual use rate of glyphosate for these non-crop sites, the combined total for all treatments must not exceed 8 quarts of this product per acre. At 5 ml of a 50% solution per stem, 8 quarts should treat approximately 3,000 stems.

Read "LIMIT OF WARRANTY AND LIABILITY" in the label booklet for Aquamaster herbicide before using this product. Those terms apply to this supplemental labeling and, if those terms are not acceptable, return the product unopened at once.

AquaMaster is a registered trademark of Monsanto Technology LLC.

©2011 MONSANTO COMPANY
800 N. Lindbergh Blvd.
St. Louis, Missouri 63167

[EPA approval date]

[print plate number]

[Insert Expiration Date]