

***** PENDING APPROVAL *****

THE DOW CHEMICAL COMPANY QUALITY ASSURANCE
LABEL CONFIRMATION COPY PRINTED: 10-APR-85 PAGE: 2

SPECIFICATION NUMBER: 39180-L1 STYLE: 1 DESCRIPTION: SPECIMEN LABEL
REQUESTOR: EVA ROSS
PRODUCT NAME: Grazon* ET Herbicide

NOTICE

Read the entire label. Use only according to label directions.

[BOLD]

Before[NORM] buying or using this product, read "WARRANTY LIMITATIONS AND DISCLAIMER" elsewhere on this label. If terms are not acceptable, return [BOLD]unopened[NORM] package at once to seller for full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under the Limit of Warranty and Liability.

IN CASE OF AN EMERGENCY

endangering life or property involving this product, call collect
517-636-4400

AGRICULTURAL CHEMICAL

Do Not Ship or Store with Food, Feeds, Drugs, or Clothing

(1) GENERAL INFORMATION

GRAZON ET Herbicide is an oil soluble, emulsifiable liquid product containing triclopyr. Small amounts can kill or injure many broadleaved plants. To prevent damage to crops and other desirable plants, [BOLD]follow all directions and precautions.[NORM]

(2)

GRAZON ET Herbicide is recommended for the control of mesquite and associated woody plants and annual and perennial broadleaf weeds on rangeland and permanent grass pastures (including fence rows) only in the states of Arizona, New Mexico, Oklahoma, and Texas.

(3)

Woody plant species controlled in addition to mesquite include:

(4)

Blackberry
Blackbrush
Cherry
Elm
Granjeno
Guajillo

Hawthorn
Huisache
Locust
Oaks
Persimmon, Eastern
Poison Oak

BEST AVAILABLE COPY

(INUED)

* * * * * PENDING APPROVAL * * * * *

THE DOW CHEMICAL COMPANY QUALITY ASSURANCE
 LABEL CONFIRMATION COPY PRINTED: 10-APR-85 PAGE: 3

SPECIFICATION NUMBER: 39180-L1 STYLE: I DESCRIPTION: SPECIMEN LABEL
 REQUESTOR: EVA ROSS
 PRODUCT NAME: Grazon* ET Herbicide

Pricklypear cactus
 Sumac
 Trumpet creeper
 Twisted acacia
 Wild
 roses
 Willow

(5)

Annual, biennial and perennial broadleaf weeds controlled include:

(6)

Black Medic
 Burdock
 Chicory
 Cinquefoil
 Clover
 Curled Dock

Lambsquarters
 Lisbedeza
 Mustard
 Plantain
 Sweet Clover
 Vetch

(7)

[BOLD]Note:[NORM] Many forbs are susceptible to GRAZON ET. Do not spray pastures containing desirable forbs, especially legumes such as clover, unless injury or loss of such plants can be tolerated. However, the stand and growth of established grasses usually is improved after spraying, especially when rainfall is adequate and grazing is deferred.

(8) DIRECTIONS FOR USE

Do not use for manufacturing or formulating.

BEST MINERAL

(CONTINUED)

* * * * * PENDING APPROVAL * * * * *

THE DOW CHEMICAL COMPANY QUALITY ASSURANCE
LABEL CONFIRMATION COPY PRINTED: 10-APR-85 PAGE: 4

SPECIFICATION NUMBER: 39180-L1 STYLE: I DESCRIPTION: SPECIMEN
REQUESTOR: EVA ROSS
PRODUCT NAME: Grazon* ET Herbicide

(9)

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

(10) HIGH-VOLUME LEAF-STEM TREATMENT OF INDIVIDUAL PLANTS USING
GROUND EQUIPMENT:

For control of mesquite and associated woody plants, use GRAZON ET Herbicide at a concentration of 1 to 3 quarts in water to make 100 gallons of spray mixture, or GRAZON ET Herbicide at 1 1/2 to 3 pints as a tank mix with 1/4 to 1/2 gallon of 2,4-D low-volatile ester or GRAZON P+D Herbicide or locally recommended rates of GRAZON PC plus 2,4-D Herbicides, diluted to make 100 gallons of spray. Depending on the size and density of the woody plants involved, apply sufficient spray volume to thoroughly wet all leaves, stems, and root collars but **DO NOT** exceed application of more than 1 quart of GRAZON ET per acre. **NORM** To minimize spray drift, do not use pressure exceeding 40 psi at the spray nozzle and keep sprays no higher than brush tops. **NALCO-TROL** drift control additive or equivalent is recommended to reduce spray drift.

(11) FOLIAR BROADCAST TREATMENT USING AERIAL OR GROUND EQUIPMENT:

DO NOT Mesquite or Mesquite/Pricklypear - **NORM** Use 1 pint of GRAZON ET Herbicide per acre alone for mesquite. If pricklypear cactus is also a problem, tank mix GRAZON ET Herbicide at 1/2 pint per acre with 1 to 2 pints GRAZON PC Herbicide per acre.


(12)

DO NOT South Texas Mixed Brush (Such as Mesquite, Pricklypear Cactus, Blackbrush, Twisted Acacia, Granjeno, Huisache and Guajillo) - **NORM** Use 1 to 2 pints of GRAZON ET Herbicide in a tank mix combination with 2 pints of GRAZON PC Herbicide per acre.

(13)

Environmental conditions may influence results considerably. For best results on mesquite, apply in the spring or early summer during the period 40 to 90 days after the first green growth appears and when soil moisture is adequate for good growth. Soil temperatures of 78[DEG] F to 83[DEG] F at a 12 inch to 18 inch depth have been reported as optimal for good plant kills.

(CONTINUED)



* * * * * PENDING APPROVAL * * * * *

THE DOW CHEMICAL COMPANY QUALITY ASSURANCE
LABEL CONFIRMATION COPY PRINTED: 10-APR-85 PAGE: 5

SPECIFICATION NUMBER: 39180-L1 STYLE: I DESCRIPTION: SPECIMEN LABEL
REQUESTOR: EVA ROSS
PRODUCT NAME: Grazon* ET Herbicide

(14)
[BOLD]Sand Shinnery Oak Suppression -[NORM] Use 1/2 to 1 pint of GRAZON ET Herbicide alone or in a tank mix combination with 1 to 2 pints of GRAZON PC Herbicide.

(15)
[BOLD]Post and Blackjack Oak Sprouts (less than 4 feet in height) -[NORM] Use 1/2 to 2 pints of GRAZON ET alone or as a tank mix with 1/2 to 2 pints of 2,4-D low-volatile ester herbicide per acre.

(16)
For best results, applications should be made when woody plants and weeds are actively growing.

(17)
[BOLD]Note:[NORM] Read and carefully follow all applicable directions, restrictions, and precautions on labeling for other products used in combination with GRAZON ET Herbicide.

(18)
[BOLD]Restrictions:[NORM] Withdraw livestock from treated forage at least 3 days before slaughter during the year of treatment. Do not graze lactating dairy animals on treated areas for one year following treatment. Do not harvest grass for hay from treated areas for one year following treatment.

(19) APPLICATION AND MIXING DIRECTIONS
[BOLD]Spray volume should be sufficient to obtain complete and uniform foliar coverage.[NORM] For aerial application apply at least 2 gallons of total spray volume per acre. For aerial treatment of mesquite mixed with other South Texas brush species use a minimum of 4 gallons of total spray volume per acre. For ground application, apply 10 or more gallons of total spray volume per acre.

(20)
GRAZON ET Herbicide may be applied by diluting with water or by preparing an oil-water emulsion.

(CONTINUED)

BEST AVAILABLE COPY

***** PENDING APPROVAL *****

THE DOW CHEMICAL COMPANY QUALITY ASSURANCE
LABEL CONFIRMATION COPY PRINTED: 10-APR-85 PAGE: 6

SPECIFICATION NUMBER: 39180-L1 STYLE: I DESCRIPTION: SPECIMEN LABEL
REQUESTOR: EVA ROSS
PRODUCT NAME: Grazon* ET Herbicide

The latter type of spray mixture performs more dependably under a broader range of conditions than straight water dilutions and is especially recommended for aerial applications.

(21)

[BOLD]Oil-water emulsions[NORM] may be prepared using diesel fuel, fuel oil, or kerosene plus an emulsifier such as RANGELAND SPRA-MATE (1), PONTO (2) 712T, or TRITON (3) X-100. Use a jar test to check spray mix compatibility before preparing oil-water emulsion sprays in the mixing tank. For more detailed information on emulsifiers and preparing oil-water (1:5 ratio) emulsion spray mixtures, consult your supplier of GRAZON Herbicide or The Dow Chemical Company.

(22)

(1) Product trademark of KDM Company, San Antonio, TX

(23)

(2) Trademark of Witco Chemical Corporation

(24)

(3) Trademark of Rohm & Haas Company

(25)

[BOLD]For water dilutions[NORM] add 2 quarts of agricultural surfactant per 100 gallons of spray mixture to provide improved wetting of brush and weed foliage. To help minimize spray drift, include a drift control and deposition aid such as NALCO-TROL (4), or its equivalent, in all spray mixes.

(26)

(4) Trademark of Nalco Chemical Company

(27)

[BOLD]Spray mixtures containing GRAZON ET Herbicide should be prepared according to the following directions:[NORM]

(28)

BEST AVAILABLE COPY

(CONTINUED)

***** PENDING APPROVAL *****

THE DOW CHEMICAL COMPANY QUALITY ASSURANCE
LABEL CONFIRMATION COPY PRINTED: 10-APR-85 PAGE: 7

SPECIFICATION NUMBER: 39180-L1 STYLE: I DESCRIPTION: SPECIMEN LABEL
REQUESTOR: EVA ROSS
PRODUCT NAME: Grazon* ET Herbicide

1. Add half the needed water to the mixing tank.

(29)

2. Add water soluble herbicide (if used), e.g. GRAZON PC or GRAZON P+D Herbicide.

(30)

3. Slowly add a premix of oil, emulsifier (if oil-water emulsion), and GRAZON ET Herbicide plus other oil-soluble herbicide (if used), e.g. 2,4-D ester. [BOLD]NOTE:[NORM] Do not allow water or mixtures containing water to get into the premix or GRAZON ET Herbicide since a thick "invert" (water in oil) emulsion may be formed that will be difficult to break. Such an emulsion may also be formed if the premix or GRAZON ET is put in the mixing tank before the addition of water.

(31)

4. Add the remaining water. Also during final filling of the tank add NALCO-TROL or equivalent drift control and deposition aid (if used), plus an agricultural surfactant (if a water dilution rather than an oil-water emulsion spray is used).

(32)

Continuous agitation of the spray mixture during both mixing and application is necessary to ensure uniformity.

(33) USE PRECAUTIONS

Apply this product only as specified on this label.

(34)

Do not apply GRAZON ET Herbicide directly to, or otherwise permit it to come into direct contact with cotton, grapes, peanuts, soybeans, tobacco, vegetable crops, flowers or other desirable broadleaf plants and do not permit spray mists containing it to drift onto them.

(35)

AVOID INJURIOUS SPRAY DRIFT: Applications should be made only when there is little or no hazard from spray drift. Very small quantities of spray, which may not be visible, may seriously injure susceptible plants.

(CONTINUED)

BEST AVAILABLE COPY

***** PENDING APPROVAL *****

THE DOW CHEMICAL COMPANY QUALITY ASSURANCE
LABEL CONFIRMATION COPY PRINTED: 10 APR-85 PAGE: 8

SPECIFICATION NUMBER: 39180-L1 STYLE: I DESCRIPTION SPECIMEN LABEL
REQUESTOR: EVA ROSS
PRODUCT NAME: Grazon* ET Herbicide

Do not spray when wind is blowing toward susceptible crops or ornamental plants near enough to be injured. It is suggested that a continuous smoke column at or near the spray site or a smoke generator on the spray equipment be used to detect air movement, lapse conditions, or temperature inversions (stable air). If the smoke layers or indicates a potential of hazardous spray drift, do not spray.

(36)

GROUND EQUIPMENT: With ground equipment, spray drift can be lessened by keeping the spray boom as low as possible; by applying 20 gallons or more of spray per acre; by using no more than 40 pounds of spraying pressure with large droplet producing nozzle tips; by spraying when wind velocity is less than 10 miles per hour and by the use of NALCO-TROL drift control and deposition aid or its equivalent. Do not apply with hollow cone-type insecticide or other nozzles that produce a fine-droplet spray.

(37)

AERIAL APPLICATION: With aircraft, drift can be lessened by applying a coarse spray; by using no more than 20 pounds spray pressure at the nozzles; by using NALCO-TROL drift control additive and deposition aid, or equivalent, and by spraying only when wind velocity is less than 10 mph.

(38)

Do not permit injurious amounts of herbicide to contaminate irrigation ditches or water used for irrigation or domestic purposes.

(39) STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

(40)

STORAGE: Store above 28[DEG] F or agitate before use.

(41) DISPOSAL:

(42)

[BOLD]Prohibitions: [NORM]Open dumping is prohibited.

(CONTINUED)

BEST AVAILABLE COPY

***** PENDING APPROVAL *****

THE DOW CHEMICAL COMPANY QUALITY ASSURANCE
LABEL CONFIRMATION COPY PRINTED: 10-APR-85 PAGE: 9

SPECIFICATION NUMBER: 39180-L1 STYLE: I DESCRIPTION: SPECIMEN LABEL
REQUESTOR: EVA ROSS
PRODUCT NAME: Grazon* ET Herbicide

(43)

[BOLD]Pesticide Disposal: **[NORM]**Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable federal, state, or local procedures.

(44)

[BOLD]Container Disposal: **[NORM]** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic containers may also be disposed of by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

(45)

[BOLD]General: **[NORM]**Consult federal, state, or local disposal authorities for approved alternative procedures.

(46)

[BOLD]Be sure that use of this product conforms to all applicable regulations.**[NORM]**

(47) WARRANTY LIMITATIONS AND DISCLAIMER

The Dow Chemical Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions therein under normal conditions of use. THIS IS THE ONLY WARRANTY MADE ON THIS PRODUCT. NO OTHER EXPRESS AND NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE IS MADE OUTSIDE OF THIS LABEL. Therefore, neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), under abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes, etc.) or under conditions not reasonably foreseeable to or beyond the control of seller.

When buyer or user suffers losses or damages resulting from the use or handling of this product (including claims based on contract, negligence, strict liability, or other legal theories), buyer or user must promptly notify in writing The Dow Chemical

(CONTINUED)

***** PENDING APPROVAL *****

THE DOW CHEMICAL COMPANY QUALITY ASSURANCE
LABEL CONFIRMATION COPY PRINTED: 10-APR-85 PAGE: 10

SPECIFICATION NUMBER: 39180-L1 STYLE: I DESCRIPTION: SPECIMEN LABEL
REQUESTOR: EVA ROSS
PRODUCT NAME: Grazor.* ET Herbicide

Company of any claims to be eligible to receive either remedy given below. The EXCLUSIVE REMEDY OF THE BUYER OR USER and the LIMIT OF LIABILITY of The Dow Chemical Company or any other seller will be one of the following, at the election of The Dow Chemical Company:

- (1) [BOLD]Refund of purchase price[NORM] paid by buyer or user for product bought, [BOLD]or[NORM]
- (2) [BOLD]Replacement[NORM] of amount of product used.

The seller [BOLD]will not be liable for consequential or incidental damages or losses[NORM].

The terms of this Limit of Warranty and Liability cannot be varied by any written or verbal statements or agreements. Any employee or sales agent of the seller is not authorized to vary or exceed the terms of this Warranty Limitations And Disclaimer in any manner.

*Trademark of THE DOW CHEMICAL COMPANY

39180-L1

A485

DOW DIAMOND*

THE DOW CHEMICAL COMPANY
Midland, Michigan 48674 U.S.A.

SPECIMEN LABEL 86-1849 DATE CODE A485
REPLACES 86-1849 DATE CODE 6P+
DISCARD PREVIOUS SPECIMEN LABELS

REVISIONS INCLUDE:

1) AMENDED LABELING FOR NEW PRODUCT REGISTRATION



For control or suppression of emerged weeds in fallow and reduced tillage small grain systems in the states of Colorado, Idaho, Kansas, Montana, Nebraska, New Mexico, North Dakota, Oklahoma, Oregon, South Dakota, Texas, Utah, Washington and Wyoming.

**AVOID CONTACT WITH
DESIRABLE VEGETATION
SINCE SEVERE INJURY OR
DESTRUCTION MAY RESULT.**


Complete Directions for Use

1 Reg. Bu.

Landmaster is a trademark of Monsanto Company.

104-1

MAP 2662/53



Read the entire label before using product. Use only according to label instructions.

NOT FOR REFORMULATION OR REPACKAGING.

Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable, return at once unopened.

LIMIT OF WARRANTY AND LIABILITY

This company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the complete Directions for Use label booklet ("Directions") when used in accordance with these Directions under the conditions described therein. **NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE.** This warranty is also subject to the conditions and limitations stated in use.

Buyer and all users shall promptly notify this company of any claims whether based in contract, negligence, strict liability, other tort or otherwise.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions "not" the control of the company, including but not limited to incompatibility with products other than those set forth in the Directions, application in or contact with desirable vegetation, unusual weather (i.e. weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied with the normal range being determined on the basis of the average range for the prior 40 years computed from the best available information), and all weather periods, including but not limited to hurricanes, tornadoes and floods) as well as weather considerations not forth in the Directions, application in any manner not explicitly set forth in the Directions, moisture conditions outside the moisture range specified in the Directions, or the presence of products other than those set forth in the Directions in or on the soil crop or treated vegetation.

THE EXCLUSIVE REMEDY OF THE USER OR BUYER AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED, OR, AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY OR, IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES.

The buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement.

PRECAUTIONARY STATEMENTS

Hazards to
Humans and Domestic Animals

Keep out of reach of children.

DANGER!
CAUSES EYE BURNS.
HARMFUL IF SWALLOWED.
MAY CAUSE ALLERGIC SKIN REACTION.

Do not get in eyes, on skin or on clothing.

Wear goggles or face shield and rubber gloves in transferring and mixing and when adjusting, repairing or cleaning equipment.

Wash thoroughly with soap and water after handling.

FIRST AID: IF IN EYES, immediately flush with plenty of water for at least 15 minutes. Call a physician. IF ON SKIN, immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing. Wash clothing before reuse. Sanitized persons should avoid further contact and reuse of clothing.

IF SWALLOWED, induce vomiting immediately by either giving two glasses of water and sticking finger down throat or, when available, administering syrup of ipecac as prescribed on its container. Call a physician. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

In case of an emergency involving this product,
Call Collect, day or night, (314) 694-4000

Environmental Hazards

Avoid direct application to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Physical or Chemical Hazards

Spray solutions of this product should be stored, stored and applied only in stainless steel, aluminum, fiberglass, plastic and plastic-lined steel containers.

DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

Storage and Disposal

Do not contaminate water, food, or feed by storage or disposal. Do not store near fertilizers, seeds, insecticides or fungicides.

STORAGE

Store above 40°F. to keep product in solution. If crystals form, place in a warm room (72°F.), allow the product to reach room temperature and roll or shake periodically until crystals have redissolved. Keep container closed to prevent spills and contamination.

DISPOSAL

Wastes of this pesticide may be dangerous. Improper disposal may pollute, or contaminate a body of water or cause harm to crops or animals. If these wastes cannot be disposed of in accordance with the label instructions, contact your local Environmental Control Agency, a representative of the nearest EPA office.

Empty container returns vapor. Observe all labeled safeguard directions.

Triple rinse container. Then pour a secondary landfill, or by incineration state and local authorities, by the out of state.

ACTIVE INGREDIENTS*

Glyphosate [N-phosphonomethyl] as the isopropylamine salt
2,4-D (2,4-dichlorophenoxyacetic acid) as the isopropylamine salt
INERT INGREDIENTS

*Contains 6.9 pounds / gallon of pounds / gallon of 2,4-D

The glyphosate component of Landmaster is listed by U.S. Patent No. 3,940,531. Other patents.

GENERAL INFORMATION

Landmaster is a postemergence herbicide for control or suppression of emerged weeds in fallow and reduced tillage systems, prior to planting of wheat, barley, rye and oats.

This product enters the plant through the roots throughout the plant. Vascular tissue is gradually killed or yellowing and necrosis to complete browning and deterioration of above ground plant parts. Visible symptoms will be observed within 2 to 4 days after application. In some cases, symptoms may not occur for 7 or more days, cloudy weather following treatment of this product and delay the visual effect.

APPLICATION PRECAUTIONS AND WARNINGS

- Do not plant any crop other than wheat for 3 months after treatment has disappeared from the soil.
- Do not feed or fatten treated vegetation within 8 weeks after application.
- Do not apply in the vicinity of cotton, grapes, tomatoes or other sensitive crops.
- The likelihood of injury occurring from the use of this product is greatly reduced in excess of 5 miles per hour winds including lower wind spray drift.
- Movement of this product on wind-blown sand may cause damage to plants that are contacted. This is usually observed shortly after application.
- Buyer and all users are responsible for damage in connection with the use of this herbicide or other herbicide recommended in this label.

MONSANTO COMPANY 1984

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.



product with herbicides or other materials not recommended on this label may result in reduced performance. Use of this product in any manner not consistent with this label may result in injury to persons, animals or crops, or other unintended consequences.

Landmaster is subject to all state and county regulations for 2,4-D usage.

DIRECTIONS FOR USE

TIMING OF APPLICATION

This product should be applied postemergence to vigorously growing weeds when they have reached the recommended size given in the "RECOMMENDED RATES AND WEEDS CONTROLLED" section of this label. Application should be delayed until maximum emergence of the target weeds, but before weeds exceed the maximum size recommended. For annual weeds, allow at least 3 days after treatment before tillage. For hard biennial, allow at least 7 days after treatment before tillage.

Reduced control may result if treatments are made during poor growing conditions such as drought stress, disease or insect damage or if weeds have been grazed or cut. Heavy dust on foliage or an overhanging canopy covering targeted weeds may also reduce control.

Rainfall or irrigation occurring within 6 hours after application may reduce effectiveness. Heavy rainfall or irrigation within 2 hours after application will wash this product off the foliage and a repeat treatment will be required.

RECOMMENDED RATES AND WEEDS CONTROLLED

When applied as directed, Landmaster herbicide will provide control or suppression of the grass and broadleaf weed species listed below.

NOTE: C = Control, S = Suppression.

WEED SPECIES	LANDMASTER WEED WEIGHT	RATE PER ACRE	
		40	54
		Fluid oz.	Fluid oz.
ANNUAL WEEDS			
Barnyard	2 to 6 inches	C	C
Common ragwort		C	C
Black nightshade		C	C
Field bindweed		C	C
Field corn		C	C
Field pea		C	C
Field soybean		C	C
Field sunflower		C	C
Field tobacco		C	C
Field cotton		C	C
Field sorghum		C	C
Field millet		C	C
Field amaranth		C	C
Field purslane		C	C
Field chickweed		C	C
Field radish		C	C
Field clover		C	C
Field alfalfa		C	C
Field vetch		C	C
Field lupine		C	C
Field pea		C	C
Field soybean		C	C
Field sunflower		C	C
Field tobacco		C	C
Field cotton		C	C
Field sorghum		C	C
Field millet		C	C
Field amaranth		C	C
Field purslane		C	C
Field chickweed		C	C
Field radish		C	C
Field clover		C	C
Field alfalfa		C	C
Field vetch		C	C
Field lupine		C	C
Field pea		C	C
Field soybean		C	C
Field sunflower		C	C
Field tobacco		C	C
Field cotton		C	C
Field sorghum		C	C
Field millet		C	C
Field amaranth		C	C
Field purslane		C	C
Field chickweed		C	C
Field radish		C	C
Field clover		C	C
Field alfalfa		C	C
Field vetch		C	C
Field lupine		C	C
Field pea		C	C
Field soybean		C	C
Field sunflower		C	C
Field tobacco		C	C
Field cotton		C	C
Field sorghum		C	C
Field millet		C	C
Field amaranth		C	C
Field purslane		C	C
Field chickweed		C	C
Field radish		C	C
Field clover		C	C
Field alfalfa		C	C
Field vetch		C	C
Field lupine		C	C
Field pea		C	C
Field soybean		C	C
Field sunflower		C	C
Field tobacco		C	C
Field cotton		C	C
Field sorghum		C	C
Field millet		C	C
Field amaranth		C	C
Field purslane		C	C
Field chickweed		C	C
Field radish		C	C
Field clover		C	C
Field alfalfa		C	C
Field vetch		C	C
Field lupine		C	C
Field pea		C	C
Field soybean		C	C
Field sunflower		C	C
Field tobacco		C	C
Field cotton		C	C
Field sorghum		C	C
Field millet		C	C
Field amaranth		C	C
Field purslane		C	C
Field chickweed		C	C
Field radish		C	C
Field clover		C	C
Field alfalfa		C	C
Field vetch		C	C
Field lupine		C	C
Field pea		C	C
Field soybean		C	C
Field sunflower		C	C
Field tobacco		C	C
Field cotton		C	C
Field sorghum		C	C
Field millet		C	C
Field amaranth		C	C
Field purslane		C	C
Field chickweed		C	C
Field radish		C	C
Field clover		C	C
Field alfalfa		C	C
Field vetch		C	C
Field lupine		C	C
Field pea		C	C
Field soybean		C	C
Field sunflower		C	C
Field tobacco		C	C
Field cotton		C	C
Field sorghum		C	C
Field millet		C	C
Field amaranth		C	C
Field purslane		C	C
Field chickweed		C	C
Field radish		C	C
Field clover		C	C
Field alfalfa		C	C
Field vetch		C	C
Field lupine		C	C
Field pea		C	C
Field soybean		C	C
Field sunflower		C	C
Field tobacco		C	C
Field cotton		C	C
Field sorghum		C	C
Field millet		C	C
Field amaranth		C	C
Field purslane		C	C
Field chickweed		C	C
Field radish		C	C
Field clover		C	C
Field alfalfa		C	C
Field vetch		C	C
Field lupine		C	C
Field pea		C	C
Field soybean		C	C
Field sunflower		C	C
Field tobacco		C	C
Field cotton		C	C
Field sorghum		C	C
Field millet		C	C
Field amaranth		C	C
Field purslane		C	C
Field chickweed		C	C
Field radish		C	C
Field clover		C	C
Field alfalfa		C	C
Field vetch		C	C
Field lupine		C	C
Field pea		C	C
Field soybean		C	C
Field sunflower		C	C
Field tobacco		C	C
Field cotton		C	C
Field sorghum		C	C
Field millet		C	C
Field amaranth		C	C
Field purslane		C	C
Field chickweed		C	C
Field radish		C	C
Field clover		C	C
Field alfalfa		C	C
Field vetch		C	C
Field lupine		C	C
Field pea		C	C
Field soybean		C	C
Field sunflower		C	C
Field tobacco		C	C
Field cotton		C	C
Field sorghum		C	C
Field millet		C	C
Field amaranth		C	C
Field purslane		C	C
Field chickweed		C	C
Field radish		C	C
Field clover		C	C
Field alfalfa		C	C
Field vetch		C	C
Field lupine		C	C
Field pea		C	C
Field soybean		C	C
Field sunflower		C	C
Field tobacco		C	C
Field cotton		C	C
Field sorghum		C	C
Field millet		C	C
Field amaranth		C	C
Field purslane		C	C
Field chickweed		C	C
Field radish		C	C
Field clover		C	C
Field alfalfa		C	C
Field vetch		C	C
Field lupine		C	C
Field pea		C	C
Field soybean		C	C
Field sunflower		C	C
Field tobacco		C	C
Field cotton		C	C
Field sorghum		C	C
Field millet		C	C
Field amaranth		C	C
Field purslane		C	C
Field chickweed		C	C
Field radish		C	C
Field clover		C	C
Field alfalfa		C	C
Field vetch		C	C
Field lupine		C	C
Field pea		C	C
Field soybean		C	C
Field sunflower		C	C
Field tobacco		C	C
Field cotton		C	C
Field sorghum		C	C
Field millet		C	C
Field amaranth		C	C
Field purslane		C	C
Field chickweed		C	C
Field radish		C	C
Field clover		C	C
Field alfalfa		C	C
Field vetch		C	C
Field lupine		C	C
Field pea		C	C
Field soybean		C	C
Field sunflower		C	C
Field tobacco		C	C
Field cotton		C	C
Field sorghum		C	C
Field millet		C	C
Field amaranth		C	C
Field purslane		C	C
Field chickweed		C	C
Field radish		C	C
Field clover		C	C
Field alfalfa		C	C
Field vetch		C	C
Field lupine		C	C
Field pea		C	C
Field soybean		C	C
Field sunflower		C	C
Field tobacco		C	C
Field cotton		C	C
Field sorghum		C	C
Field millet		C	C
Field amaranth		C	C
Field purslane		C	C
Field chickweed		C	C
Field radish		C	C
Field clover		C	C
Field alfalfa		C	C
Field vetch		C	C
Field lupine		C	C
Field pea		C	C
Field soybean		C	C
Field sunflower		C	C
Field tobacco		C	C
Field cotton		C	C
Field sorghum		C	C
Field millet		C	C
Field amaranth		C	C
Field purslane		C	C
Field chickweed		C	C
Field radish		C	C
Field clover		C	C
Field alfalfa		C	C
Field vetch		C	C
Field lupine		C	C
Field pea		C	C
Field soybean		C	C
Field sunflower		C	C
Field tobacco		C	C
Field cotton		C	C
Field sorghum		C	C
Field millet		C	C
Field amaranth		C	C
Field purslane		C	C
Field chickweed		C	C
Field radish		C	C
Field clover		C	C
Field alfalfa		C	C
Field vetch		C	C
Field lupine		C	C
Field pea		C	C
Field soybean		C	C
Field sunflower		C	C
Field tobacco		C	C
Field cotton		C	C
Field sorghum		C	C
Field millet		C	C
Field amaranth		C	C
Field purslane		C	C
Field chickweed		C	C
Field radish		C	C
Field clover		C	C
Field alfalfa		C	C
Field vetch		C	C
Field lupine		C	C
Field pea		C	C
Field soybean		C	C
Field sunflower		C	C
Field tobacco		C	C
Field cotton		C	C
Field sorghum		C	C
Field millet		C	C
Field amaranth		C	C
Field purslane		C	C
Field chickweed		C	C
Field radish		C	C
Field clover		C	C
Field alfalfa		C	C
Field vetch		C	C
Field lupine		C	C
Field pea		C	C
Field soybean		C	C
Field sunflower		C	C
Field tobacco		C	C
Field cotton		C	C
Field sorghum		C	C
Field millet		C	C
Field amaranth		C	C
Field purslane		C	C
Field chickweed		C	C
Field radish		C	C
Field clover		C	C
Field alfalfa		C	C
Field vetch		C	C
Field lupine		C	C
Field pea		C	C
Field soybean		C	C
Field sunflower		C	C
Field tobacco		C	C
Field cotton		C	C
Field sorghum		C	C
Field millet		C	C
Field amaranth		C	C
Field purslane		C	C
Field chickweed		C	C
Field radish		C	C
Field clover		C	C
Field alfalfa		C	C
Field vetch		C	C
Field lupine		C	C
Field pea		C	C
Field soybean		C	C
Field sunflower		C	C
Field tobacco		C	C
Field cotton		C	C
Field sorghum		C	C
Field millet		C	C
Field amaranth		C	C

BEST AVAILABLE COPY

36

ACCEPTED

MAR 28 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under
EPA Reg. No. **28-351**

FRONT DISPLAY PANEL LABELING

Landmaster®

REDUCED TILLAGE HERBICIDE

by **Monsanto**

Keep out of reach of children.

DANGER! Read precautions
on side panel

NET 2.5 GAL

Read the entire label before using this product.
Use only according to label instructions.

Read "Limit of Warranty and Liability" before buying
or using. If terms are not acceptable, return at once
unopened.

Avoid contact with foliage of crop or other desirable
vegetation since severe injury or destruction may
result.

***Active Ingredients:**

Glyphosate (N-phosphonomethyl glycine) as the isopropylamine salt	12.9%
2,4-D (2,4-dichlorophenoxyacetic acid) as the isopropylamine salt	21.5%
Inert ingredients	65.6%
	100%

*Contains 8.9 pounds / gallon of glyphosate and 1.6
pounds / gallon of 2,4-D

SIDE PANEL LABELING

Carefully read and follow directions for use in attached labeling.
NOT FOR REFORMULATION OR REPACKAGING.

PRECAUTIONARY STATEMENTS

**Hazards to
Humans and Domestic Animals**

Keep out of reach of children.

DANGER!
CAUSES EYE BURNS.
HARMFUL IF SWALLOWED.
MAY CAUSE ALLERGIC SKIN REACTION.

Do not get in eyes, on skin or on clothing

Wear goggles or face shield and rubber gloves in transferring and mixing and when adjusting, repairing or cleaning equipment.

Wash thoroughly with soap and water after handling. **FIRST AID: IF IN EYES,** immediately flush with plenty of water for at least 15 minutes. Call a physician.

IF ON SKIN, immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing. Wash clothing before reuse. Contaminated persons should avoid further contact and reuse of clothing.

IF SWALLOWED, induce vomiting immediately by either giving two glasses of water and sticking finger down throat or, when available, administering spray of ipecac as prescribed on its container. Call a physician. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

In case of an emergency consult your physician.
Call Collect, day or night, (314) 694-4000

Environmental Hazards

Avoid direct application to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Physical or Chemical Hazards

Spray solutions of this product should be stored and applied only in stainless steel, aluminum, fiberglass, plastic and plastic-lined steel containers.

DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas may

burn could flash or explode, causing serious personal injury. If ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

Storage and Disposal

Do not contaminate by water, food, or feed by storage or disposal. Do not store near fertilizers, seeds, insecticides or fungicides.

STORAGE:

Store above 40°F. to keep product in solution. If crystals form, place in a warm room (72°F.), allow the product to reach room temperature and stir or shake periodically until crystals have redissolved. Keep container closed to prevent spills and contamination.

DISPOSAL:

Wastes of this pesticide may cause eye burns and may be dangerous. Improper disposal of excess pesticide, spray mixtures, or sludge is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.

Empty container: Turn vapor and product residue. Observe all label safeguards until container is disposed.

Triple rinse container. Then puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

The glyphosate component of Landmaster herbicide is protected by U.S. Patent No. 3,799,750, and U.S. Patent No. 4,085,331. Other patents are pending.

© MONSANTO COMPANY 1985

Landmaster is a registered trademark of Monsanto Company.

In case of an emergency involving this product,
Call Collect, day or night, (314) 694-4000

EPA Reg. No.

MAP-2705

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.



LIMIT OF WARRANTY AND LIABILITY

This company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the complete Directions for Use label booklet ("Directions") when used in accordance with these Directions under the conditions described therein. **NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE.** This warranty is also subject to the conditions and limitations stated herein.

Buyer and all users shall promptly notify this company of any claims whether based in contract, negligence, strict liability, other tort or otherwise.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this company including but not limited to incompatibility with products other than those set forth in the Directions, application to or contact with desirable vegetation, unusual weather (i.e., weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied with the normal range being determined on the basis of the average range for the prior 40 years ascertained from the best available information, and 2. weather profile, including but not limited to hurricanes, tornadoes and floods) as well as weather considerations set forth in the Directions, application in any manner not explicitly set forth in the Directions, moisture conditions outside the moisture range specified in the Directions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, DAMAGES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED OR, AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY OR, IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES.


This product and all users are deemed to have accepted the LIMIT OF WARRANTY AND LIABILITY which may be varied by any verbal or written agreement.

BEST AVAILABLE COPY

BACK PANEL LABELING

Landmaster

REDUCED TILLAGE HERBICIDE



by **Monsanto**

SEE OTHER SIDE FOR PRINCIPAL DISPLAY PANEL

6067
BEST AVAILABLE COPY

30 Gallon plastic drum label
(front panel)

ACCEPTED

MAR 28 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. **524-351**

Landmaster

REDUCED TILLAGE HERBICIDE

by **Monsanto**

Keep out of reach of children.

DANGER! Read precautions
on back panel.

NET 30 GAL.

Read the entire label before using this product.
Use only according to label instructions.

Read "Limit of Toxicity and Irritation" before laying
or using. If toxic are not acceptable, reduce at once
or stop.

Avoid contact with foliage of crop or other desirable
vegetation since severe injury or destruction may
result.

ACTIVE INGREDIENTS*

Oxyfluorfen (2-chlorophenyl) glyoxal	
as the isopropylamine salt	12.9%
2,4-D (2,4-dichlorophenoxyacetic acid)	
as the isopropylamine salt	21.9%
INERT INGREDIENTS	65.2%

*Contains 0.5 pounds / gallon of glyphosate and 1.6
pounds / gallon of 2,4-D.

MAP-2685.01/53

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children.

DANGER!
CAUSES EYE BURNS.
HARMFUL IF SWALLOWED.
MAY CAUSE ALLERGIC SKIN
REACTION.

Do not get on eyes, on skin or on clothing.

Wear goggles or face shield and rubber gloves in transferring and mixing and when adjusting, repairing or cleaning equipment.

Wash thoroughly with soap and water after handling.
FIRST AID: IF IN EYES, immediately flush with plenty of water for at least 15 minutes. Call a physician. **IF ON SKIN,** immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing. Wash clothing before reuse. Sanitized persons should avoid further contact and reuse of clothing.

IF SWALLOWED, induce vomiting immediately by either giving two glasses of water and sticking finger down throat or, when available, administering syrup of ipecac as prescribed on its container. Call a physician. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

In case of an emergency involving this product,
Call Collect, day or night, (314) 694-4000.

Environmental Hazards

Avoid direct application to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

EPA Reg. No. 524

*Registered Trademark of Monsanto Company

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.



Landmaster

REDUCED TILLAGE HERBICIDE

Physical or Chemical Hazards

Spray solutions of this product should be mixed, stored and applied only in stainless steel, aluminum, fiberglass, plastic and plastic-lined steel containers.

DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR WELDED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

Storage and Disposal

Do not contaminate water, land or food by storage or disposal. Do not store near fertilizers, seeds, insecticides or fungicides.

STORAGE

Store above 40°F to keep product in solution. If crystals form, place in a warm room (72°F), allow the product to reach room temperature and roll or shake periodically until crystals have redissolved. Keep container closed to prevent spills and contamination.

DISPOSAL

Wastes of this pesticide may cause eye burns and may be dangerous. Improper disposal of excess pesticide, spray material, or residue is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Empty container retains vapor and product residue. Observe all labeled safeguards until container is destroyed.

Triple rinse container (then puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke).

LIMIT OF WARRANTY AND LIABILITY

This company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use label booklet ("Directions") when used in accordance with these Directions under the conditions described therein. **NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE.** This warranty is also subject to the conditions and limitations stated herein.

Buyer and all users shall promptly notify this company of any claims whether based in contract, strict liability, other tort or otherwise.

Buyer and all users are responsible for damage from use or handling which results from causes beyond the control of this company but not limited to incompatibility with products or conditions set forth in the Directions, application to undesirable vegetation, unusual weather conditions which are outside the intended normal of the application site and period when the product is applied with range being determined on the basis of range for the prior 48 hours computed on available information and a weather report but not limited to hurricanes, tornadoes or other weather considerations set forth in the Directions, moisture conditions, presence of products other than those set forth in the Directions or on the soil, crop or treated area.

THE EXCLUSIVE REMEDY OF THE USER AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL INJURIES OR DAMAGES RESULTING FROM OR HANDLING OF THIS PRODUCT (CLAIMS BASED IN CONTRACT, NEGLIGENCE, LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE LIMITED TO THE PURCHASE PRICE PAID BY THE USER FOR THE QUANTITY OF THIS PRODUCT WHICH WAS THE SUBJECT OF THE CLAIM. AT THE ELECTION OF THIS COMPANY OR SELLER, THE REPLACEMENT OF SUCH QUANTITY OR THE REFUND OF THE PURCHASE PRICE OF SUCH QUANTITY IN NO EVENT SHALL THE COMPANY OR ANY OTHER SELLER BE LIABLE FOR ACTUAL OR CONSEQUENTIAL DAMAGES.

The buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement.

Carefully follow detailed instructions in attached booklet

NOT FOR REFORMULATION OR REPACKAGING

In case of an emergency involving this product,
Call Collect, day or night, (314) 694-4000.

© MONSANTO COMPANY

The glyphosate component of Landmaster is protected by U.S. Patent No. 3,799,755. Patent No. 4,405,531. Other patents are pending.

MAP-2685.02/53

BALAN[®] Granular

2.5G

A selective pre-emergence herbicide for the control of crabgrass and most other annual weed grasses on lawns and golf courses in established. Also For Poa Annua.

Bluegrass (perennial)	Bahiagrass	St. Augustinegrass
Ryegrass (perennial)	Bermudagrass	Zoysiagrass
Fescue	Centipedegrass	

BALAN[®] Registered Trademark of Elanco Products Company for:
BENEFIN - Generic Name and Registered Trademark of Elanco Products Company

ACTIVE INGREDIENT:

N-butyl-N-ethyl-alpha,alpha,alpha-trifluoro-
2,6-dinitro-p-toluidine

2.5%

INERT INGREDIENTS:

97.5%

Total 100.0%

EPA Reg. No. 32802-

EPA Est. No. 32802-WI-1 (A)
32802-MO-1 (B)

Keep Out Of Reach Of Children

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. **IF IN EYES:** Flush eyes with plenty of water. Get medical attention. **IF ON SKIN:** Remove contaminated clothing. Wash affected area with soap and warm water.

NORTHERN TURF - 40 lbs. treats 1/2 to 2/3 acre
(22,000 Sq.Ft. to 29,000 Sq.Ft.)

SOUTHERN TURF - 40 lbs. treats 1/3 to 1/2 acre
(14,500 Sq.Ft. to 22,000 Sq. Ft.)

See Side/Back Panel For Additional Precautionary Statements.

NET WEIGHT 40 LBS.

Howard Johnson Enterprises Inc., Viroqua, Wisconsin 54605