

CONCENTRATE

by Monsanto

Brush Killer

- MAKES UP TO 8 GALLONS OF SPRAY
- KILLS UNWANTED BRUSH AND WOODY PLANTS SYSTEMICALLY - ROOTS AND ALL
- DOES NOT HAVE SOIL ACTIVITY



Keep out of reach of children

CAUTION!

1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific requirements of the task.

4. The above information is provided for the use of the
and other related agencies with the understanding that the
information is not to be used for any other purpose.

1. 2. 3. 4. 5.

[illegible]

* 3-11-1971

NET 32 fl. oz. (1 qt)

11

NOT REPLIED

In Accordance with IR Notice 82-2.

Based on Draft Labeling Dated 1/1/58

Carefully read and follow detailed instructions in pamphlet

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children

CAUTION! HARMFUL IF SWALLOWED MAY CAUSE EYE IRRITATION. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

• **Eye:** If in EYES immediately flush with plenty of water. Call a physician if irritation persists. Remove product from skin or clothing.

• If SWALLOWED, this product will cause gastrointestinal tract irritation. Immediately flush with copious amounts of drinking water or milk. Call a physician.

In case of an emergency involving this product, call Collect any or earth: 314-694-4300

Environmental Hazards

Do not apply directly to water or wetland (swamps, bogs, marshes or peatlands). Do not contaminate water by cleaning of equipment or disposal of wastes.

Physical or Chemical Hazards

Do not store or apply this product ONLY in stainless steel, aluminum, fiberglass, plastic or plastic
non-steel containers. DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS
IN THIS PRODUCT IN GALVANIZED STEEL OR UNPAINTED STEEL (EXCEPT STAINLESS STEEL).
A FIRE OR SPRAY TANKS use of this product in such containers could result in the forma-
tion of an explosive hydrogen gas mixture which could flash or explode if ignited by open flames or
any other ignition source.

See pamphlet for additional information on storage and disposal.

* Computer protected by U.S. Pat. No. 3,739,558 and 4,055,531. Other patents pending. No
 use granted under any non U.S. patent.



0 70123 59022

* Inquirer of Monsanto Company
 * MONSANTO COMPANY INC.
 * MONSANTO COMPANY
 * AGRICULTURAL PRODUCTS
 * ST LOUIS MISSOURI 63167 USA
 *
 * (1)
 *
 * IPA (H 524161 56:00 NA:01)

[PA (P 5241A) 56:00 64:00]

Subject of corresponds to the first letter of the ID number near handle area of SCRI
EPA Reg No 524-370

Cut or tear along perforation

IMAGINE THE NEW YORK CITY

Roundup

CONCENTRATE

by Monsanto

Brush Killer
TAKES UP TO 8 GALLONS OF SPRAY
KILLS UNWANTED BRUSH AND WOODY PLANTS
SYSTEMICALLY — ROOTS AND ALL
DOES NOT HAVE SOIL ACTIVITY



out of reach of children
CAUTION! Read precautions
on back of label
Do not use before using this product
according to label instructions.
Monsanto assumes all responsibility for safety
in accordance with directions. If these
are acceptable, return of label is required.

ACTIVE INGREDIENTS:
Glyphosate (as salt of phosphate) 55%
N-ethylphosphoramidate 35%
Other inert ingredients 100%
Contains N-ethylphosphoramidate
NET 32 fl. oz. (1 qt)
89778 100 0

NOT REVIEWED
In Accordance with FR Notice 82-2.
Based on Draft Labeling Dated 11/1/81

**KEEP PEOPLE AND PETS OFF TREATED AREAS
UNTIL SPRAY SOLUTION HAS DRIED**

DOMESTIC ANIMALS: This product is considered to be relatively nontoxic to dogs and other domestic animals. However, ingestion of this product or large amounts of freshly sprayed vegetation may result in temporary gastrointestinal irritation (vomiting, diarrhea, colic, etc.). If such symptoms are observed, provide the animal with plenty of fluids to prevent dehydration. Call a veterinarian if symptoms persist for more than 24 hours.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

STORAGE

Store this product in its original container and in a secured storage area. In case of SPILL or LEAK, soak up with paper towels and discard in trash.

PROOF OF
PURCHASE

DISPOSAL

To dispose of unused product, securely wrap original container in several layers of newspaper and discard in trash.

Empty container retains vapor and product residue. Observe all labeled safeguards until container is discarded.

Do not reuse container. Rinse thoroughly before discarding in trash.

Roundup L&G Brush Killer is a nonselective herbicide that is diluted and applied to the foliage of actively growing brush and other woody plants. It is absorbed by the leaves and moves throughout the stem and roots to control the entire plant. Visible symptoms may require 2 or more weeks to appear, with brown-out and defoliation usually occurring in 4 to 8 weeks. Symptoms are a gradual wilting and yellowing of the sprayed plant followed by deterioration of both shoots and roots. This product has no herbicidal activity in the soil and will not wash or leach to affect nearby vegetation.

AREAS FOR USE: This product controls woody brush, trees and vines around homes, buildings, wood lots, vacant lots, storage and recreational areas, along fences, driveways and similar areas where unwanted woody vegetation exists. When used as a spray-to-wet treatment, all green vegetation contacted will be killed or damaged.

THIS PRODUCT CAN INJURE OR DESTROY ALL VEGETATION CONTACTED. AVOID SPRAY DRIFT CONTACT WITH DESIRABLE LAWN GRASSES, FLOWERS, VEGETABLES, SHRUBS OR TREES. DO NOT CONTACT GREEN BARK OF TREES OR SHRUBS IF DESIRABLE VEGETATION IS CONTACTED. WASH IMMEDIATELY WITH WATER.

BRUSH AND WOODY PLANTS

When applied as recommended under the conditions described, this product CONTROLS or PARTIALLY CONTROLS the following woody brush and vines:

Alder	Elm	Raspberry
Ash	Eucalyptus	Rose (multiflora)
Aspen	Hazel	Sage
Blackberry	Hawthorn	Sagebrush
Broom	Honeysuckle	Salmonberry
(French, Scotch)	Kudzu	Sassafras
Buckwheat	Locust	Sumac
Ceanothus	Maple	Sweetgum
Chamise	Oak	Thimbleberry
Cherry	Persimmon	Tree Tobacco
Coyote Brush	Poison Ivy	Trumpet creeper
Dewberry	Poison Oak	Willow
Elderberry	Poplar	

MIXING AND SPRAYING

Do not apply this product through any type of irrigation system.

Hand-held Sprayers: Add 4 to 6 fluid ounces (8 to 12 tbsp.) of this product to 1 gallon of clean water. Use pump-up-type or hand-trigger-type sprayers. USE OF HOSE-END SPRAYERS OR SPRINKLER-TYPE DEVICES MAY RESULT IN POOR AND/OR ERRATIC RESULTS.

Ensure uniform and complete spray coverage, but do not spray plants to the point that the spray solution runs off. Use a coarse spray. Do not spray during windy conditions as spray drift may cause damage to any vegetation contacted. Symptoms on certain tough perennial vines, woody brush and tree species may be slow to develop.

SHIPPING CONTAINER PRINTING LAYOUT


Date _____

Order No. _____

Req. No. AUG. 30, 1988

Die Reorder No. _____

NOT REVIEWED
In Accordance with FR Notice 82-24
Based on Draft Labeling Dated _____



50022

BEST AVAILABLE COPY

004 11

A 1" FROM SCORE
B 3/4" FROM SCORE

GCM1 50 BROWN

THIS MINIATURE SHOULD
NOT BE FOLLOWED
FOR EXACT SIZE OR COLOR.

OUR RESPONSIBILITY... REPLACEMENT OF DIES ONLY

MASTERS

COSCO

11540 ADIE ROAD • MAP