

HERBICIDE BY **Monsanto**

For control of annual and perennial weeds
with spot treatment equipment in cotton and soybeans.

CAUTION!

Read precaution
on side panel.

Read the entire label before using this product.
Use only according to label instructions.
Read "LIMIT OF WARRANTY AND LIABILITY"
before buying or using. If terms are not
acceptable, return at once unopened.

REFORMULATION OR REPACKAGING
IS PROHIBITED

ACTIVE INGREDIENT:

*Glyphosate, N-(phosphonomethyl)
glycine, in the form of the
isopropylamine salt.

18.0%


INERT INGREDIENTS

82.0%

100.0%

*Contains 183 grams per litre or 1.61 pounds
of the active ingredient, glyphosate, N-
(phosphonomethyl)glycine, in the form of the
isopropylamine salt. Equivalent to 143 grams
per litre or 1.19 pounds per U.S. gallon of the
acid, glyphosate.

NET 2.5 GAL



PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

CAUTION!

HARMFUL IF SWALLOWED.

MAY CAUSE EYE IRRITATION.

Avoid contact with skin, eyes or clothing.

Wash thoroughly with soap and water after handling.

FIRST AID: IF IN EYES, immediately flush with plenty of water. Get medical attention if irritation persists. Remove product from skin or clothing.

IF SWALLOWED, this product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Get medical attention.

In case of an emergency involving this product, Call Collect, day or night, (314)-694-4000.

Environmental Hazard

Do not apply directly to water or wetland (swamps, bogs, marshes or potholes). Do not contaminate water when disposing of equipment washwaters.

Physical or Chemical Hazards

Spray solutions of this product should be mixed, stored and applied only in stainless

steel, aluminum, fiberglass, plastic and plastic-lined steel containers.

DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

STORAGE:

STORE ABOVE 10°F (-12°C) TO KEEP PRODUCT FROM CRYSTALLIZING.

Crystals will settle to the bottom. If allowed to crystallize, place in a warm room 68°F (20°C) for several days to redissolve and shake or roll to mix well before using.

(Continued on back panel)

BEST AVAILABLE COPY

LIMIT OF WARRANTY AND LIABILITY

This Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use label booklet ("Directions") when used in accordance with these Directions under the conditions described therein. NO OTHER EXPRESS WARRANTY OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein.

Buyer and all users shall promptly notify this Company of any claims whether based in contract, negligence, strict liability, other tort or otherwise. Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this Company including, but not limited to, incompatibility with products other than those set forth in the Directions, application to or contact with desirable vegetation, unusual weather, weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application ranges set forth in the Directions, application in any manner not explicitly set forth in the Directions, moisture conditions

outside the moisture range specified in the Directions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED, OR AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY OR, IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

Buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement.

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63187 USA

EPA Reg. No. 524-370

EPA Est. 524-LP-1

897.12-100.01/53

REG. MARK

COMPADRE™

HERBICIDE BY **Monsanto**

DISPOSAL

Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures.

Emptied container retains vapor and product residue. Observe all labeled safeguards until container is destroyed.

Do not reuse container. Triple rinse container. Then puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL INFORMATION

EXTREME CARE MUST BE EXERCISED TO AVOID CONTACT OF SPRAY WITH FOLIAGE OF CROPS OR OTHER DESIRABLE VEGETATION, SINCE SEVERE DAMAGE OR DESTRUCTION MAY RESULT.

Make applications prior to boll opening in cotton and prior to initial pod set in soybeans.

This product is intended for use specifically in hand-held or motorized spot spray equipment.

DO NOT APPLY AS A BROADCAST APPLICATION.

Applications through broadcast equipment will result in crop injury and unsatisfactory weed control.

APPLICATION INSTRUCTIONS

Mix this product in clean water and apply in equipment that produces a straight stream. Cut-off valves should be located as close as possible to the nozzle in order to avoid dripping that may result in crop injury. Spray nozzles can be mechanically or electronically operated. Agitation is not necessary after thorough mixing and may result in excessive foaming.

In order to minimize crop injury, cover as much of the target weed as possible with the spray solution without contacting the crop. Spray down between the rows. Crop plants contacted by the spray solution will be injured or destroyed.

Annual Weed Control

For annual weeds 6 inches or less in height, apply a 1 percent solution of this product as a spot spray to the foliage of the target weed. For annual weeds greater than 6 inches tall, apply a 2 percent solution to the foliage of target weeds.

For best results, make applications to annual weeds that are actively growing and have not

been subjected to drought stress, insect damage or mechanical injury due to cultivation.

Perennial Weed Control

For perennial weed control, apply a 2 to 4 percent spray solution to the foliage of target weeds. Apply a 2 percent solution to easier-to-control perennial grass species (i.e., johnsongrass) and a 4 percent solution to hard-to-control perennial broadleaf species (i.e., silver chenopodium, Texas blueweed or crystal bursage).

For best results, make applications to perennial weeds that are actively growing and have reached the reproductive stage of growth (seedhead formation in grasses and flower formation in broadleaves). Performance will be reduced and some regrowth may occur if weeds have been stressed by drought, insecticidalization or have not reached the proper stage of growth when treated.

Prepare the desired volume by mixing the amount of this product in water as shown in the following table.

Spray Solution

DESIRED VOLUME	AMOUNT OF COMPADRE			
	1%	2%	3%	4%
1 gal	1.3 oz	2.6 oz	3.9 oz	5.1 oz
5 gal	6.4 oz	12.8 oz	19.2 oz	25.6 oz
25 gal	1.0 qt	2.0 qt	3.0 qt	4.0 qt
100 gal	1.0 gal	2.0 gal	3.0 gal	4.0 gal

™ Trademark of Monsanto Company

Product is protected by U.S. Pat. Nos. 3,799,758 and U.S. 4,406,531. Other patents pending. No license granted under any non-U.S. patent.

©MONSANTO COMPANY 1988