

Rodentup

CONCENTRATE

by Monsanto

Brush Killer

- KILLS UP TO 8 MILLION WEEDS
- KILLS UNWANTED TREES AND WOODY PLANTS SYSTEMICALLY - ROOTS AND ALL
- DOES NOT HAVE SOIL ACTIVITY



Keep out of reach of children

CAUTION! Read precautions on back panel

Read the entire label before using this product. Use only according to label instructions.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions. If these terms are not acceptable, return at once unopened.

ACTIVE INGREDIENTS

NET INGREDIENTS

NET 32 fl. oz. (1 qt)

897 18-100 06-1

Add:

labeled

Change to:

Glyphosate, N-(phosphonomethyl) glycine, in the form of its isopropylamine salt

Delete:

ACCEPTED

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended for the purpose of labeling and sale.

EST. No. 577

KEEP PEOPLE AND PETS OFF TREATED AREAS UNTIL SPRAY SOLUTION HAS DRIED.

DOMESTIC ANIMALS. This product is considered to be relatively nontoxic to dogs and other domestic animals. However, ingestion of this product or large amounts of freshly sprayed vegetation may result in temporary gastrointestinal irritation (vomiting, diarrhea, colic, etc.) if such symptoms are observed, provide the animal with plenty of fluids to prevent dehydration. Call a veterinarian if symptoms persist for more than 24 hours.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

STORAGE

Store this product in its original container and in a secured storage area. In case of SPILL or LEAK, soak up with paper towels and discard in trash.

PROOF OF PURCHASE

DISPOSAL

To dispose of unused product, securely wrap original container in several layers of newspaper and discard in trash.

Empty container retains vapor and product residue. Observe all labeled safeguards until container is discarded.

Do not reuse container. Rinse thoroughly before discarding in trash.

Roundup L&G Brush Killer is a nonselective herbicide that is diluted and applied to the foliage of actively growing brush and other woody plants. It is absorbed by the leaves and moves throughout the stem and roots to control the entire plant. Visible symptoms may require 2 or more weeks to appear, with brownout and defoliation usually occurring in 4 to 8 weeks. Symptoms are a gradual wilting and yellowing of the sprayed plant followed by deterioration of both shoots and roots. This product has no herbicidal activity in the soil and will not wash or leach to affect nearby vegetation.

AREAS FOR USE This product controls woody brush, trees and vines around homes, buildings, wood lots, vacant lots, storage and recreational areas; along fences, driveways and similar areas where unwanted woody vegetation exists. When used as a spray-to-wet treatment, all green vegetation contacted will be killed or damaged.

THIS PRODUCT CAN INJURE OR DESTROY ALL VEGETATION CONTACTED. AVOID SPRAY DRIFT CONTACT WITH DESIRABLE LAWN GRASSES, FLOWERS, VEGETABLES, SHRUBS OR TREES. DO NOT CONTACT GREEN BARK OF TREES OR SHRUBS. IF DESIRABLE VEGETATION IS CONTACTED, WASH IMMEDIATELY WITH WATER.

2

Add:

For more product information, call toll-free 1-800-225-2883.

BRUSH AND WOODY PLANTS

When applied as recommended under the conditions described, this product **CONTROLS** or **PARTIALLY CONTROLS** the following woody brush and vines.

Alder	Elm	Raspberry
Ash	Eucalyptus	Rose (multiflora)
Aspen	Hazel	Sage
Blackberry	Hawthorn	Sagebrush
Broom	Honeylocust	Salmonberry
(French, Scotch)	Kudzu	Sassafras
Buckwheel	Locust	Sumac
Ceanothus	Maple	Sweetgum
Chamisa	Oak	Thimbleberry
Cherry	Persimmon	Tree Tobacco
Coyote Brush	Poison Ivy	Trumpet creeper
Dawberry	Poison Oak	Willow
Elderberry	Poplar	

MIXING AND SPRAYING

Do not apply this product through any type of irrigation system.

Hand-held Sprayers - Add 4 to 6 fluid ounces (8 to 12 tsp.) of this product to 1 gallon of clean water. Use pump-up-type or hand-trigger-type sprayers. **USE OF HOSE-END SPRAYERS OR SPRINKLER-TYPE DEVICES MAY RESULT IN POOR AND/OR ERRATIC RESULTS.**

Ensure uniform and complete spray coverage, but do not spray plants to the point that the spray solution runs off. Use a coarse spray. Do not spray during windy conditions, as spray drift may cause damage to any vegetation contacted. Symptoms on certain tough perennial vines, woody brush and tree species may be slow to de-

velop. In some cases, control of woody brush and trees treated in the fall may not be fully apparent until the following season.

WHEN TO APPLY

Apply to vigorously growing woody vegetation. Apply to woody brush, trees or vines after leaves have fully expanded. For best results, apply to most woody brush, trees and vines after flowers or berries appear. Mid-summer through fall applications are best. In arid areas, apply in the spring and early summer when foliage has a high moisture content and is flowering for best results. Applications made at less than the recommended stage of growth may result in reduced control. After mowing, clipping or tiling, allow resprouts to regrow to the recommended growth stage before applying this product.

Rainfall or watering within 6 hours after application can wash the product off plant foliage which may require retreatment. Delay mowing, clipping, tiling, planting or disturbing treated areas for at least 2 to 4 weeks after application. This allows time for this product to move within the plant for most effective results. **SINCE THIS PRODUCT DOES NOT WORK IN SOIL, RETREATMENTS WILL BE NECESSARY TO CONTROL NEW SHOOTS EMERGING FROM SEED OR ROOT STOCK OF UNTREATED VEGETATION.**

CLEANING EQUIPMENT

Triple-rinse spray tank and flush all sprayer components with water to remove residue of this product. After thorough cleaning, equipment may be used to apply other products.

ROUNDUP L & G BRUSH KILLER

Lawn and Garden formulation which controls brush and woody plants.

Keep out of reach of children.

SAUTION: Read precautions on back panel.

Read the entire label before using this product. Use only according to label instructions.

NOTICE: BUYER ASSUMES ALL RESPONSIBILITY FOR SAFETY AND USE NOT IN ACCORDANCE WITH DIRECTIONS IN THIS LABELING. IF THESE TERMS ARE NOT ACCEPTABLE, RETURN AT ONCE UNOPENED.

REFORMULATION OR REPACKAGING IS PROHIBITED.

ACTIVE INGREDIENT:

Isopropylamine salt of glyphosate	18.0%
INERT INGREDIENTS:	82.0%
	100.0%

*Contains N-(phosphonomethyl)glycine.

This product protected by U.S. Pat. No. 3,798,758 and 4,405,531. Other patents are pending. No licor as granted under any non-U.S. patent.

© MONSANTO COMPANY 1988

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.

Delete:

Add:

Labeled

Change to:

Glyphosate, N-(phosphonomethyl) glycine, in the form of its isopropylamine salt

Delete:

Change to:

1989

5 8 15
Carefully read and follow detailed instructions in pamphlet.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children.

CAUTION! HARMFUL IF SWALLOWED. MAY CAUSE EYE IRRITATION. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID: IF IN EYES, immediately flush with plenty of water. Get to physician if irritation persists. Remove product from skin or clothing.

IF SWALLOWED, the product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Get to physician.

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

Environmental Hazards

Do not apply directly to water or wetland. Do not use in or near water. Do not contaminate water by cleaning of equipment or disposal of waste.

Physical or Chemical Hazards

Use, store or ship this product ONLY in stainless steel, aluminum, fiberglass, plastic or plastic-lined steel containers. DO NOT MIX, STORE OR APPLY THIS PRODUCT IN SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. Use of this product in such containers could result in the formation of an explosive hydrogen gas mixture which could flash or explode if ignited by open flames or any other ignition source.

See pamphlet for additional information on storage and disposal.

This product protected by U.S. Pat. Nos. 3,799,756 and 4,405,531. Other patent pending. No license granted under any non-U.S. patent.

© Trademark of Monsanto Company © MONSANTO COMPANY 1989
MONSANTO COMPANY - AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.

① EPA Est. 524-LA-1, 56100-LA-001
②

Supplemental comments in the first letter of the lot number near specific area of bottle.
EPA Reg. No. 524-370 807.18-100.08-3X2

Change to:

Get medical attention.

Change to:

when disposing of
equipment wash waters.

Add:

Change to:

1989

6 7 15

Carefully read and follow detailed instructions in pamphlet.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children.

CAUTION! HARMFUL IF SWALLOWED. MAY CAUSE EYE IRRITATION. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID: IF IN EYES, immediately flush with plenty of water. Call a physician if irritation persists. Remove product from skin or clothing.

IF SWALLOWED, this product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Call a physician.

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4800

Environmental Hazards

Do not apply directly to water or wetland. Do not apply to crops, lawns or ornamentals. Do not contaminate water by cleaning of equipment or disposal of waste.

Physical or Chemical Hazards

Use, store or apply this product ONLY in stainless steel, aluminum, fiberglass, plastic or plastic-lined steel containers. DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. Use of this product in such containers could result in the formation of an extremely hydrogen gas mixture which could flash or explode if ignited by open flames or any other ignition source.

See pamphlet for additional information on storage and disposal.

This product protected by U.S. Pat. No. 3,799,750 and 4,085,531. Other patents pending. No licenses granted under any non-U.S. patent.



© Trademark of Monsanto Company
© MONSANTO COMPANY 1989
MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.

EPA Est. 524-LA-1 56188-LA-001

Superscript corresponds to the first letter of the lot number near handle area of bottle.
EPA Reg. No. 524-370 807.18-100.06-2X2

Change to:

when disposing of equipment wash waters.

Get medical attention.

Change to:

1989

Roundup

CONCENTRATE

by Monsanto

Grass & Weed Killer

- KILLS UNWANTED GRASSES AND WEEDS SYSTEMICALLY—ROOTS AND ALL
- DOES NOT HAVE SOIL ACTIVITY
- SUITABLE FOR USE AROUND FLOWER BEDS, TREES, SHRUBS, FENCES AND DRIVEWAYS
- USE TO PREPARE GARDEN SITES AND RENOVATE LAWNS

Store in secured place in original container.
Read the entire label before using this product.
Use only according to label instructions.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions. If these terms are not acceptable, return at once unopened.

Keep out of reach of children.

CAUTION!

ACTIVE INGREDIENTS	
isopropylamine salt of glyphosate	18%
INERT INGREDIENTS	82%
	100%

~~Contains N-(phosphonomethyl)glycine~~

NET 64 fl. oz. (2 qts)

697 18-000 44-1

Change to:

Covers up to 6000 square feet.

Add:

Labeled

Add:

- MAKES UP TO 20 GALLONS

Change to:

Glyphosate, N-(phosphonomethyl) glycine, in the form of isopropylamine salt...

Delete:

ACCEPTED

Under the Federal Insecticide, Fungicide, and
Rodenticide Act, as amended, for the
pesticide registered under
EPA Reg No. 544-270


KEEP PEOPLE AND PETS OFF TREATED AREAS UNTIL SPRAY SOLUTION HAS DRIED.

DOMESTIC ANIMALS: This product is considered to be relatively nontoxic to dogs and other domestic animals. However, ingestion of this product or large amounts of freshly sprayed vegetation may result in temporary gastrointestinal irritation (vomiting, diarrhea, colic, etc.) If such symptoms are observed, provide the animal with plenty of fluids to prevent dehydration. Call a veterinarian if symptoms persist for more than 24 hours.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

Roundup L&G is a nonselective herbicide that is diluted and applied to the foliage of actively growing weeds as a spot or broadcast application. It is absorbed by the leaves and moves throughout the stem and roots to control the entire plant. Visible symptoms may require a week or more to appear, with burndown usually occurring in 2 to 4 weeks. Symptoms are a gradual wilting and yellowing of the sprayed plant followed by deterioration of both shoots and roots. This product has no herbicidal activity in the soil and will not wash or leach to affect nearby vegetation.



This product controls many weeds around buildings, vacant lots, storage and recreational areas, gravel or ground bark mulch, shade trees, ornamentals and shrubs; along fences, sidewalks, driveways and patios; and prior to planting turf-grasses, shrubs, flower beds or vegetables listed on the label. When used as a spot treatment in lawns, all vegetation contacted will be damaged.

THIS PRODUCT CAN INJURE OR DESTROY ALL VEGETATION CONTACTED. AVOID SPRAY DRIFT CONTACT WITH DESIRABLE LAWN GRASSES, FLOWERS, VEGETABLES, SHRUBS OR TREES. DO NOT CONTACT GREEN BARK OF TREES OR SHRUBS. IF DESIRABLE VEGETATION IS CONTACTED, WASH IMMEDIATELY WITH WATER.

Storage and Disposal

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

STORAGE:

Store this product in its original container and in a secured storage area. In case of SPILL or LEAK, soak up with paper towels and discard in trash.

DISPOSAL:

To dispose of unused product, securely wrap original container in several layers of newspaper and discard in trash.

Empty container retains vapor and product residue. Observe all labeled safeguards until container is discarded.

Do not reuse container. Rinse thoroughly before discarding in trash.

Add:

For more product information,
call toll-free 1-800-225-2883.

10 of 15

WEEDS CONTROLLED

When applied as recommended under the conditions described, Roundup L&G controls many common weeds including the following:

Annuaals

Barnyardgrass	Pennycress (field)
Bluegrass (annual)	Pigweed (redroot, smooth)
Chickweed	Ragweed (common)
Crabgrass	Ryegrass (annual)
Foxtail	Sandbur (field)
Lambsquarter (common)	Shepherdspurse
Lettuce (prickly)	Sowthistle
Mustard (tansy)	

Perennials

Bahiagrass	Fescue (tail)
Bermudagrass	Johnsongrass
Bindweed (field)	Nutsedge (purple, yellow)
Bluegrass (Kentucky)	Orchardgrass
Bromegrass (smooth)	Quackgrass
Clover (red, white)	Ryegrass (perennial)
Dallisgrass	Thistle (Canada)
Dandelion	Timothy
Fescue species	Vaseygrass

Brush

Alder	Poison Ivy
Blackberry	Poison Oak
Cherry	Raspberry
Dewberry	Rose (multiflora)
Elderberry	Sumac
Honeysuckle	Trumpet creeper
Kudzu	Willow
Oak	

MIXING AND SPRAYING

Do not apply this product through any type of irrigation system.

Hand-held Sprayers - Add 3 to 6 fluid ounces (6 to 12 tbsp.) of this product to 1 gallon of clean water. Use the higher recommended rate for control of listed perennials and brush. Use pump-up-type or hand-trigger sprayers. **USE OF HOSE-END SPRAYERS OR SPRINKLER-TYPE DEVICES MAY RESULT IN POOR AND/OR ERRATIC RESULTS.**

Ensure uniform and complete spray coverage, but do not spray plants to the point that the spray solution runs off. Use a coarse spray. Do not spray during windy conditions, as spray drift may cause damage to any vegetation contacted.

CLEANING EQUIPMENT

Triple-rinse spray tank and flush all sprayer components with water to remove residues of this product. After thorough cleaning, equipment may be used to apply other products.

WHEN TO APPLY

Apply to vigorously growing plants. Apply to annual weeds any time after emergence. For best results, apply to perennial weeds after seedheads, flowers or bernes appear. On woody brush or trees, apply after leaves have fully expanded. Applications made at less than the recommended stage of growth may result in reduced control. After mowing, clipping or tilling, allow weeds to regrow to the recommended growth stage before spraying this product.

4

Rainfall or watering within 6 hours after application can wash the product off plant foliage which may require retreatment. Delay mowing, clipping, tilling, planting or sodding of treated areas for at least 7 days after application. This allows time for this product to move within the plant for most effective results. **SINCE THIS PRODUCT DOES NOT WORK IN SOIL, RETREATMENTS WILL BE NECESSARY TO CONTROL NEW WEEDS EMERGING FROM SEED.**

One application will control most weeds listed. Symptoms on certain tough perennial weeds and woody brush and tree species may be slow to develop. If control is not achieved within 4 weeks, allow time for the sprayed weeds to regrow and make a repeat application. In some cases, control of woody brush and trees treated in the fall may not be fully apparent until the following season.

LAWN RENOVATION

Best results are obtained when at least one mowing is skipped prior to treatment. This provides more leaf surface to intercept the spray. For areas where renovation and re-seeding is desired, thorough spray coverage of all existing vegetation is necessary. Delay planting or sodding of treated areas for at least 7 days after application.

ORNAMENTALS

Any ornamental species may be planted in treated areas 7 days or more after application. Apply this product as recommended to control undesirable vegetation growing around ornamentals, trees or shrubs. Avoid spray contact with any desirable plants. To avoid injury on desirable plants, prevent spray or drift contact with foliage, stems or green bark. Do not spray into, or over the top of, growing ornamentals.

12 8 15

TREES (Apple, Citrus, Nut, Pear) AND GRAPEVINES

Apply this product to control undesirable plants growing around these trees and vines. Spray contact, other than with mature bark of the main trunk, can injure the tree or vine. Allow 21 days between application and harvest.

BERRIES, SMALL FRUITS & VEGETABLE GARDENS

The following vegetables may be planted in treated areas 7 days or more after application: asparagus, beans, beet greens, beets, blackberry, blueberry, boysenberry, broccoli, cabbage, carrot, cauliflower, celery, chicory, corn, cranberry, cucumber, currant, dewberry, elderberry, eggplant, garlic, gourds, gooseberry, horseradish, huckleberry, Jerusalem artichoke, kale, lentils, lettuce, loganberry, melons, mustard greens, okra, otaheberry, onion, parsnips, peas, peppers, Irish and sweet potatoes, pumpkin, radish, raspberry, (black, red), rutabagas, spinach, squash (summer, winter), strawberry, tomatillo, tomato*, watercress, watermelon and turnips. In the treated area, do not plant any vegetables not listed on this label for one year following application. Do not apply this product in or around growing vegetables.

*Use on tomatoes is restricted to direct seeded tomatoes only.

ROUNDUP L&G HERBICIDE

Lawn and Garden formulation which controls weeds and grasses.

Keep out of reach of children.

CAUTION: Read precautions on back panel.

Read the entire label before using this product. Use only according to label instructions.

NOTICE: BUYER ASSUMES ALL RESPONSIBILITY FOR SAFETY AND USE NOT IN ACCORDANCE WITH DIRECTIONS IN THIS LABELING. IF THESE TERMS ARE NOT ACCEPTABLE, RETURN AT ONCE UNOPENED.

REFORMULATION OR REPACKAGING IS PROHIBITED.

ACTIVE INGREDIENT:

Isopropylamine salt of glyphosate 18.0%

INERT INGREDIENTS: 82.0%

100.0%

*Contains N-(phosphonomethyl) glycine

This product protected by
U.S. Pat. No. 3,799,758 and 4,405,531.

Other patents pending.

© MONSANTO COMPANY 1988

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.



Delete:

Add:

labeled

Change to:

Glyphosate, N-(phosphonomethyl) glycine, in the form of its isopropylamine salt

Delete:

Add:

No license granted under any non-U.S. patent.

Change to:

1989

Carefully read and follow detailed instructions in pamphlet.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children.

CAUTION! HARMFUL IF SWALLOWED. MAY CAUSE EYE IRRITATION. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

FIRST AID: IF IN EYES, immediately flush with plenty of water. Get to physician if irritation persists. Remove product from skin or clothing.

IF SWALLOWED, this product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Get to physician.

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

Environmental Hazards

Do not apply directly to water or wetland (swamps, bogs, marshes or peatlands). Do not contaminate water by cleaning of equipment or disposal of wastes.

Physical or Chemical Hazards

Mix, store or apply this product ONLY in stainless steel, aluminum, fiberglass, plastic or plastic-lined steel containers. DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. Use of this product in such containers could result in the formation of an explosive hydrogen gas mixture which could flash or explode if ignited by open flames or any other ignition source.

This product protected by U.S. Pat. No. 3,799,758 and U.S. Pat. No. 4,405,531
Other patents pending.

© Trademark of Monsanto Company
© MONSANTO COMPANY 1989
MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.
EPA Reg. No. 524-370



0 70183 50020 8

EPA Est. (L) 524-LA-1, 56180-LA-001 (G)

Superscript corresponds to the first letter of the lot number near handle area of bottle.

887.18-000.44-2X2

Change to:

Get medical attention.

Change to:

when disposing of equipment wash waters.

Add:

No license granted under any non-U.S. patent.

Change to:

1989

Carefully read and follow detailed instructions on pamphlet.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children.

CAUTION! HARMFUL IF SWALLOWED. MAY CAUSE EYE IRRITATION. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

FIRST AID: IF IN EYES, immediately flush with plenty of water. Call a physician if irritation persists. Remove product from skin or clothing.

IF SWALLOWED, this product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Call a physician.

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

Environmental Hazards

Do not apply directly to water or wetland (swamps, bogs, marshes or potholes). Do not contaminate water by cleaning of equipment or disposal of wastes.

Physical or Chemical Hazards

Never store or apply this product ONLY in stainless steel, aluminum, fiberglass, plastic or plastic lined steel containers. DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. Use of this product in such containers could result in the formation of an explosive hydrogen gas mixture which could flash or explode if ignited by open flames or any other ignition source.

See pamphlet for additional information on storage and disposal.

This product protected by U.S. Pat. No. 3,799,758 and U.S. Pat. No. 4,405,531. Other patents pending.

*Trademark of Monsanto Company ©MONSANTO COMPANY 1988-
MONSANTO COMPANY • AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.
EPA Reg. No. 524-370

① EPA Est. 524-LA-1, 56100-LA-001

Superscript corresponds to the first letter of the lot number near handle area of bottle.
897.18-000.44-31x2

Change to:

Get medical attention.

Change to:

when disposing of equipment wash waters.

Add:

No license granted under any non-U.S. patent.

Change to:

1989