


**SUPPLEMENTAL LABELING**

READ AND FOLLOW THE ENTIRE LABEL FOR COMPADRE® HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label for Compadre herbicide and this supplement.

COMPADRE®  
HERBICIDE  
BY MONSANTO



✓ (EPA REG NO. 524-370)

COMPADRE HERBICIDE FOR USE AS A CUT STUMP TREATMENT IN NONCROP AREAS SUCH AS FORESTRY, UTILITY RIGHTS-OF-WAY, RAILROAD RIGHTS-OF-WAY, ROADSIDES AND SIMILAR INDUSTRIAL OR NONCROP AREAS.

Keep out of reach of children

? CAUTION!

In case of emergency involving this product, Call Collect, day or night, (314)-694-4000.

\*Compadre is a trademark of Monsanto Company.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in any manner inconsistent with the labeling.

This label should be in the possession of the user at the time of the herbicide application.

**APPLICATION INSTRUCTIONS**

For cut stump treatments, this product should not be diluted with water. Apply this ready-to-use product to the freshly cut surface **IMMEDIATELY AFTER CUTTING TREES.**

When applied as directed, woody vegetation may be controlled by treating freshly cut stumps of trees and resprouts with this product.

Apply this product using suitable equipment to ensure coverage of the entire cambium.

Cut vegetation close to the soil surface.

DELAY IN APPLYING THIS PRODUCT WILL RESULT IN REDUCED PERFORMANCE.

For best results, trees should be cut during periods of active growth and full leaf expansion.

WOODY BRUSH CONTROL

This product will CONTROL or PARTIALLY CONTROL most woody brush and tree species, some of which are listed below:

- ✓ Alder  
Alnus spp.
- × Coyotebrush  
Baccharis consanguinea
- ✓ Dogwood  
Cornus spp.
- ✓ Eucalyptus  
Eucalyptus spp.
- ✓ Hickory  
Carya spp.
- ✓ Madrone  
Arbutus menziesii
- ✓ Maple  
Acer spp.
- ✓ Oak  
Quercus spp.
- ✓ Poplar  
Populus spp.
- ✓ Saltcedar  
Tamarix spp.
- ✓ Sweetgum  
Liquidambar styraciflua
- ✓ Sycamore  
Platanus occidentalis
- ✓ Tan oak  
Lithocarpus densiflorus
- ✓ Willow  
Salix spp.

**WETLAND SITES**

**Do not apply this product directly to water.**

**This product may be applied to cut stumps which are found in wetland areas. This product may be used around water and wetland found in forestry and utility rights-of-way sites, including land adjacent to and surrounding domestic water supply reservoirs, supply streams, lakes and ponds.**

**Consult local public water control authorities before applying this product around public water. Permits may be required to treat in such areas.**

**AVOID WASH-OFF OF PRODUCT FROM TREATED STUMPS BY RAINFALL OR OTHER MEANS WITHIN 6 HOURS OF APPLICATION.**

**Read and carefully observe the label claims, cautionary statements, and all information on the label for Compadre herbicide.**

**Read "LIMIT OF WARRANTY AND LIABILITY" in the label for Compadre before using this product. Those terms apply to this supplemental labeling and, if those are not acceptable, return the product unopened at once.**

**©MONSANTO COMPANY 1990**

**MONSANTO COMPANY  
AGRICULTURAL PRODUCTS  
ST. LOUIS, MISSOURI 63167**

**MAP - 3117**