


JAN/SAN™



HERBICIDE BY **Monsanto**

Keep out of reach of children.

CAUTION!

Read the entire label before using this product. Use only according to label instructions. Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable, return at once unopened.
REFORMULATION OR REPACKAGING IS PROHIBITED

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION! HARMFUL IF SWALLOWED. MAY CAUSE EYE IRRITATION. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

FIRST AID: IF IN EYES, immediately flush with plenty of water. Call a physician if irritation persists. Remove product from skin or clothing.

IF SWALLOWED, this product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Call a physician.

In case of emergency involving this product, Call Collect, day or night (314) 694-4000.

Environmental Hazards

Do not apply directly to water or wetland (swamps, bogs, marshes or potholes). Do not contaminate water when disposing of equipment washwaters.

Physical or Chemical Hazards

Mix, store or apply this product ONLY in stainless steel, aluminum, fiberglass plastic or plastic-lined steel containers.

DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. Use of this product in such containers could result in the formation of an explosive hydrogen gas mixtures which could flash or explode if ignited by open flames or any other ignition source.

ACTIVE INGREDIENT

Glyphosate, N-(phosphonomethyl)glycine, in the form of its isopropylamine salt

19.0%

INERT INGREDIENTS

82.0%

100.0%

This product is protected by U.S. Patents No. 3,799,758, No. 4,405,531 and No. 4,840,640. Other patents pending. No license is granted under any non-U.S. patent(s).

*Trademark of Monsanto Company

EPA Est. 524-LA-1

© 1990

EPA Reg. No. 524-370

MONSANTO COMPANY, AGRICULTURAL PRODUCTS, ST. LOUIS, MISSOURI 63167 U.S.A.

NET

GAL

GPL-001

York 3782 Monsanto Jan/San 8-19-88
Disk M-71 F-3782 P-1 Dress 1 & 18 ts
revised 8-23-88 O'Brien
revised 3-19-90 for York 9791 cn

This product is a nonselective herbicide that is diluted and applied to the foliage of actively growing weeds as a spot or broadcast application. It is absorbed by the leaves and moves throughout the stem and roots to control entire plant. Visible symptoms may require a week or more to appear, with burn-down usually occurring in 2 to 4 weeks. Symptoms are a gradual wilting and yellowing of the sprayed plant followed by deterioration of both shoots and roots. This product has no herbicidal activity in the soil and will not wash or leach to affect nearby vegetation.

This product controls many weeds around buildings, vacant lots, storage and recreational areas, gravel or ground bark mulch, shade trees, ornamentals and shrubs; along fences, sidewalks, driveways and patios; and prior to planting turfgrasses or shrubs listed on the label. When used as a spot treatment in lawns, all vegetation contacted will be damaged.

THIS PRODUCT CAN INJURE OR DESTROY ALL VEGETATION CONTACTED. AVOID SPRAY DRIFT CONTACT WITH DESIRABLE LAWN GRASSES, FLOWERS, VEGETABLES, SHRUBS OR TREES. DO NOT CONTACT GREEN BARK OF TREES OR SHRUBS. IF DESIRABLE VEGETATION IS CONTACTED, WASH IMMEDIATELY WITH WATER.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. KEEP PEOPLE OFF TREATED AREAS UNTIL SPRAY SOLUTION HAS DRIED.

Storage and Disposal

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

STORAGE: Store this product in its original container and in a secured storage area.

DISPOSAL: Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures.

Emptied container retains vapor and product residue. Observe all labeled safeguards until container is destroyed.

Do not reuse container. Triple rinse container. Then puncture and dispose of in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WEEDS CONTROLLED When applied as recommended under the conditions described, this product controls many common weeds including the following:

ANNUALS: Barnyardgrass, Bluegrass (annual), Chickweed, Crabgrass, Foxtail, Lambsquarters (common), Lettuce (pencil), Mustard (tansy), Pennycress (field), Pigweed (redroot, smooth), Ragweed (common), Ryegrass (annual), Sandbur (field), Shepherdspurse, Sowthistle.

PERENNIALS: Bahagrass, Bermudagrass, Bindweed (field), Bluegrass (Kentucky), Fescue (tall), Johnsongrass, Nutsedge (purple, yellow), Orchardgrass, Bromegrass (smooth), Clover (red, white), Clover (red, white), Dallisgrass, Dandelion, Fescue species, Quackgrass, Ryegrass (perennial), Thistle (Canada), Timothy, Vaseygrass.

BRUSH: Alder, Blackberry, Cherry, Dewberry, Elderberry, Honeysuckle, Kudzu, Oak, Poison Ivy, Poison Oak, Raspberry, Rose (multiflora), Sumac, Trumpet creeper, Willow.

CLEANING EQUIPMENT Triple-rinse spray tank and flush all sprayer components with water to remove residues of this product. After thorough cleaning, equipment may be used to apply other products.

LAWN RENOVATION Best results are obtained when at least one mowing is stopped prior to treatment. This provides more leaf surface to intercept the spray. For areas where renovation and reseeding is desired, thorough spray coverage of all existing vegetation is necessary. Delay planting or sodding of treated areas for at least 7 days after application.

ORNAMENTALS Any ornamental species may be planted in treated areas 7 days or more after application. Apply this product as recommended to control undesirable plants. To avoid injury on

desirable plants, prevent spray or drift contact with foliage, stems or green bark. Do not spray into, or over the top of, growing ornamentals.

MIXING AND SPRAYING Do not apply this product through any type of irrigation system.

Hand-held Sprayers — Add 3 to 6 fluid ounces (6 to 12 tbsp.) of this product to 1 gallon of clean water. Use the higher recommended rate for control of listed perennials and brush. Use pump-up-type or hand-trigger-type sprayers. USE OF HOSE-END SPRAYERS OR SPRINKLER-TYPE DEVICES MAY RESULT IN POOR AND/OR ERRATIC RESULTS.

Ensure uniform and complete spray coverage, but do not spray plants to the point that the spray solution runs off. Use a coarse spray. Do not spray during windy conditions, as spray drift may cause damage to any vegetation contacted.

WHEN TO APPLY Apply to vigorously growing plants. Apply to annual weeds any time after emergence. For best results, apply to perennial weeds after seedheads, flowers or berries appear. On woody brush or trees, apply after leaves have fully expanded. Applications made at less than the recommended stage of growth may result in reduced control. After mowing, clipping or baling, allow weeds to regrow to the recommended growth stage before spraying this product.

Rainfall or watering within 6 hours after application can wash the product off plant foliage which may require retreatment. Delay mowing, clipping, baling, planting or sodding of treated areas for at least 7 days after application. This allows time for this product to move within the plant for most effective results. SINCE THIS PRODUCT DOES NOT WORK IN SOIL, RETREATMENTS WILL BE NECESSARY TO CONTROL NEW WEEDS EMERGING FROM SEED.

One application will control most weeds listed. Symptoms on certain tough perennial weeds and woody brush and tree species may be slow to develop. If control is not achieved within 4 weeks, allow time for the sprayed weeds to regrow and make a repeat application. In some cases, control of woody brush and trees treated in the fall may not be fully apparent until the following season.

LIMIT OF WARRANTY AND LIABILITY

This Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use label booklet ("Directions") when used in accordance with those Directions under the conditions described therein. NO OTHER EXPRESS WARRANTY OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this Company, including, but not limited to, incompatibility with products other than those set forth in the Directions, application to or contact with desirable vegetation, unusual weather, weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application ranges set forth in the Directions, application in any manner not expressly set forth in the Directions, moisture conditions outside the moisture range specified in the Directions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED, OR, AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY, OR, IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

Buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement.