


**COMPADRE®
HERBICIDE BY Monsanto**

COMPLETE DIRECTIONS FOR USE AS A CUT STUMP AND TREE INJECTION TREATMENT IN NONCROP AREAS SUCH AS FORESTRY, UTILITY RIGHTS-OF-WAY, ROADSIDES AND SIMILAR INDUSTRIAL OR NONCROP AREAS.

AVOID CONTACT WITH FOLIAGE, GREEN STEMS, EXPOSED NONWOODY ROOTS, OR FRUIT OF CROPS, DESIRABLE PLANTS AND TREES, SINCE SEVERE INJURY OR DESTRUCTION MAY RESULT.



BEST AVAILABLE COPY

•Compadre is a registered trademark of Monsanto Company.

EPA Reg. No. 524-370

1991-1


897.12-100.04/53L

Read the entire label before using this product.

Use only according to label instructions.

Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable, return at once unopened.

REFORMULATION OR REPACKAGING IS PROHIBITED.



PRECAUTIONARY STATEMENTS

**Hazards to Humans
and Domestic Animals**

Keep out of reach of children.

CAUTION!

HARMFUL IF SWALLOWED.

MAY CAUSE EYE IRRITATION.

Avoid contact with skin, eyes or clothing.

Wash thoroughly with soap and water after handling.

FIRST AID: IF IN EYES, immediately flush with plenty of water. Get medical attention if irritation persists. Remove product from skin or clothing.

IF SWALLOWED, this product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Get medical attention.

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

Environmental Hazards

Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Physical or Chemical Hazards

Spray solutions of this product should be mixed, stored and applied only in stainless steel, aluminum, fiberglass, plastic and plastic-lined steel containers.

DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing

serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

ACTIVE INGREDIENT:

*Glyphosate, N-(phosphonomethyl) glycine, in the form of the isopropylamine salt	18.0%
INERT INGREDIENTS	<u>82.0%</u>
	100.0%

*Contains 193 grams per litre or 1.61 pounds per U.S. gallon of the active ingredient, glyphosate, N-(phosphonomethyl) glycine, in the form of the isopropylamine salt. Equivalent to 143 grams per litre or 1.19 pounds per U.S. gallon of the acid, glyphosate.

This product is protected by U.S. Patent No. 4,405,531. Other patents pending. No license granted under any non-U.S. patent(s).

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

STORAGE:

STORE ABOVE 10°F (-12°C) TO KEEP PRODUCT FROM CRYSTALLIZING.

Crystals will settle to the bottom. If allowed to crystallize, place in a warm room 68°F (20°C) for several days to redissolve and shake or roll to mix well before using.

DISPOSAL:

Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures.

Emptied container retains vapor and product residue. Observe all labeled safeguards until container is destroyed.

Do not reuse container. Triple rinse container. Then puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

BEST AVAILABLE COPY

GENERAL INFORMATION

It is a violation of Federal law to use this product in any manner inconsistent with the labeling.

This label should be in the possession of the user at the time of the herbicide application.



CUT STUMP APPLICATIONS

Woody vegetation may be controlled by treating freshly cut stumps of trees and resprouts with this product. Apply this product using suitable equipment to ensure coverage of the entire cambium. This product should not be diluted with water. Apply this ready-to-use product to the freshly cut surface **IMMEDIATELY AFTER CUTTING TREES.**

Cut vegetation close to the soil surface.

DELAY IN APPLYING THIS PRODUCT WILL RESULT IN REDUCED PERFORMANCE.

AVOID WASH-OFF OF PRODUCT FROM TREATED STUMPS BY RAINFALL OR OTHER MEANS WITHIN 6 HOURS OF APPLICATION.

For best results, trees should be cut during periods of active growth and full leaf expansion.

TREE INJECTION APPLICATIONS

Apply the equivalent of 2 ml of this product for each 2 inches of trunk diameter. This is best achieved by applying this product either to a continuous frill around the tree or to cuts evenly spaced around the tree below all branches. As tree diameter increases in size, better results are achieved by applying to a continuous frill or more closely spaced cuttings.

Avoid application techniques that allow runoff to occur from frill or cut areas in species that exude sap freely after frilling or cutting. In species such as this, make frill or cut at an oblique angle so as to produce a cupping effect and use undiluted product. For best results, applications should be made during periods of active growth and after full leaf expansion.

WOODY BRUSH AND TREES CONTROLLED

When applied as directed under the conditions described, this product will control or partially control most woody brush and tree species, some of which are listed below.

Alder

Alnus spp.

Coyotebrush

Baccharis consanguinea

Dogwood

Cornus spp.

Eucalyptus

Eucalyptus spp.

Hickory

Carya spp.

Madrone

Arbutus menziesii

Maple

Acer spp.

Oak

Quercus spp.

Poplar

Populus spp.

Saltcedar

Tamarix spp.

Sweetgum

Liquidambar styraciflua

Sycamore


Platanus occidentalis

Tan oak

Lithocarpus densiflorus

Willow

Salix spp.



WETLAND SITES

Do not apply this product directly to water.

This product may be applied as directed around water and in wetland areas, including land adjacent to and surrounding domestic water supply reservoirs, supply streams, lakes and ponds.

Consult local public water control authorities before applying this product around public water. Permits may be required to treat in such areas.

LIMIT OF WARRANTY AND LIABILITY

This Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use label booklet ("Directions") when used in accordance with those Directions under the conditions described therein. NO OTHER EXPRESS WARRANTY OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein.

Buyer and all users shall promptly notify this Company of any claims whether based in contract, negligence, strict liability, other tort or otherwise.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this Company including, but not limited to incompatibility with products other than those set forth in the Directions, application to or contact with desirable vegetation, unusual weather, weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application ranges set forth in the Directions, application in any manner not explicitly set forth in the Directions, moisture conditions outside the moisture range specified in the Directions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED, OR, AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY, OR IF NOT ACQUIRED BY

PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

Buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement.

©MONSANTO COMPANY 1990

®Registered trademark of Monsanto Company


**MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 USA**

EPA reg. No. 524-370

EPA Est 524-LA-1

897.12-100.04/53L

NET 2.5 GAL



8 of 9

BEST AVAILABLE COPY

COMPADRE®

Herbicide by MONSANTO

COMPLETE DIRECTIONS FOR USE AS A CUT STUMP AND TREE INJECTION TREATMENT IN NONCROP AREAS SUCH AS FORESTRY, UTILITY RIGHTS-OF-WAY, ROADSIDES AND INDUSTRIAL OR NONCROP AREAS.

AVOID CONTACT WITH FOLIAGE, GREEN STEMS EXPOSED NONWOODY ROOTS, OR CROPS, DESIRABLE PLANTS AND TREES, SINCE SEVERE INJURY OR DESTRUCTION CAN RESULT.

Read the entire label before using this product.

Use only according to label instructions.
Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable return at once unopened.

REFORMULATION OR REPACKAGING IS PROHIBITED

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

Keep out of reach of children.

CAUTION!

**HARMFUL IF SWALLOWED.
MAY CAUSE EYE IRRITATION.**
Avoid contact with skin, eyes or clothing.
Wash thoroughly with soap and water after handling.

FIRST AID: IF IN EYES, immediately
flush with plenty of water. Get medical attention if irritation persists. Remove product from skin or clothing.

IF SWALLOWED, this product will
cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Get medical attention.

In case of an emergency involving this product, Call Collect day or night, (314)884-4000.

Environmental Hazards

Do not apply directly to water or areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Physical or Chemical Hazards

Spray solutions of this product should be mixed, stored and applied only in stainless steel, aluminum, fiberglass, plastic and plastic-lined steel containers.

DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

ACTIVE INGREDIENTS:

*Glyphosate, N-(phosphonomethyl) glycine, in the form of the isopropylamine salt	18.0%
INERT INGREDIENTS	82.0%
	100.0%

*Contains 188 grams per liter or 1.61 pounds per U.S. gallon of the active ingredient, glyphosate, N-(phosphonomethyl) glycine, in the form of the

isopropylamine salt. Equivalent to 1.19 pounds per U.S. gallon of the

This product is protected by U.S. Patents. Other patents pending. No license U.S. patents(s).

(Continued on back)

©MONSANTO COMPANY 1982

*Registered trademark of Monsanto

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 USA

EPA Reg. No. 824-378

EPA Est. 824-LA-1

NET 2.5

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

STORAGE:

STORE ABOVE 10°F (-12°C) TO KEEP PRODUCT FROM CRYSTALLIZING.

Crystals will settle to the bottom. If allowed to crystallize, place in a warm room (68°F (20°C)) for several days to redissolve and shake or roll to mix well before using.

DISPOSAL:

Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures.

Emptied container retains vapor and product residue. Observe all labeled safeguards until container is destroyed.

Do not reuse container. Triple rinse container. Then puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL INFORMATION

It is a violation of Federal law to use this product in any manner inconsistent with the labeling.

This label should be in the possession of the user at the time of the herbicide application.

NOTE: When treating trees originating from root suckers, or where root grafting has occurred, product may move through the connecting roots to damage untreated adjacent trees.

CUT STUMP APPLICATIONS

Woody vegetation may be controlled by treating freshly cut stumps of trees and sprouts with this product. Apply this product using suitable equipment to ensure coverage of the entire cambium. This product should not be diluted with water. Apply this ready-to-use product to the freshly cut surface IMMEDIATELY AFTER CUTTING TREES.

Cut vegetation close to the soil surface.

DELAY IN APPLYING THIS PRODUCT MAY RESULT IN REDUCED PERFORMANCE.

AVOID WASH-OFF OF PRODUCT FROM TREATED STUMPS BY RAINFALL OR OTHER MEANS WITHIN 6 HOURS OF APPLICATION.

For best results, trees should be cut during periods of active growth and full leaf expansion.

TREE INJECTION APPLICATIONS

Apply the equivalent of 2 ml of this product for each 2 inches of trunk diameter. This is best achieved by applying this product below all branches either to a continuous fill around the tree or to cuts evenly spaced around the tree. As tree diameter increases in size, better results are achieved by applying to a continuous fill or more closely spaced cuttings.

Avoid application techniques that allow runoff to occur from fill or cut areas in species that exude sap freely after filling or cutting. In species such as this, make fill or cut at an oblique angle so as to produce a cupping effect and use undiluted product. For best results, applications should be made during periods of active growth and after full leaf expansion.

WOODY BRUSH AND TREES CONTROLLED

When applied as directed under the conditions described, this product will control or partially control most woody brush and tree species, some of which are listed below.

Alder
Alnus spp.
Coyotebrush
Baccharis consanguinea
Dogwood
Cornus spp.
Eucalyptus
Eucalyptus spp.
Hickory
Carya spp.
Madrone
Arbutus menziesii
Maple
Acer spp.
Oak
Quercus spp.
Poplar
Populus spp.
Salicoider
Taxus spp.
Sweetgum
Liquidambar styraciflua
Sycamore
Platanus occidentalis
Tan oak
Lithocarpus densiflorus
Willow

Salt spr.

WETLAND SITES

Do not apply this product directly to water.

This product may be applied as directed around water and in wetland areas, including land adjacent to and surrounding domestic water supply reservoirs, supply streams, lakes and ponds.

Consult local public water control authorities before applying this product around public water. Permits may be required to treat in such areas.

LIMIT OF WARRANTY AND LIABILITY

This Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use label booklet ("Directions") when used in accordance with these Directions under the conditions described therein. NO OTHER EXPRESS WARRANTY OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein.

Buyer and all users shall promptly notify this Company of any claims whether based in contract, negligence, strict liability, other tort or otherwise.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this Company including, but not limited to, incompatibility with products other than those set forth in the Directions, application to or contact with desirable vegetation, unusual weather, weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application ranges set forth in the Directions, application in any manner not explicitly set forth in the Directions, moisture conditions outside the moisture range specified in the Directions, or the presence of the products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, DAMAGES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED, OR AT THE DISCRETION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY, OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

Buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement.