

PM 25

FRONT PANEL

524-370

1 of 13


Roundup®

416

CONCENTRATE

by Monsanto

Grass & Weed Killer ~~Weed & Grass Killer~~
[graphics of weeds dying in 1-14 days]



~~MAKES UP 10 GALLONS~~

~~MIX WITH WATER TO MAKE UP TO 10 GALLONS OF SPRAY SOLUTION (varies with container size)~~

• **COVERS UP TO 3000 SQ. FT.** (varies with container size)

~~KILLS UNWANTED LABELED GRASSES AND WEEDS SYSTEMICALLY--ROOTS AND ALL~~

• **KILLS UNWANTED WEEDS AND GRASSES, ROOTS AND ALL**

~~KILLS WEEDS ROOTS AND ALL~~

• **DOES NOT HAVE SOIL ACTIVITY**

~~SUITABLE FOR USE AROUND FLOWER BEDS, TREES, SHRUBS, FENCES AND DRIVEWAYS~~

~~SPRAY WEEDS IN FLOWER BEDS AND AROUND FENCES, TREES, DRIVEWAYS, WALKWAYS AND SHRUBS~~

• **USE TO PREPARE GARDEN SITES AND TO RENOVATE LAWNS**

• **ECONOMICAL - MIX 6 TO 12 TABLESPOONS (3-6 OZ) PER GALLON**

• **SATISFACTION GUARANTEED OR YOUR MONEY BACK**

~~Store in secured place in original container.
Read the entire label before using this product.
Use only according to label instructions. (moved to back panel)~~

~~NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions. If these terms are not acceptable, return at once unopened. (moved to back panel)~~

Keep out of reach of children.

CAUTION: Read precautions **and directions on back panel, in and on back label.**

ACTIVE INGREDIENTS:

Glyphosate, N-(phosphonomethyl)glycine, in the form of its isopropylamine salt **18.0%**
INERT INGREDIENTS **82.0%**

100.0%

NET 16 fl. oz. (1 pt.)

(print plate number)

~~Carefully read and follow detailed instructions in pamphlet.~~

~~READ THIS LABEL BEFORE USING THIS PRODUCT. USE ONLY AS DIRECTED. FOR DIRECTIONS, IN THE LABEL AND OTHER LABEL PRECAUTIONS.~~

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

~~Keep out of reach of children.~~

CAUTION+ HARMFUL IF SWALLOWED. MAY CAUSE EYE IRRITATION. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

FIRST AID: IF IN EYES, immediately flush with plenty of water. Get medical attention if irritation persists. Remove product from skin or clothing.

IF SWALLOWED, this product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Get medical attention.

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000. [picture of telephone receiver]

~~NOTICE: BUYER ASSUMES ALL RESPONSIBILITY FOR SAFETY AND USE NOT IN ACCORDANCE WITH DIRECTIONS. IF THESE TERMS ARE NOT ACCEPTABLE, RETURN AT ONCE UNOPENED. (moved from inside label)~~

Environmental Hazards

Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Physical or Chemical Hazards

(moved to "SPRAY EQUIPMENT" under "DIRECTIONS FOR USE")

~~Mix, store or apply this product ONLY in stainless steel, aluminum, fiberglass, plastic or plastic lined steel containers. DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. Use of this product in such containers could result in the formation of an explosive hydrogen gas mixture which could flash or explode if ignited by open flames or any other ignition source.~~

~~PRECAUTIONS: READ "DIRECTIONS FOR USE" FOR IMPORTANT CONTAINER PRECAUTIONS, and inside label for storage and disposal information.~~

11

This product is protected by U.S. Patent No. 4,405,531. Other patents pending. No license granted under any non-U.S. patent.

(bar code)

REPACKAGING OR REPACKAGING FOR SALE IS PROHIBITED
(moved from inside label)

©Trademark of Monsanto Company
©MONSANTO COMPANY 1991 (year of copyright)
MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.


EPA Reg. No. 524-370
EPA Est. 524-LA-1, 56100-LA-001
(print plate number)

Roundup®

16G

CONCENTRATE

by Monsanto



~~Grass & Weed Killer~~ [REDACTED]
[graphics of weeds dying in 1-14 days]

~~MAKES UP TO 10 GALLONS~~

[REDACTED]
(varies with container size)

- COVERS UP TO 3000 [REDACTED] SQ. FT. (varies with container size)
- ~~KILLS UNWANTED LABELED GRASSES AND WEEDS SYSTEMICALLY - ROOTS AND ALL~~
- KILLS UNWANTED WEEDS AND GRASSES, ROOTS AND ALL

~~KILLS UNWANTED WEEDS, ROOTS AND ALL~~

• DOES NOT HAVE SOIL ACTIVITY

~~SUITABLE FOR USE AROUND FLOWER BEDS, TREES, SHRUBS, FENCES AND DRIVEWAYS~~

~~APPLY TO BEDS, TREES, SHRUBS AND AROUND PERENNIALS, DRIVeways, WALKWAYS AND SHRUBS~~

• USE TO PREPARE GARDEN SITES ~~AND TO RENOVATE LAWNS~~

• ~~ECONOMICAL~~ MIX 6 TO 12 TABLESPOONS (3-6 OZ) PER GALLON

• ~~SATISFACTION GUARANTEED OR YOUR MONEY BACK~~

~~Store in secured place in original container. Read the entire label before using this product. Use only according to label instructions. (moved to back panel)~~

~~NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions. If these terms are not acceptable, return at once unopened. (moved to back panel)~~

Keep out of reach of children.

CAUTION: Read precautions ~~on back panel.~~ [REDACTED]

ACTIVE INGREDIENTS:

Glyphosate, N-(phosphonomethyl)glycine, in the form of its isopropylamine salt	18%
INERT INGREDIENTS	82%
	100%

NET 16 fl. oz. (1 pt.)

(print plate number)

~~Carefully read and follow detailed instructions in pamphlet.~~



PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

~~Keep out of reach of children.~~

CAUTION- HARMFUL IF SWALLOWED. MAY CAUSE EYE IRRITATION. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

FIRST AID: IF IN EYES, immediately flush with plenty of water. Get medical attention if irritation persists. Remove product from skin or clothing.

IF SWALLOWED, this product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Get medical attention.

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000. [picture of telephone receiver]

~~NOTICE: USER ASSUMES THE RESPONSIBILITY FOR ANIMAL AND HUMAN SAFETY IN ACCORDANCE WITH THE DIRECTIONS ON THE PRODUCT LABEL. ACCEPTABLE PRESSURE AT ONCE UNOPENED.~~ (moved from inside label)


Environmental Hazards

Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

~~Physical or Chemical Hazards~~

(moved to "SPRAY EQUIPMENT" under "DIRECTIONS FOR USE")

~~Mix, store or apply this product ONLY in stainless steel, aluminum, fiberglass, plastic or plastic lined steel containers. DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. Use of this product in such containers could result in the formation of an explosive hydrogen gas mixture which could flash or explode if ignited by open flames or any other ignition source.~~



7

This product  protected by U.S. Patent No. 4,405,531. Other patents pending. No license granted under any non-U.S. patent .

(bar code)


(moved from inside label)

©Trademark of Monsanto Company
©MONSANTO COMPANY 1991 (year of copyright)
MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.

EPA Reg. No. 524-370
EPA Est. 524-LA-1, 56100-LA-001
(print plate number)

7 7 12

~~KEEP PEOPLE AND PETS OFF TREATED AREAS UNTIL SPRAY SOLUTION HAS DRIED. (moved to "IMPORTANT" under "DIRECTIONS FOR USE")~~

~~DOMESTIC ANIMALS: This product is considered to be relatively nontoxic to dogs and other domestic animals. However, ingestion of this product or large amounts of freshly sprayed vegetation may result in temporary gastrointestinal irritation (vomiting, diarrhea, colic, etc.). If such symptoms are observed, provide the animal with plenty of fluids to prevent dehydration. Call a veterinarian if symptoms persist for more than 24 hours. (deleted)~~

(this section completely rewritten)
~~DIRECTIONS FOR USE~~

~~It is a violation of Federal law to use this product in any manner inconsistent with its labeling.~~

~~Roundup L&G is a nonselective herbicide that is diluted and applied to the foliage of actively growing weeds as a spot or broadcast application. It is absorbed by the leaves and moves throughout the stem and roots to control the entire plant. Visible symptoms may require a week or more to appear, with burndown usually occurring in 2 to 4 weeks. Symptoms are a gradual wilting and yellowing of the sprayed plant followed by deterioration of both shoots and roots. This product has no herbicidal activity in the soil and will not wash or leach to affect nearby vegetation.~~

~~{proof of purchase}~~

~~This product controls many weeds around buildings, vacant lots, storage and recreational areas, gravel or ground bark mulch, shade trees, ornamentals and shrubs, along fences, sidewalks, driveways and patios, and prior to planting turfgrasses, shrubs, flower beds or vegetables listed on the label. When used as a spot treatment in lawns, all vegetation contacted will be damaged.~~

~~THIS PRODUCT CAN INJURE OR DESTROY ALL VEGETATION CONTACTED. AVOID SPRAY DRIFT CONTACT WITH DESIRABLE LAWN GRASSES, FLOWERS, VEGETABLES, SHRUBS OR TREES. DO NOT CONTACT GREEN BARK OF TREES OR SHRUBS. IF DESIRABLE VEGETATION IS CONTACTED, WASH IMMEDIATELY WITH WATER.~~

~~For more product information, call toll-free 1-800-225-2883. {picture of telephone receiver} (moved to below)~~

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

USES	SPRAYING INSTRUCTIONS	WEEDS CONTROLLED	MIXING RATE
<p>SPOT SPRAYING/TRIM and EDGE</p> <p>Undesirable plants in and around:</p> <ul style="list-style-type: none"> •fences •trees* •driveways •flower beds •walkways •shrubs 	<p>Apply to actively growing plants. Apply to annual weeds anytime after emergence. For perennial weeds, apply after seed heads or flowers appear. Avoid spray contact with foliage, stems or green bark of desirable plants.</p>	<p>Most annual and perennial weeds and grasses such as chickweed, ragweed, dandelion (Complete list follows this table).</p>	<p>ANNUALS - 3 fl oz (6 tbsp) per 1 gallon water</p> <p>PERENNIALS and BRUSH - 6 fl oz (12 tbsp) per 1 gallon water</p> <p>1) Use clean water.</p> <p>2) Ensure uniform and complete spray coverage. Position sprayer tip 1-2 feet from weeds.</p>
<p>LAWN RENOVATION</p> <ul style="list-style-type: none"> •Replacement of worn out lawns •Changing to more desirable grass 	<p>For best results on lawns, skip at least one mowing prior to spraying. Delay reseeding, sprigging, tilling or sodding for 7 days after spraying. Early spring or fall spraying recommended.</p>	<p>(Complete list follows this table).</p>	<p>1) Use clean water.</p> <p>2) Ensure uniform and complete spray coverage. Position sprayer tip 1-2 feet from weeds.</p>
<p>GARDEN/ORNAMENTAL BED PREPARATION FOR PLANTING:</p> <ul style="list-style-type: none"> •Flowers •Trees, Shrubs •Vegetables •Berries and small fruits 	<p>Any ornamental may be planted 7 days after spraying.</p> <p>Vegetables, berries and small fruits may be planted 7 days after spraying. (Complete list follows this table.)</p>	<p>(Complete list follows this table.)</p>	<p>(Complete list follows this table.)</p>
<p>BRUSH CONTROL TO KILL:</p> <ul style="list-style-type: none"> •Woody brush •Trees •Vines 	<p>Spray when leaves are fully expanded (spring-early summer) or when flowers or berries appear (mid-summer - fall). Spray trees and brush up to 5 feet in height. For taller plants, cut down and spray regrowth.</p>	<p>Most brush, such as poison ivy, blackberry and kudzu (Complete list follows).</p>	<p>(Complete list follows this table.)</p>

*Note: If Roundup is used to control undesirable plants around fruit or nut trees or grapevines, allow 21 days before eating the fruits or nuts.

~~Store this product in its original container and in a secured storage area. In case of SPILL or LEAK, soak up with paper towels and discard in trash.~~

DISPOSAL:

~~To dispose of unused product, securely wrap original container in several layers of newspaper and discard in trash.~~

~~Emptied container retains vapor and product residue. Observe all labeled safeguards until container is discarded.~~

~~Do not reuse container. Rinse thoroughly before discarding in trash.~~

WEEDS CONTROLLED

When applied as recommended under the conditions described ~~in the~~
~~Roundup~~ Roundup ~~Control~~ LG controls many
common weeds including the following:
[pictures of several common weeds]

Annuals

Barnyardgrass
Bluegrass (annual)
Chickweed
Crabgrass
Foxtail
Lambsquarter (common)
Lettuce (prickly)
Mustard (tansy)

Pennycress (field)
Pigweed (redroot, smooth)
Ragweed (common)
Ryegrass (annual)
Sandbur (field)
Shepherdspurse
Sowthistle

Perennials

Bahiagrass
Bermudagrass
Bindweed (field)
Bluegrass (Kentucky)
Bromegrass (smooth)
Clover (red, white)
Dallisgrass
Dandelion
Fescue species

Fescue (tall)
Johnsongrass
Nutsedge (purple, yellow)
Orchardgrass
Quackgrass
Ryegrass (perennial)
Thistle (Canada)
Timothy
Vaseygrass

Brush

Alder
Blackberry
Cherry
Dewberry
Elderberry
Honeysuckle
Kudzu
Oak

Poison Ivy
Poison Oak
Raspberry
Rose (multiflora)
Sumac
Trumpet creeper
Willow

MIXING AND SPRAYING (rewritten and moved to "SPRAY EQUIPMENT and
"USE DIRECTIONS TABLE" above)

8 7/13

~~Do not apply this product through any type of irrigation system.~~

~~Hand-Held Sprayers Add 2 to 6 fluid ounces (6 to 12 tbsp.) of this product to 1 gallon of clean water. Use the higher recommended rate for control of listed perennials and brush. Use pump-up type or hand-trigger type sprayers. USE OF HOSE-END SPRAYERS OR SPRINKLER TYPE DEVICES MAY RESULT IN POOR AND/OR ERRATIC RESULTS.~~

~~CLEANING EQUIPMENT (moved to "SPRAY EQUIPMENT")~~

~~Triple-rinse spray tank and flush all sprayer components with water to remove residues of this product. After thorough cleaning, equipment may be used to apply other products.~~

~~WHEN TO APPLY (incorporated into "USE DIRECTIONS TABLE")~~

~~Apply to vigorously growing plants. Apply to annual weeds anytime after emergence. For best results, apply to perennial weeds after seedheads, flowers or berries appear. On woody brush or trees, apply after leaves have fully expanded. Applications made at less than the recommended stage of growth may result in reduced control. After mowing, clipping or tilling, allow weeds to regrow to the recommended growth stage before spraying this product.~~

~~Rainfall or watering within 6 hours after application can wash the product off plant foliage which may require retreatment. Delay mowing, clipping, tilling, planting or sodding of treated areas for at least 7 days after application. This allows time for this product to move within the plant for most effective results. SINCE THIS PRODUCT DOES NOT WORK IN SOIL, RETREATMENTS WILL BE NECESSARY TO CONTROL NEW WEEDS EMERGING FROM SEED.~~

~~One application will control most weeds listed. Symptoms on certain tough perennial weeds and woody brush and tree species may be slow to develop. If control is not achieved within 4 weeks, allow time for the sprayed weeds to regrow and make a repeat application. In some cases, control of woody brush and trees treated in the fall may not be fully apparent until the following season.~~

~~LAWN RENOVATION (incorporated into "USE DIRECTIONS TABLE")~~

~~Best results are obtained when at least one mowing is skipped prior to treatment. This provides more leaf surface to intercept the spray. For areas where renovation and reseeding is desired, thorough spray coverage of all existing vegetation is necessary. Delay planting or sodding of treated areas for at least 7 days after application.~~

~~ORNAMENTALS (incorporated into "USE DIRECTIONS TABLE")~~

~~Any ornamental species may be planted in treated areas 7 days or more after application. Apply this product as recommended to control undesirable vegetation growing around ornamentals, trees or shrubs. Avoid spray contact with any desirable plants. To avoid injury on desirable plants, prevent spray or drift contact with foliage, stems or green bark. Do not spray into, or over the top of, growing ornamentals.~~

~~FRUIT (apple, citrus, nut, pear, and stone fruits)~~
(incorporated into "USE DIRECTIONS TABLE")

7 9 10

~~Apply this product to control undesirable plants growing around these trees and vines. Spray contact, other than with mature bark of the main trunk, can injure the tree or vine. Allow 21 days between application and harvest.~~

~~BERRIES, SMALL FRUITS & VEGETABLE GARDENS~~
(rewritten in list below)

~~The following vegetables may be planted in treated areas 7 days or more after application: asparagus, beans, beet greens, beets, blackberry, blueberry, boysenberry, broccoli, cabbage, carrot, cauliflower, celery, chicory, corn, cranberry, cucumber, currant, dewberry, elderberry, eggplant, garlic, gourds, gooseberry, horseradish, huckleberry, Jerusalem artichoke, kale, lentils, lettuce, loganberry, melons, mustard greens, okra, ollalieberry, onion, parsnips, peas, peppers, Irish and sweet potatoes, pumpkin, radish, raspberry (black, red), rutabagas, spinach, squash (summer, winter), strawberry, tomatillo, tomato*, watercress, watermelon and turnips. In the treated area, do not plant any vegetables not listed on this label for one year following application. Do not apply this product in or around growing vegetables.~~

~~*Use on tomatoes is restricted to direct seeded tomatoes only.~~

[REDACTED]

[REDACTED]


[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

For more product information or questions, call toll-free 1-800-225-2883,  (picture of telephone receiver)



**ROUNDUP
LSC CONCENTRATE
GRASS & WEED KILLER**

~~Roundup Concentrate Grass & Weed Killer Lawn and Garden
formulation which controls labeled unwanted weeds and grasses.~~

~~Read the entire label before using this product. Use only
according to label instructions the directions and observe all
precautions.~~

~~NOTICE: BUYER ASSUMES ALL RESPONSIBILITY FOR SAFETY AND USE NOT
IN ACCORDANCE WITH DIRECTIONS. IF THESE TERMS ARE NOT ACCEPTABLE,
RETURN AT ONCE UNOPENED. (moved to outside page of back label)~~

~~REFORMULATION OR REPACKAGING
IS PROHIBITED.~~

~~ACTIVE INGREDIENT:~~

~~*Glyphosate, N-(phosphonemethyl)glycine, in the form of its
isopropylamine salt 18.0%~~
~~INERT INGREDIENTS: 82.0%~~
~~100.0%~~

~~This product is protected by U.S. Patent No. 4,405,531. Other
patents pending. No license granted under any non U.S. patent(s).~~

~~©MONSANTO COMPANY 1991~~

~~MONSANTO COMPANY _____ {graphic of Monsanto logo}
AGRICULTURAL PRODUCTS _____
ST. LOUIS, MISSOURI 63167 U.S.A. _____~~

13 7 13

BACK PANEL
(AFFIXED TO CONTAINER)

~~Carefully read and follow detailed instructions in pamphlet.~~

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

~~Keep out of reach of children.~~

CAUTION: HARMFUL IF SWALLOWED, MAY CAUSE EYE IRRITATION. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID: IF IN EYES, immediately flush with plenty of water.

Get medical attention if irritation persists. Remove product from skin or clothing.

IF SWALLOWED, this product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk.

Get medical attention.

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000. [picture of telephone receiver]

~~NOTICE: BUYER ASSUMES ALL RESPONSIBILITY FOR THE USE AND DISPOSITION OF THIS PRODUCT IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS. ACCEPTABLE RETURN AND RECYCLING INFORMATION (moved from inside label)~~

Environmental Hazards

Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

~~Physical or Chemical Hazards~~

~~(moved to directions for use section)~~

~~Mix, store or apply this product ONLY in stainless steel, aluminum, fiberglass, plastic or plastic-lined steel containers. DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. Use of this product in such containers could result in the formation of an explosive hydrogen gas mixture which could flash or explode if ignited by open flames or any other ignition source.~~

~~PRECAUTION: SEE PAMPHLET DIRECTIONS FOR USE FOR ADDITIONAL INFORMATION ON STORAGE AND DISPOSAL INFORMATION.~~

This product is protected by U.S. Patent No. 4,405,531. Other patents pending. No license granted under any non-U.S. patent.

~~©Monsanto Company~~

©Trademark of Monsanto Company

©MONSANTO COMPANY 1964
(year of copyright)

MONSANTO COMPANY • AGRICULTURAL PRODUCTS

ST. LOUIS, MISSOURI 63167 U.S.A. EPA Reg. No. 524-370

EPA Est. 524-LA-1, 56100-LA-001

(print plate number)