

PM25

FRONT PANEL

524-370

1412

Roundup®

266

CONCENTRATE  
by Monsanto

**ACCEPTED**  
AUG 11 1993

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 524-370

[graphic demonstrating control of poison ivy]  
[graphics of brush dying in 1-8 weeks]

• ~~MAKES UP 8 GALLONS OF SPRAY~~

~~\_\_\_\_\_~~  
(varies with container size)

~~\_\_\_\_\_~~

• ~~KILLS UNWANTED LABELED BRUSH AND WOODY PLANTS SYSTEMICALLY--~~  
~~ROOTS AND ALL~~

• KILLS UNWANTED BRUSH AND WOODY PLANTS, ROOTS AND ALL

~~\_\_\_\_\_~~

• DOES NOT HAVE SOIL ACTIVITY

~~\_\_\_\_\_~~

~~\_\_\_\_\_~~

~~\_\_\_\_\_~~

Keep out of reach of children.

**CAUTION!** Read precautions ~~\_\_\_\_\_~~ on back panel ~~\_\_\_\_\_~~

~~Read the entire label before using this product.~~  
~~Use only according to label instructions. (moved to back panel)~~

~~NOTICE: Buyer assumes all responsibility for safety and use not~~  
~~in accordance with directions. If these terms are not acceptable,~~  
~~return at once unopened. (moved to back panel)~~

**ACTIVE INGREDIENTS:**

Glyphosate, N-(phosphonomethyl)glycine, in the form of its isopropylamine salt . . . . .	18.8%
INERT INGREDIENTS . . . . .	81.2%
	100%

NET 32 fl. oz. (1 Qt.)

(print plate number)

2 of 12

~~Carefully read and follow detailed instructions in pamphlet.~~



**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

~~Keep out of reach of children.~~

**CAUTION: HARMFUL IF SWALLOWED. MAY CAUSE EYE IRRITATION.** Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

**FIRST AID: IF IN EYES,** immediately flush with plenty of water. Get medical attention if irritation persists. Remove product from skin or clothing.

**IF SWALLOWED,** this product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Get medical attention.

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000. [picture of telephone receiver]



(moved from inside label)

**Environmental Hazards**

~~Do not apply directly to water, or wetland (swamps, bogs, marshes or pebbles).~~

~~Do not contaminate water when disposing of equipment washwaters.~~

~~Physical or Chemical Hazards~~

~~(moved to "SPRAY EQUIPMENT" under "DIRECTIONS FOR USE")~~

~~Mix, store or apply this product ONLY in stainless steel, aluminum, fiberglass, plastic or plastic-lined steel containers. DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. Use of this product in such containers could result in the formation of an explosive hydrogen gas mixture which could flash or explode if ignited by open flames or any other ignition source.~~

~~SEE PAMPHLET FOR ADDITIONAL INFORMATION ON storage and disposal.~~

BACK PANEL EXTERIOR PAGE CONT'D.

3 of 12

This product is protected by U.S. Patent No. 3,799,758 and 4,405,531. Other patents pending. No license granted under any non-U.S. patent.

(bar code)

[REDACTED]  
(moved from inside label)


©Trademark of Monsanto Company  
©MONSANTO COMPANY 1989 (year of copyright)  
MONSANTO COMPANY  
AGRICULTURAL PRODUCTS  
ST. LOUIS, MISSOURI 63167 U.S.A.

EPA Est. 524-LA-1<sup>L</sup>, 56100-LA-001<sup>G</sup>

Superscript corresponds to the first letter of the lot number near handle area of bottle.

EPA Reg. No. 524-370

(print plate number)



4 of 12

~~KEEP PEOPLE AND PETS OFF TREATED AREAS UNTIL SPRAY SOLUTION HAS DRIED. (moved to "IMPORTANT" under "DIRECTIONS FOR USE")~~

~~DOMESTIC ANIMALS: This product is considered to be relatively nontoxic to dogs and other domestic animals. However, ingestion of this product or large amounts of freshly sprayed vegetation may result in temporary gastrointestinal irritation (vomiting, diarrhea, colic, etc.). If such symptoms are observed, provide the animal with plenty of fluids to prevent dehydration. Call a veterinarian if symptoms persist for more than 24 hours.~~  
(deleted)

(this section completely rewritten)  
~~DIRECTIONS FOR USE~~

~~It is a violation of Federal law to use this product in any manner inconsistent with its labeling.~~

~~Storage and Disposal~~

~~Do not contaminate water, feedstuffs, feed or seed by storage or disposal. (this sentence deleted)~~

~~STORAGE:~~

~~Store this product in its original container and in a secured storage area. In case of SPILL or LEAK, soak up with paper towels and discard in trash.~~

~~DISPOSAL:~~

~~To dispose of unused product, securely wrap original container in several layers of newspaper and discard in trash.~~

~~Emptied container retains vapor and product residue. Observe all labeled safeguards until container is discarded.~~

~~Do not reuse container. Rinse thoroughly before discarding in trash.~~

~~{proof of purchase}~~

~~Roundup L&G Brush Killer is a nonselective herbicide that is diluted and applied to the foliage of actively growing brush and other woody plants. It is absorbed by the leaves and moves throughout the stem and roots to control the entire plant. Visible symptoms may require 2 or more weeks to appear, with brownout and defoliation usually occurring in 4 to 8 weeks. Symptoms are a gradual wilting and yellowing of the sprayed plant followed by deterioration of both shoots and roots. This product has no herbicidal activity in the soil and will not wash or leach to affect nearby vegetation.~~

~~AREAS FOR USE: This product controls woody brush, trees and vines around homes, buildings, weed lots, vacant lots, storage and recreational areas, along fences, driveways and similar areas where unwanted woody vegetation exists. When used as a spray-to-wet treatment, all green vegetation contacted will be~~

~~killed or damaged.~~


5/12

~~THIS PRODUCT CAN INJURE OR DESTROY ALL VEGETATION CONTACTED. AVOID SPRAY DRIFT CONTACT WITH DESIRABLE LAWN GRASSES, FLOWERS, VEGETABLES, SHRUBS OR TREES. DO NOT CONTACT GREEN BARK OF TREES OR SHRUBS. IF DESIRABLE VEGETATION IS CONTACTED, WASH IMMEDIATELY WITH WATER.~~

~~For more product information, call toll free 1-800-225-2883.  
(moved to below)~~

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100





USES	SPRAYING INSTRUCTIONS	PLANTS CONTROLLED	MIXING RATE
<p><b>WOODY BRUSH, TREE AND VINE KILL AND CONTROL:</b></p> <ul style="list-style-type: none"> <li>•Around houses, buildings, wooded lots, vacant lots, storage and recreational areas</li> <li>•Along fences and driveways</li> </ul>	<p>Apply to vigorously growing woody plants. Spray when leaves are fully expanded (spring-early summer) or when flowers or berries appear (mid-summer - fall). Spray trees and brush up to 5 feet in height. For taller plants, cut down and spray regrowth.</p>	<p>Most brush, such as poison ivy, blackberry and kudzu (Complete list follows).</p>	<p>4 - 6* fl oz (8 - 12 tbsp) per 1 gallon water</p> <ol style="list-style-type: none"> <li>1) Use clean water.</li> <li>2) Ensure uniform and complete spray coverage. Position sprayer tip 1 - 2 feet from weeds.</li> </ol> <p>*For tough to control plants.</p>


BRUSH AND WOODY PLANTS

8412

When applied as recommended under the conditions described [redacted]  
[redacted], this product [redacted]  
[redacted] CONTROLS OR PARTIALLY CONTROLS the following woody brush  
and vines.

[pictures of several common plants controlled]

- |                  |             |                   |
|------------------|-------------|-------------------|
| Alder            | Elm         | Raspberry         |
| Ash              | Eucalyptus  | Rose (multiflora) |
| Aspen            | Hazel       | Sage              |
| Blackberry       | Hawthorn    | Sagebrush         |
| Broom            | Honeysuckle | Salmonberry       |
| (French, Scotch) | Kudzu       | Sassafras         |
| Buckwheat        | Locust      | Sumac             |
| Ceanothus        | Maple       | Sweetgum          |
| Chamise          | Oak         | Thimbleberry      |
| Cherry           | Persimmon   | Tree Tobacco      |
| Coyote Brush     | Poison Ivy  | Trumpet creeper   |
| Dewberry         | Poison Oak  | Willow            |
| Elderberry       | Poplar      |                   |



~~MIXING AND SPRAYING~~ (rewritten and moved to "SPRAY EQUIPMENT and "USE DIRECTIONS TABLE" above)

9 of 12

~~Do not apply this product through any type of irrigation system.~~

~~Hand-Held Sprayers — Add 4 to 6 fluid ounces (8 to 12 tbsp.) of this product to 1 gallon of clean water. Use the higher recommended rate for control of listed perennials and brush. Use pump-up type or hand-trigger type sprayers. USE OF HOSE-END SPRAYERS OR SPRINKLER TYPE DEVICES MAY RESULT IN POOR AND/OR ERRATIC RESULTS.~~

~~Ensure uniform and complete spray coverage, but do not spray plants to the point that the spray solution runs off. Use a coarse spray. Do not spray during windy conditions, as spray drift may cause damage to any vegetation contacted. Symptoms on certain tough perennial vines, woody brush and tree species may be slow to develop. In some cases, control of woody brush and trees treated in the fall may not be fully apparent until the following season.~~

) ~~WHEN TO APPLY~~ (Incorporated into "Use Directions Table")

~~Apply to vigorously growing woody vegetation. Apply to woody brush, trees or vines after leaves have fully expanded. For best results, apply to most woody brush, trees and vines after flowers or berries appear. Mid-summer through fall applications are best. In arid areas, apply in the spring and early summer when foliage has a high moisture content and is flowering for best results. Applications made at less than the recommended stage of growth may result in reduced control. After mowing, clipping or tilling, allow resprouts to regrow to the recommended growth stage before applying this product.~~

) ~~Rainfall or watering within 6 hours after application can wash the product off plant foliage which may require retreatment. Delay mowing, clipping, tilling, planting or disturbing treated areas for at least 2 to 4 weeks after application. This allows time for this product to move within the plant for most effective results. SINCE THIS PRODUCT DOES NOT WORK IN SOIL, RETREATMENTS WILL BE NECESSARY TO CONTROL NEW SHOOTS EMERGING FROM SEED OR ROOT STOCK OF UNTREATED VEGETATION.~~

~~CLEANING EQUIPMENT~~ (moved to "SPRAY EQUIPMENT")

~~Triple-rinse spray tank and flush all sprayer components with water to remove residues of this product. After thorough cleaning, equipment may be used to apply other products.~~

[REDACTED]  
(moved from above)

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

For more product information or questions, call toll-free 1-800-225-2883, [REDACTED]  
(picture of telephone receiver)

(this page deleted as it is repetitive)

11/8/12

~~ROUNDUP  
LTC  
BRUSH-KILLER~~

~~Lawn and Garden formulation which controls labeled brush and weedy plants.~~

~~Read the entire label before using this product. Use only according to label instructions.~~

~~NOTICE: BUYER ASSUMES ALL RESPONSIBILITY FOR SAFETY AND USE NOT IN ACCORDANCE WITH DIRECTIONS IN THIS LABELING. IF THESE TERMS ARE NOT ACCEPTABLE, RETURN AT ONCE UNOPENED. (moved to exterior page of back label)~~

~~REFORMULATION OR REPACKAGING  
IS PROHIBITED.~~

~~ACTIVE INGREDIENT:~~


~~Glyphosate, N-(phosphonemethyl)glycine, in the form of its isopropylamine salt . . . . . 18.0%~~

~~INERT INGREDIENTS: . . . . . 82.0%~~  
~~100.0%~~

~~This product is protected by U.S. Patent No. 3,799,758 and 4,405,531. Other patents pending. No license granted under any non-U.S. patent(s).~~

~~©MONSANTO COMPANY 1989~~

~~MONSANTO COMPANY  
AGRICULTURAL PRODUCTS  
ST. LOUIS, MISSOURI 63167 U.S.A.~~



**BACK PANEL**  
**(AFFIXED TO CONTAINER)**

12 of 12

~~Carefully read and follow detailed instructions in pamphlet.~~

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

~~Keep out of reach of children.~~

**CAUTION+ HARMFUL IF SWALLOWED, MAY CAUSE EYE IRRITATION.** Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

**FIRST AID: IF IN EYES,** immediately flush with plenty of water.

Get medical attention if irritation persists. Remove product from skin or clothing.

**IF SWALLOWED,** this product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk.

Get medical attention.

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000. [picture of telephone receiver]

~~FOR INFORMATION ONLY: THIS PRODUCT IS REGISTERED WITH THE U.S. PATENT AND TRADEMARK OFFICE UNDER U.S. PATENT NOS. 3,799,758 AND 4,405,531. OTHER PATENTS PENDING. NO LICENSE GRANTED UNDER ANY NON-U.S. PATENT.~~  
~~FOR INFORMATION ONLY: THIS PRODUCT IS REGISTERED WITH THE U.S. PATENT AND TRADEMARK OFFICE UNDER U.S. PATENT NOS. 3,799,758 AND 4,405,531. OTHER PATENTS PENDING. NO LICENSE GRANTED UNDER ANY NON-U.S. PATENT.~~  
~~FOR INFORMATION ONLY: THIS PRODUCT IS REGISTERED WITH THE U.S. PATENT AND TRADEMARK OFFICE UNDER U.S. PATENT NOS. 3,799,758 AND 4,405,531. OTHER PATENTS PENDING. NO LICENSE GRANTED UNDER ANY NON-U.S. PATENT.~~

(moved from inside label)

**Environmental Hazards**

~~Do not apply directly to water or wetland (swamps, bogs, marshes or pebbles).~~

Do not contaminate water when disposing of equipment washwaters.

**Physical or Chemical Hazards**

(moved to directions for use section)

~~Mix, store or apply this product ONLY in stainless steel, aluminum, fiberglass, plastic or plastic lined steel containers. DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. Use of this product in such containers could result in the formation of an explosive hydrogen gas mixture which could flash or explode if ignited by open flames or any other ignition source.~~

~~SEE PAMPHLET FOR ADDITIONAL INFORMATION ON storage and disposal.~~

This product is protected by U.S. Patent No. 3,799,758 and 4,405,531. Other patents pending. No license granted under any non-U.S. patent.

©Trademark of Monsanto Company ©MONSANTO COMPANY 1989 (year of copyright)

MONSANTO COMPANY • AGRICULTURAL PRODUCTS  
ST. LOUIS, MISSOURI 63167 U.S.A. EPA Reg. No. 524-370

EPA Est. 524-LA-1<sup>L</sup>, 56100-LA-001<sup>Q</sup> (print plate number) superscript corresponds to the first letter of the lot number near handle area of bottle.