Keg # 524-370 PM-25

United States Environmental Protection Agency Washington, D.C. 20460

OCT 19 1993

Office of Prevention, Pesticides and Toxic Substances

Lydia A Suba MONSANTO CO AGENT FOR: MONSANTO AGRICULTURAL CO 700 14TH ST, N.W. SUITE 1100 WASHINGTON DC 20005

Subject: Label Amendment Submission of 06/20/93 in Compliance with WPS Labeling Requirements BPA Reg No. 524-370 ROUNDUP L & G CONCENTRATE GRASS & WEED KILLER

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is accepted subject to the comments listed below.

Based on your certification, the Agency has accepted only those changes to your labeling which are necessary to comply with PR Notices 93-7 and 93-11, which reflect the WPS labeling requirements of 40 CFR part 156, subpart K. Any other labeling changes submitted in connection with this amendment application and not directly related to compliance with PR Notice 93-7 or 93-11 have neither been reviewed nor accepted by the Agency. If you wish to make any such changes, you must submit a separate amendment application proposing them. If your product registration is currently suspended, acceptance of this labeling amendment does not affect the suspension in any way.

A copy of your proposed labeling stamped "Accepted with comments" is attached. Make any required changes described in the attached and send three copies of final labeling as soon as it is available to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (H-7504C)
U.S. Environmental Protection Agency
401 M Street SW
Washington, DC 20460-0001

Hand or courier deliveries of final labels may be made to:

Document Processing Desk (FIN-LABEL) Room 266A Crystal Mall 2 1921 Jefferson Davis Highway Arlington, VA 22202

Please correct the typographical errors circled on the draft before printing final labeling.

In your final labeling the "Agricultural Use Requirements" text" must be contained in a clearly separate box. This box may be set apart by a line, by another graphical device, by a different color background, or in any other way that clearly distinguishes it from surrounding text.

Sincerely,

James Tompkins, Deputy Chief Registration Support Branch Registration Division (H7505W) MONSANTO CO
ROUNDUP L & G CONCENTRATE GRASS & WEED KILLER
524-370 06/20/93
Original Submission

User Safety Recommendations must either be placed in a box or printed on the label in a contrasting color from surrounding text.

COMPADREO MERBICIDE BY Monsanto

COMPLETE DIRECTIONS FOR USE AS A CUT STUMP AND TREE INJECTION TREATMENT IN MOMCROF AREAS SUCH AS FORESTRY, UTILITY RIGHTS-OF-WAY, ROADSIDES AND SINILAR INDUSTRIAL OR MOMCROF AREAS.

AVOID CONTACT WITH FOLIAGE, GREEN STEMS, RYPOSED MONWOODY ROOTS, OR FRUIT OF CROPS, DESIRABLE PLANTS AND TREES, SINCE SEVERE INJURY OR DESTRUCTION MAY RESULT.

ACCEPTED with COMMENTS In EPA Letter Dated OCT | 998

Under the Federal Insecticide, Functicide, and Rodenticide Art as amended, for the posteide registered under EPA Reg. No.

Compadre is a registered trademark of Monsanto Company.

EPA Reg. No. 524-370

1991-1

897.12-100.04/53L

Read the entire label before using this product.

Use only according to label instructions.

Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable, return at once unopened.

REFORMULATION OR REPACKAGING IS PROHIBITED.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children.

CAUTION!

HARMFUL IF SWALLOWED.

MAY CAUSE EYE IRRITATION.

Avoid contact with skin, eyes or clothing.

Wash thoroughly with soap and water after handling.





FIRST AID: IF IN EYES, immediately flush with plenty of water. Get medical attention if irritation persists. Remove product from skin or clothing.

IF SWALLOWED, this product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Get medical attention.

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

Environmental Hazards

Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Physical or Chemical Hazards

Spray solutions of this product should be mixed, stored and applied only in stainless steel, aluminum, fiberglass, plastic and plastic-lined steel containers.

DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

ACTIVE INGREDIENT:

*Contains 193 grams per litre or 1.61 pounds per U.S. gallon of the active ingredient, glyphosate, N~(phosphonomethyl) glycine, in the form of the isopropylamine salt. Equivalent to 143 grams per litre or 1.19 pounds per U.S. gallon of the acid, glyphosate.


This product is protected by U.S. Patent No. 4,405,531. Other patents pending. No license granted under any non-U.S. patent(s).

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. [200]

361/88@1844A11/98. 301:4:03/97/0]888/97/87/94:





Storage and Disposal

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

STORAGE:

STORE ABOVE 10°F (-12°C) TO KEEP PRODUCT FROM CRYSTALLIZING.

Crystals will settle to the bottom. If allowed to crystallize, place in a warm room 68°F (20°C) for several days to redissolve and shake or roll to mix well before using.

DISPOSAL:

Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures.

Emptied container retains vapor and product residue. Observe all labeled safeguards until container is destroyed.

Do not reuse container. Triple rinse container. Then puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL INFORMATION

It is a violation of Federal law to use this product in any manner inconsistent with the labeling.

This label should be in the possession of the user at the time of the herbicide application.

NOTE: When treating trees originating from root suckers, or where root grafting has occurred, product may move through the root system to damage untreated adjacent trees.

CUT STUMP APPLICATIONS

Woody vegetation may be controlled by treating freshly cut stumps of trees and resprouts with this product. Apply this product using suitable equipment to ensure coverage of the entire cambium. This product should not be diluted with water. Apply this ready-to-use product to the freshly cut surface IMMEDIATELY AFTER CUTTING TREES.

Cut vegetation close to the soil surface.

DELAY IN APPLYING THIS PRODUCT MAY RESULT IN REDUCED PERFORMANCE.

AVOID WASH-OFF OF PRODUCT FROM TREATED STUMPS BY RAINFALL OR OTHER MEANS WITHIN 6 HOURS OF APPLICATION.

For best results, trees should be cut during periods of active growth and full leaf expansion.

TREE INJECTION APPLICATIONS

Apply the equivalent of 2 ml of this product for each 2 inches of truck diameter. This is best achieved by applying this product either to a continuous frill around the tree or to cuts evenly spaced around the tree below all branches. As tree diameter increases in size, better results are achieved by applying to a continuous frill or more closely spaced cuttings.

Avoid application techniques that allow runoff to occur from frill or cut areas in species that exude sap freely after frilling or cutting. In species such as this, make frill or cut at an oblique angle so as to produce a cupping effect and use undiluted product. For best results, applications should be made during periods of active growth and after full leaf expansion.

WOODY BRUSH AND TREES CONTROLLED

When applied as directed under the conditions described, this product will control or partially control most woody brush and

tree species, some of which are listed below.

Alder

Alnus spp.

Coyotebrush

Baccharis consanguinea

Dogwood

Cornus spp.

Eucalyptus

Eucalyptus spp.

Hickory

Carya spp.

Madrone

Arbutus menziesii

Maple

Acer spp.

Oak

Quercus spp.

Poplar

Populus spp.

Saltcedar

Tamarix spp.

Sweetgum

Liquidambar styraciflua

Sycamore

Platanus occidentalis

Tan oak

Lithocarpus densiflorus

Willow

Salix spp.

WETLAND SITES

Do not apply this product directly to water.

This product may be applied as directed around water and in wetland areas, including land adjacent to and surrounding domestic water supply reservoirs, supply streams, lakes and ponds.

Consult local public water control authorities before applying this product around public water. Permits may be required to treat in such areas.

LIMIT OF WARRANTY AND LIABILITY

This Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use label booklet ("Directions") when used in accordance with those Directions under the conditions described therein. NO OTHER EXPRESS WARRANTY OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein.

Buyer and all users shall promptly notify this Company of any claims whether based in contract, negligence, strict liability, other tort or otherwise.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this Company including, but not limited to incompatibility with products other than those set forth in the Directions, application to or contact with desirable vegetation, unusual weather, weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application ranges set forth in the Directions, application in any manner not explicitly set forth in the Directions, moisture conditions outside the moisture range specified in the Directions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED, OR, AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY, OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SPLLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

Buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement.

MONSANTO COMPANY 1990

•Registered trademark of Monsanto Company

MONSANTO COMPANY AGRICULTURAL PRODUCTS ST. LOUIS, MISSOURI 63167 USA

EPA reg. No. 524-370

EPA Est 524-LA-1

897.12-100.04/53L

MET 2.5 GAL