Roundup L & G Concentrate Grass & Weed Killer, EPA Reg. No. 524-370 For Roundup Concentrate Weed & Grass Killer

COPY A

Use pump-up-type, hand-trigger type or ORTHO DIAL 'n SPRAY hose-end sprayer to apply this product. Triple-rinse sprayer and flush all sprayer components with water after use to remove residues of this product. After very thorough cleaning, equipment may be used to apply other products. Apply rinse waters to undesirable plants not previously sprayed.

COPY B

Do not apply this product through any type of irrigation system or sprinkler-type devices. These applications may result in poor and/or erratic results.

COPY C

[Directions for ORTHO DIAL 'n SPRAY]

For large jobs such as lawn renovation, brush control or large garden/ornamental planting bed preparation this product may be used in an ORTHO DIAL 'n SPRAY hose-end sprayer. Pour undiluted product into sprayer container. DO NOT ADD WATER. Set dial to 4 fl. oz. for annuals or 5 1/3 fl. oz. for lawn renovation and brush control.

COPY D


This product can be used to refill Roundup Ready-To-Use Weed & Grass Killer, carefully following label directions.

COPY E

USE TO REFILL ROUNDUP READY-TO-USE

COPY F





CIPY FOOTIO

CONCENTRATE

by Monsanto

Weed & Grass Killer

[graphics of weeds dying in 1-14 days]

- MIX WITH WATER TO MAKE UP TO XX GALLONS OF SPRAY SOLUTION (varies with container size)
- COVERS UP TO XX SQ. FT. (varies with container size)
- KILLS UNWANTED WEEDS AND GRASSES, ROOTS AND ALL
- KILLS WEEDS ROOTS AND ALL
- DOES NOT HAVE SOIL ACTIVITY
- SPRAY WEEDS IN FLOWER BEDS AND AROUND FENCES, TREES, DRIVEWAYS, WALKWAYS AND SHRUBS
- USE TO PREPARE GARDEN SITES AND TO RENOVATE LAWNS
- ECONOMICAL MIX 6 TO 12 TABLESPOONS (3-6 OZ) PER GALLON

COPY

SATISFACTION GUARANTEED OR YOUR MONEY BACK

Keep out of reach of children.

CAUTION Read precautions and directions in and on back label.

ACTIVE INGREDIENT:

NET 16 fl. oz. (1 pt.)

(print plate number)

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO THE DIRECTIONS IN THE LABEL AND OBSERVE ALL PRECAUTIONS.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION HARMFUL IF SWALLOWED. MAY CAUSE EYE IRRITATION. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

FIRST AID: IF IN EYES, immediately flush with plenty of water.

Cet medical attention if irritation persists. Remove product from skin or clothing.

IF SWALLOWED, this product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Get medical attention.

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000. [picture of telephone receiver]

NOTICE: BUYER ASSUMES ALL RESPONSIBILITY FOR SAFETY AND USE NOT IN ACCORDANCE WITH DIRECTIONS. IF THESE TERMS ARE NOT ACCEPTABLE, RETURN AT ONCE UNOPENED. (moved from inside label)

Environmental Hazards

Do not apply directly to water. —, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

PRECAUTION: SEE "DIRECTIONS FOR USE" FOR IMPORTANT CONTAINER PRECAUTIONS, and inside label for storage and disposal information.

)

40470

This product is protected by U.S. Patent No. 4,405,531. Other patents pending. No license granted under any non-U.S. patent(s).

(bar code)

}

REFORMULATION OR REPACKAGING FOR SALE IS PROHIBITED. (moved from inside label)

®Trademark of Monsanto Company ©MONSANTO COMPANY (year of copyright) MONSANTO COMPANY AGRICULTURAL PRODUCTS ST. LOUIS, MISSOURI 63167 U.S.A.

EPA Reg. No. 524-370 EPA Est. 524-LA-1, 56100-LA-001 (print plate number) It is a violation of Federal law to use this product in any manner inconsistent with its labeling. READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO THE FOLLOWING DIRECTIONS AND OBSERVE ALL PRECAUTIONS.

Roundup® Concentrate Weed and Grass Killer, when absorbed by contacted foliage, is carried throughout the stems and roots to give complete kill of tough annual and perennial weeds and grasses. Roundup is broken down in the soil by microbes. Once in contact with soil, it has no more weed killing activity and will not move in or on the soil to affect nearby plants.

[proof of purchase]

HOW TO USE

IMPORTANT: This product is an all-purpose weed, grass, and brush killer which can injure or kill all plants contacted (virtually anything that is green and growing). APPLY ONLY WHEN AIR IS CALM. AVOID SPRAY CONTACT ON DESIRABLE PLANTS. IF NECESSARY, SHIELD DESIRABLE PLANTS TO PREVENT CONTACT WITH SPRAY. If spray or drift accidentally contacts desirable plants, wash off immediately with water. Rainfall within 6 hours could affect performance. Avoid mowing, cutting or otherwise disturbing sprayed plants for at least 7 days. People and pets should stay off sprayed area until thoroughly dry to ensure that product is not tracked into areas where desirable plants are growing.

SPRAY EQUIPMENT

CLPYA

Use pump-up-type or hand-trigger type sprayers to apply this product. Triple-rinse sprayer and flush all sprayer components with water after use to remove residues of this product. After very thorough cleaning, equipment may be used to apply other products. Apply rinse waters to undesirable plants not previously sprayed.

WARNING: Mix, spray, apply and store solutions of this product only in stainless steel, aluminum, fiberglass, plastic or plastic-lined steel sprayers. DO NOT MIX, APPLY, OR STORE THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) SPRAYERS, because the product and such containers can react to produce a highly combustible mixture of hydrogen gas. This buildup of hydrogen gas in a closed container can create enough pressure to cause the container to rupture, or can flash or explode, causing serious personal injury, if ignited by open flame, spark, welders torch, lit cigarette or any other ignition source.

be not apply this product through any type of irrigation system, nor use in hose-end sprayers or sprinkler-type devices. These applications may result in poor and/or erratic results.

7 applies



Follow mixing rate recommendations in this Use Directions Table. Ensure uniform and complete spray coverage. Sprayed plants usually show effects within 7 days, with complete kill in 2 to 4 weeks. For best results, apply to actively growing undesirable weeds, grasses, trees, brush and plants in warm, sunny weather. If not completely killed within 4 weeks, repeat application. In some cases, control of brush and trees sprayed in the fall may not be fully apparent until the following season. Sprayed areas can be reseeded or replanted. 7 days after spraying.

replanted, 7 days after spraying.			
USES	SPRAYING INSTRUCTIONS	WEEDS CONTROLLED	MIXING RATE
SPOT SPRAYING/TRIM and EDGE Undesirable plants in and around: •fences •trees* •driveways •flower beds •walkways •shrubs	Apply to actively growing plants. Apply to annual weeds anytime after emergence. For perennial weeds, apply after seed heads or flowers appear. Avoid spray contact with foliage, stems or green bark of desirable plants.	Most annual and perennial weeds and grasses such as chickweed, ragweed, dandelion (Complete list follows this table).	ANNUALS - 3 fl oz (6 tbsp) per 1 gallon water PERENNIALS and BRUSH - 6 fl oz (12 tbsp) per 1 gallon water 1) Use clean water. 2) Ensure uniform and complete spray coverage. Position sprayer tip 1-2 feet from weeds.
•Replacement of worn out lawns •Changing to more desirable grass	For best results on lawns, skip at least one mowing prior to spraying. Delay reseeding, sprigging, tilling or sodding for 7 days after spraying. Early spring or fall spraying recommended.		
GARDEN/ORNAMENTAL BED PREPARATION FOR PLANTING: •Flowers •Trees, Shrubs •Vegetables •Berries and small fruits	Any ornamental may be planted 7 days after spraying. Vegetables, berries and small fruits may be planted 7 days after spraying. (Complete list follows this table.)		
BRUSH CONTROL TO KILL: •Woody brush •Trees •Vines	Spray when leaves are fully expanded (spring-early summer) or when flowers or berries appear (mid-summer - fall). Spray trees and brush up to 5 feet in height. For taller plants, cut down and spray regrowth.	Most brush, such as poison ivy, blackberry and kudzu (Complete list follows).	

*Note: If Roundup is used to control undesirable plants around fruit or nut trees or grapevines, allow 21 days before eating the fruits or nuts.

COPY C.

C ∈ 1 1 1 D Jkp\conc18\% lbl (EPA REG NO 524-370)



When applied as recommended under the conditions described in the Use Directions Table. Roundup Concentrate controls many common weeds including the following:
[pictures of several common weeds]

Annuals

Barnyardgrass
Bluegrass (annual)
Chickweed
Crabgrass
Foxtail
Lambsquarter (common)
Lettuce (prickly)
Mustard (tansy)

Pennycress (field)
Pigweed (redroot, smooth)
Ragweed (common)
Ryegrass (annual)
Sandbur (field)
Shepherdspurse
Sowthistle

Perennials

Bahiagrass
Bermudagrass
Bindweed (field)
Bluegrass (Kentucky)
Bromegrass (smooth)
Clover (red, white)
Dallisgrass
Dandelion
Fescue species

Fescue (tall)
Johnsongrass
Nutsedge (purple, yellow)
Orchardgrass
Quackgrass
Ryegrass (perennial)
Thistle (Canada)
Timothy
Vaseygrass

Brush

)

}

Alder
Blackberry
Cherry
Dewberry
Elderberry
Honeysuckle
Kudzu
Oak

Poison Ivy Poison Oak Raspberry Rose (multiflora) Sumac Trumpetcreeper Willow



The following vegetables, small fruits and berries may be planted (by seed, rooted cuttings or transplants) 7 days after spraying. If it is desired to plant vegetables, small fruits and berries other than those in the below list, wait for 30 days after spraying.

VEGETABLES

ARTICHOKE, JERUSALEM ASPARAGUS BEANS (ALL) BEET GREENS BEETS (RED, SUGAR) BROCCOLI (ALL) BRUSSELS SPROUTS CABBAGE (ALL) CANTALOUPE CARROT CAULIFLOWER CASABA MELON CELERY CHARD, SWISS CHICORY **COLLARDS** CORN CRENSHAW MELON CUCUMBER **EGGPLANT** ENDIVE GARLIC GOURDS GROUND CHERRY HONEYDEW MELON HONEY BALL MELON HORSERADISH KALE KOHLRABI LEEK LENTILS LETTUCE MANGO MELON MELONS (ALL) MUSKMELON MUSTARD GREENS OKRA ONION RAPE GREENS PARSLEY PARSNIPS PEAS (ALL) PEPPER (ALL) PERSIAN MELON POTATO (IRISH, SWEET)

}

RHUBARB RUTABAGA SPINACH (ALL) SQUASH (SUMMER, WINTER) TOMATILLO TOMATO* TURNIP WATERCRESS WATERMELON YAMS

SMALL FRUITS AND BERRIES

BLACKBERRY BLUEBERRY BOYSENBERRY CRANBERRY CURRANT DEWBERRY **ELDERBERRY** GOOSEBERRY HUCKLEBERRY LOGANBERRY OLALLIEBERRY RASPBERRY (BLACK, RED) STRAWBERRY

*Tomatoes from seed only. Wait 30 days for rooted transplants.

PUMPKIN RADISH

STORAGE AND DISPOSAL

(moved from above)

Storage: Store this product only in its original container and in a secured storage area. Protect container from freezing.

PRODUCT DISPOSAL:

- Monsanto is committed to responsible environmental practices and recommends that all of the product be used up, carefully following all label directions and precautions.
- If necessary to dispose of partially filled product container, then securely wrap it in several layers of newspaper and discard in trash.

EMPTY CONTAINER:

)

- Do not reuse container. Emptied container retains vapor and product residue. Observe all labeled safeguards until container is discarded.
- Securely wrap empty container in several layers of newspaper and discard in trash.

SPILL OR LEAK: In case of spill or leak, soak up with paper towels and discard in trash.

For more product information or questions, call toll-free 1-800-225-2883, 8:30AM - 5:00PM Central Time. MONDAY-FRIDAY (picture of telephone receiver)

BACK PANEL (AFFIXED TO CONTAINER)

10000

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO THE DIRECTIONS IN THE USE DIRECTIONS TABLE AND OBSERVE ALL PRECAUTIONS.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION HARMFUL IF SWALLOWED, MAY CAUSE EYE IRRITATION. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID: IF IN EYES, immediately flush with plenty of water. Get medical attention if irritation persists. Remove product from skin or clothing.

IF SWALLOWED, this product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Get medical attention.

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000. [picture of telephone receiver]

NOTICE: BUYER ASSUMES ALL RESPONSIBILITY FOR SAFETY AND USE NOT IN ACCORDANCE WITH DIRECTIONS. IF THESE TERMS ARE NOT ACCEPTABLE, RETURN AT ONCE UNOPENED. (moved from inside label)

Environmental Hazards

Do not apply directly to water. , or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

PRECAUTION: SEE "DIRECTIONS FOR USE" FOR IMPORTANT CONTAINER PRECAUTIONS, and inside label for storage and disposal information.

This product is protected by U.S. Patent No. 4,405,531. Other patents pending. No license granted under any non-U.S. patent(s).

REFORMULATION OR REPACKAGING FOR SALE IS PROHIBITED

®Trademark of Monsanto Company

©MONSANTO COMPANY (year of copyright)

MONSANTO COMPANY • AGRICULTURAL PRODUCTS

ST. LOUIS, MISSOURI 63167 U.S.A. EPA Reg. No. 524-370

EPA Est. 524-LA-1, 56100-LA-001

(print plate number)