

11125

524-382

113

**SUPPLEMENTAL LABELING**

READ AND FOLLOW THE ENTIRE LABEL FOR RANGER® HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Ranger herbicide and its supplement.

**RANGER®  
Herbicide by Monsanto  
EPA Reg. No. 524-382**

---

FOR DISTRIBUTION AND USE ONLY WITHIN IOWA, MINNESOTA AND WISCONSIN.

---

FOR CONTROL OF QUACKGRASS AND OTHER PERENNIAL WEEDS IN ANNUAL CROPPING SYSTEMS, PASTURES AND SODS.

---

**Keep out of reach of children.  
DANGER!**  
In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

---

®Ranger is a registered trademark of Monsanto Company.

---

**DIRECTIONS FOR USE**

---

It is a violation of Federal law to use this product in any manner inconsistent with the labeling.

This label must be in the possession of the user at the time of the herbicide application.

---

AVOID CONTACT WITH FOLIAGE OF CROP OR OTHER DESIRABLE VEGETATION, SINCE SEVERE INJURY OR DESTRUCTION MAY RESULT.

Ranger is a postemergence herbicide used in agricultural systems for control of quackgrass and other weeds listed on the label booklet for Ranger.

**ACCEPTED**  
DEC 12 1971  
524-382

When applied as directed under the conditions described, this product controls the weeds listed on the Ranger label booklet, prior to the emergence of the following crops:

- Alfalfa
- Barley
- Beans (All)
- Corn (All)
- Forage Grass
- Forage Legumes
- Oats
- Soybeans
- Wheat

Do not plant subsequent crops other than those on the label for 30 days following application.

)  
)  
) For control of quackgrass and associated annual weeds, apply 3 pints per acre of this product when the plants have reached the 3 to 4-leaf stage and are at least 6 to 8 inches high.

For quackgrass control in sods which have been established for 3 years or longer, use 3 to 6 pints per acre. Till fields within 7 days after application when using less than 4 pints per acre.

To control quackgrass in no-till cropping systems, use 6 pints per acre of Ranger.

RATE RECOMMENDATIONS

PERENNIAL WEED SPECIES	GROWTH STAGE	RATE PER ACRE (PINTS)
<u>Fescue, tall</u>		
Fall applications	4 to 12"	3
Spring applications	4 to 12"	5 to 6
<u>Muhly, wirestem</u>	8" or more	3 to 6
<u>Orchardgrass</u>		
Fall applications, only	4 to 12"	5 to 6
<u>Quackgrass</u>		
In cropping situations	3 to 4 leaves	3
In established sods*	3 to 4 leaves	2 to 6

\*3 years or older

3 of 3

Read the "LIMIT OF WARRANTY AND LIABILITY" in the label booklet for Ranger before using this product. Those terms apply to this supplemental labeling and, if those terms are not acceptable, return the product, unopened, at once.

MAP-3148

© MONSANTO COMPANY 1990

MONSANTO COMPANY  
AGRICULTURAL PRODUCTS  
ST. LOUIS, MISSOURI, 63167