


10613

PM 25

300-330

# FALLOW MASTER

HERBICIDE BY **Monsanto**



For control or suppression of emerged weeds in fallow and reduced tillage small grain systems

AVOID CONTACT WITH FOLIAGE OF CROP OR OTHER DESIRABLE VEGETATION SINCE SEVERE INJURY OR DESTRUCTION MAY RESULT.

Carefully follow detailed instructions in attached booklet

**BEST AVAILABLE COPY**

**ACCEPTED**

8 JAN 1988

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended for the pesticide registered under EPA Reg. No. 524-200

Read the entire label before using this product. Use only according to label instructions.

Read **LIMIT OF WARRANTY AND LIABILITY** which appears in the label booklet before buying or using. If terms are not a legible return at once unopened.

The contents of this container may not be REFORMULATED or except in accordance with the Monsanto Repackaging Agreement, REPACKAGED.

### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children

**DANGER!**

**CAUSES EYE BURNS  
HARMFUL IF SWALLOWED OR  
INHALED  
MAY CAUSE ALLERGIC SKIN REACTION**

Do not get in eyes, on skin or on clothing

Wear goggles or face shield and rubber gloves in transferring and mixing and when adjusting, repairing or cleaning equipment

Avoid breathing vapor or spray mist

Wash thoroughly with soap and water after handling

**FIRST AID: IF IN EYES**, immediately flush with plenty of water for at least 15 minutes. Call a physician.  
**IF ON SKIN**, flush with plenty of water while removing contaminated clothing. If irritation occurs, call a physician. Wash clothing before reuse. Sensitized persons should avoid further contact and reuse of contaminated clothing.

**IF INHALED**, remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Call a physician.

**IF SWALLOWED**, this product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Call a physician. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000

### Environmental Hazards

Avoid direct application to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

### Physical or Chemical Hazards

Spray solutions of this product should be mixed, stored and applied only in stainless steel, aluminum, fiberglass, plastic and plastic-lined steel containers.

**DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS.** This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

### Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Do not store near fertilizers, seeds, insecticides or fungicides.

#### STORAGE

STORE ABOVE 49°F TO KEEP PRODUCT IN SOLUTION. If crystals form, place product in a warm area and mix well or recirculate until crystals have dissolved.

#### DISPOSAL

Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or burned on site in a safe place away from water supplies. All disposal should be in accordance with applicable Federal, state or local procedures.

Empty container retains vapor and product residue. Observe all labeled safeguards until container is cleaned, reconditioned or destroyed.

Triple-rinse emptied bulk containers. Then offer for recycling or reconditioning, or dispose of in a manner approved by state and local authorities.

#### ACTIVE INGREDIENTS\*

Glyphosate (N-phosphonomethyl glycine) as the isopropylamine salt	16.5%
Dicamba (3,6-dichloro-p-anisic acid) as the isopropylamine salt	7.0%
<b>INERT INGREDIENTS</b>	<b>76.5%</b>
	<b>100.0%</b>

\*Contains 120 grams per litre or 1.5 lbs per U.S. gallon of the active ingredient, glyphosate, as its isopropylamine salt and 72 grams per litre or 0.6 lb per U.S. gallon of the active ingredient, dicamba, as its isopropylamine salt. Equivalent to 132 grams per litre or 1.1 lbs per U.S. gallon of the acid glyphosate and 50 grams per litre or 0.5 lb per U.S. gallon of the acid dicamba.


In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000

EPA Reg. No. 524-

©MONSANTO COMPANY 1987

\*Registered trademark of Monsanto Company

\*FALLOW MASTER is a trademark of and used under license from Sandoz Ltd.



In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000

LOT NO

PACKER

NET

lb

# FALLOW MASTER™

HERBICIDE BY **Monsanto**

For control or suppression of emerged weeds in fallow and reduced tillage small grain systems.

AVOID CONTACT WITH FOLIAGE OF CROP OR OTHER DESIRABLE VEGETATION SINCE SEVERE INJURY OR DESTRUCTION MAY RESULT

Carefully follow detailed instructions in attached booklet

Read the entire label before using this product. Always refer to label for directions. **KEEP OUT OF REACH OF CHILDREN.** **CAUTION!** Irritation to eyes, nose, throat, and skin. Avoid contact with foliage of crop or other desirable vegetation. Do not use in areas where it may be injurious to desirable plants. Do not use in areas where it may be injurious to desirable plants. Do not use in areas where it may be injurious to desirable plants.

Keep out of reach of children

**DANGER!** Read label before use.

NET 30 GAL

**PRECAUTIONARY STATEMENTS**

Hazards to Humans and Domestic Animals

Keep out of reach of children

**DANGER!**

CAUSES EYE BURNS  
HARMFUL IF SWALLOWED OR INHALED

MAY CAUSE ALLERGIC SKIN REACTION

Do not get in eyes, on skin or on clothing

Wear goggles or face shield and rubber gloves in transferring and mixing and when adjusting, repairing or cleaning equipment

Avoid breathing vapors from spray mist

Wash thoroughly with soap and water after handling. **IF GETS IN EYES:** Immediately flush with plenty of water for at least 15 minutes. Call a physician.

**IF ON SKIN:** Flush with plenty of water while removing contaminated clothing. If irritation occurs, call a physician. Wash clothing before reuse. Sensitized persons should avoid further contact and reuse of contaminated clothing.

**IF INHALED:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Call a physician.

**IF SWALLOWED:** This product will cause gastrointestinal irritation. Immediately dilute by swallowing water or milk. Call a physician. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

In case of an emergency involving this product, Call Collect, day or night (314) 694-4000.

**Environmental Hazards**

Avoid direct application to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

**Physical or Chemical Hazards**

Spray solutions of this product should be mixed, stored and applied only in stainless steel, aluminum, fiberglass, plastic and plastic lined steel containers.

**DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS.** This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

**Storage and Disposal**

Do not contaminate water, food or feed by storage or disposal. Do not store near fertilizers, seeds, insecticides or fungicides.

**STORAGE:** STORE ABOVE 40°F. TO KEEP PRODUCT IN SOLUTION. If crystals form, place in a warm room (72°F.), allow the product to reach room temperature and roll or shake periodically until crystals have dissolved. Keep container closed to prevent soaks and contamination.

**DISPOSAL:** Wastes resulting from the use of this product that can not be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or buried on site in a safe place away from water supplies. All disposal should be in accordance with applicable Federal, state or local procedures.

Empty container retains vapor and product residue. Observe all labeled safety labels until container is emptied. Do not reuse container. Triple rinse emptied container. Then puncture and dispose of in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**LIMIT OF WARRANTY AND LIABILITY**

This Company warrants that this product conforms to the description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use label booklet. Directions, when used in accordance with those Directions under the conditions described therein, NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein.

Buyer and all users shall promptly notify this Company of any claims, whether based in contract, negligence, strict liability, other tort or otherwise.

Buyer and all users are responsible for all loss or damage from use or handling in circumstances beyond the control of this Company, including but not limited to incompatibility with products other than those set forth in the Directions, application to or contact with desirable vegetation, unusual weather, weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application range set forth in the Directions, application in any manner not explicitly set forth in the Directions, moisture conditions outside the moisture range specified in the Directions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

THE EXCLUSIVE REMEDY OF THE USER OR BUYER AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED OR, AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY OR, IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

The Buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement.

In case of an emergency involving this product, Call Collect, day or night (314) 694-4000.

EPA Reg. No. 524  
MONSANTO COMPANY 1987  
Registered trademark of Monsanto Company.  
FALLOW MASTER is a trademark of and used under license from Sandoz Ltd.  
MONSANTO COMPANY  
AGRICULTURAL PRODUCTS  
ST. LOUIS, MISSOURI 63167 U.S.A.  
EPA Est. 986 65 000 02

**BEST AVAILABLE COPY**

6

30813



# FALLOW MASTER

BY **Monsanto**

For control or suppression of emerged weeds in fallow and reduced tillage small grain systems.

AVOID CONTACT WITH FOLIAGE OF CROP OR OTHER DESIRABLE VEGETATION SINCE SEVERE INJURY OR DESTRUCTION MAY RESULT

Carefully follow detailed instructions in booklet



PLACE  
Complete Directions For Use  
Booklet  
HERE

**BEST AVAILABLE COPY**

Read the entire label before using this product.  
Use only according to label instructions.  
LIMIT OF WARRANTY AND LIABILITY: Such appears in the label booklet. Free buying or using. If terms are unacceptable, return of money unopened.

Contents of this container may not be repackaged, nor, except in accordance with the Monsanto Repackaging Agreement, reused.

### RECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

- See label for each application.
- DANGER!**
- SEVERE EYE BURNS
- ARMFUL IF SWALLOWED OR INHALED
- AY CAUSE ALLERGIC SKIN REACTION
- Get in eyes, on skin or on clothing
- Goggles or face shield and rubber gloves in mixing and when adjusting, repairing or using equipment
- Washing hands or spray mist
- Wash thoroughly with soap and water after handling
- IF ON EYES, immediately flush with plenty of water for at least 15 minutes. Do not swallow.

**IF ON SKIN:** Flush with plenty of water while removing contaminated clothing. If irritation occurs, call a physician. Wash clothing before reuse. Contaminated persons should avoid further contact and reuse of contaminated clothing.

**IF INHALED:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Call a physician.

**IF SWALLOWED:** This product will cause gastrointestinal irritation. Immediately dilute by swallowing water or milk. Call a physician. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

In case of an emergency involving this product, call Collect, day or night, (316) 696-6000.

#### Environmental Hazards

Avoid direct application to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

#### Physical or Chemical Hazards

Spray solutions of this product should be mixed, stored and applied only in stainless steel, aluminum, fiberglass, plastic and plastic lined steel containers.

**DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS.** This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash

or explode, causing serious personal injury if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

#### Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Do not store near fertilizers, seeds, insecticides or fungicides.

#### STORAGE

STORE ABOVE 40°F TO KEEP PRODUCT IN SOLUTION. If crystals form, place product in a warm area and stir well or recirculate until crystals dissolve after temperature is above 40°F.

#### DISPOSAL

Avoid spillage resulting from the use of this product that can not be used or chemically reprocessed should be disposed of in a manner approved for pesticide disposal or buried on site in a safe place away from water supplies. All disposal should be in accordance with applicable Federal, state or local procedures.

Empty container retains vapor and product residue. Observe all labeled safeguards until container is cleaned, reconditioned or destroyed.

Do not reuse containers, except in accordance with Monsanto Repackaging Agreement. Return emptied containers per the Monsanto container return program. If not returned, triple rinse emptied bulk containers. Then offer for recycling or reconditioning or dispose of in a manner approved by state and local authorities.

**ACTIVE INGREDIENTS\***

Glyphosate (N-glyphosphonomethyl glycine) as the isopropylamine salt	16.5%
Decabate (3,6-dichloro-o-aminic acid) as the isopropylamine salt	7.0%
<b>INERT INGREDIENTS</b>	<b>76.5%</b>
	100.0%

\*Contains 100 grams per liter or 3.5 lbs per U.S. gallon of the active ingredient, glyphosate, as its isopropylamine salt and 72 grams per liter or 0.6 lb per U.S. gallon of the active ingredient, decabate, as its isopropylamine salt. Equivalent to 132 grams per liter or 1.1 lbs per U.S. gallon of the acid glyphosate and 60 grams per liter or 0.5 lb per U.S. gallon of the acid decabate.

In case of an emergency involving this product, call Collect, day or night, (316) 696-6000.

EPA Reg. No. 524.  
© MONSANTO COMPANY 1987.  
\*Registered trademark of Monsanto Company.

\*FALLOW MASTER is a trademark of and used under license from, Sandoz Ltd.

MONSANTO COMPANY  
AGRICULTURAL PRODUCTS  
ST. LOUIS, MISSOURI 63167 U.S.A.



696 65 000 05

## NET CONTENTS

---



---



---



---

EPA Est. \_\_\_\_\_

FRONT

# FALLOW MASTER™

HERBICIDE BY **Monsanto**

For control or suppression of emerged weeds in fallow and reduced tillage small grain systems.

AVOID CONTACT WITH FOLIAGE OF CROP OR OTHER DESIRABLE VEGETATION SINCE SEVERE INJURY OR DESTRUCTION MAY RESULT.

Carefully follow detailed instructions in label booklet.

Read the entire label before using this product.

Use only according to label instructions.

Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable, return at once unopened.

Keep out of reach of children.

**DANGER!** Read precautions on side panel.

REFORMULATION OR REPACKAGING IS PROHIBITED


ACTIVE INGREDIENTS\*

Glyphosate (N-phosphonomethyl glycine) as the isopropylamine salt	16.5%
Dicamba (3,6-dichloro-p-aminic acid) as the isopropylamine salt	7.0%

INERT INGREDIENTS:	76.5%
	100.0%

\*Contains 180 grams per litre or 1.5 lbs per U.S. gallon of the active ingredient, glyphosate, as its isopropylamine salt and 72 grams per litre or 0.6 lb per U.S. gallon of the active ingredient, dicamba, as its isopropylamine salt. Equivalent to 132 grams per litre or 1.1 lbs per U.S. gallon of the acid glyphosate and 60 grams per litre or 0.5 lb per U.S. gallon of the acid dicamba.

NET 2.5 GAL



# SPOUT

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

Keep out of reach of children.

#### **DANGER!**

**CAUSES EYE BURNS.**

**HARMFUL IF SWALLOWED OR INHALED.**

**MAY CAUSE ALLERGIC SKIN REACTION.**

Do not get in eyes, on skin or on clothing.

Wear goggles or face shield and rubber gloves in transferring and mixing and when adjusting, repairing or cleaning equipment.

Avoid breathing vapor or spray mist.

Wash thoroughly with soap and water after handling.

**FIRST AID: IF IN EYES,** immediately flush with plenty of water for at least 15 minutes. Call a physician.

**IF ON SKIN,** flush with plenty of water while removing contaminated clothing. If irritation occurs, call a physician. Wash clothing before reuse. Sensitized persons should avoid further contact and reuse of contaminated clothing.

**IF INHALED,** remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Call a physician.

**IF SWALLOWED,** this product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Call a physician. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

### Environmental Hazards

Avoid direct application to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

## Physical or Chemical Hazards

Spray solutions of this product should be mixed, stored and applied only in stainless steel, aluminum, fiberglass, plastic and plastic-lined steel containers.

**DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS.** This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

## Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Do not store near fertilizers, seeds, insecticides or fungicides.

### STORAGE:

**STORE ABOVE 40 °F. TO KEEP PRODUCT IN SOLUTION.** If crystals form, place in a warm room (72 °F.), allow the product to reach room temperature and roll or shake periodically until crystals have dissolved. Keep container closed to prevent spills and contamination.


### DISPOSAL:

Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or buried on site in a safe place away from water supplies. All disposal should be in accordance with applicable Federal, state or local procedures.

Empty container retains vapor and product residue. Observe all labeled safeguards until container is destroyed.

Do not reuse container. Triple rinse emptied container. Then puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

\*FALLOW MASTER is a trademark of, and used under license from, Sandez Ltd.



**ACCEPTED**  
8 - JAN 1988  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 247-100

BACK

# FALLOW MASTER

HERBICIDE BY **Monsanto**

**For control or suppression of emerged weeds in fallow and reduced tillage small grain systems. AVOID CONTACT WITH FOLIAGE OF CROP OR OTHER DESIRABLE VEGETATION SINCE SEVERE INJURY OR DESTRUCTION MAY RESULT.**

**Carefully follow detailed instructions in label booklet.**

Read the entire label before using this product.  
Use only according to label instructions.  
Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable, return at once unopened.

Keep out of reach of children.


**DANGER!** Read precautions on side panel

**REFORMULATION OR REPACKAGING IS PROHIBITED**

<b>ACTIVE INGREDIENTS*</b>	
Glyphosate (N-phosphonomethyl glycine) as the isopropylamine salt .....	16.5%
Dicamba (3,6-dichloro-p-oxoic acid) as the isopropylamine salt .....	7.0%
<b>INERT INGREDIENTS.....</b>	<b>76.5%</b>
	<b>100.0%</b>

\*Contains 180 grams per litre or 1.5 lbs per U.S. gallon of the active ingredient, glyphosate, as its isopropylamine salt and 72 grams per litre or 0.6 lb per U.S. gallon of the active ingredient, dicamba, as its isopropylamine salt. Equivalent to 132 grams per litre or 1.1 lb per U.S. gallon of the acid glyphosate and 60 grams per litre or 0.5 lb per U.S. gallon of the acid dicamba.

**NET 2.5 GAL**



# HANDLE

### LIMIT OF WARRANTY AND LIABILITY

This Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use label booklet ("Directions") when used in accordance with those Directions under the conditions described therein. NO OTHER EXPRESS OR IMPLIED WARRANTY FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein.

Buyer and all users shall promptly notify this Company of any claims whether based in contract, negligence, strict liability, other tort or otherwise.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this Company, including but not limited to, incompatibility with products other than those set forth in the Directions, application to or contact with desirable vegetation, unusual weather, weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application range set forth in the Direc-

tions, application in any manner not explicitly set forth in the Directions, moisture conditions outside the moisture range specified in the Directions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED, OR, AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY, OR, IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

The Buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement.

To remove booklet "TAKE HOLD AT A CORNER" and "PULL UP!"

In case of an emergency involving this product,  
Call Collect, day or night, (314) 694-4000.

EPA Reg. No. 524-

© MONSANTO COMPANY 1987

• Registered trademark of Monsanto Company.

MONSANTO COMPANY  
AGRICULTURAL PRODUCTS  
ST. LOUIS, MISSOURI 63167 U.S.A.




EPA Est.

886.65-000.02

Page 13

886.65-000.03...  
EPA Est. 524-

THIS SIDE UP



ACCEPTED

Approved by the Federal Insecticide, Fungicide, and Rodenticide Act.  
EPA Reg. No. 7240-10-01

# FALLOW MASTER™

## Monsanto

For control or suppression of emerged weeds in fallow and reduced tillage small grain systems.

AVOID CONTACT WITH FOLIAGE OF CROP OR OTHER DESIRABLE VEGETATION SINCE SEVERE INJURY OR DESTRUCTION MAY RESULT

Carefully follow detailed instructions in label booklet

Read the entire label before using this product.  
Always print to label instructions.  
No warranty is made by Monsanto for use of this product in any area where it is not specifically labeled.

REFORMULATION OR REPACKAGING IS PROHIBITED

ACTIVE INGREDIENTS*	
Glyphosate (16 glyphosaminomethyl glycine) as the isopropylamine salt	16.5%
Dicamba (3,6-dichloro-p-aminic acid) as the isopropylamine salt	7.1%
<b>INERT INGREDIENTS</b>	
	<b>100.0%</b>

**BEST AVAILABLE COPY**

Keep out of reach of children

**DANGER!** Read directions on side panel

### TWO <sup>2.5</sup> GAL UNITS

\* Contains 180 grams per litre or 1.5 lbs per U.S. gallon of the active ingredient glyphosate as its isopropylamine salt and 72 grams per litre or 0.6 lb per U.S. gallon of the active ingredient dicamba as its isopropylamine salt. Equivalent to 132 grams per litre or 1.1 lbs per U.S. gallon of the acid glyphosate and 60 grams per litre or 0.5 lb per U.S. gallon of the acid dicamba.



## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

\*Keep out of reach of children

### DANGER!!

CAUSES EYE BURNS.  
HARMFUL IF SWALLOWED OR  
INHALED.

MAY CAUSE ALLERGIC SKIN REACTION.

Do not get in eyes, on skin or on clothing.

Wear goggles or face shield and rubber gloves in transferring and mixing and when adjusting, repairing or cleaning equipment.

Avoid breathing vapor or spray mist.

Wash thoroughly with soap and water after handling.

**FIRST AID: IF IN EYES,** immediately flush with plenty of water for at least 15 minutes. Call a physician.

**IF ON SKIN,** flush with plenty of water while removing contaminated clothing. If irritation occurs, call a physician. Wash clothing before reuse. Sensitive persons should avoid further contact and reuse of contaminated clothing.

**IF INHALED,** remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Call a physician.

**IF SWALLOWED,** the product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Call a physician. NEVER INDUCE VOMITING BY MOUTH TO AN UNCONSCIOUS PERSON.

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4999.

### Environmental Hazards

Avoid direct application to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

### Physical or Chemical Hazards

Spray solutions of this product should be mixed, stored and applied only in stainless steel, aluminum, fibreglass, plastic and plastic-lined steel containers.

**DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS.** The product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. The gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

### Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Do not store near fertilizers, seeds, insecticides or fungicides.

#### STORAGE

**STORE ABOVE 40°F TO KEEP PRODUCT IN SOLUTION** - If crystals form, place in a warm room (72°F), allow the product to reach room temperature and stir or shake periodically until crystals have dissolved. Keep container closed to prevent spills and contamination.

#### DISPOSAL


Wastes resulting from the use of this product that cannot be used or otherwise reprocessed should be disposed in a landfill approved for pesticide disposal or buried on site in a safe place away from water supplies. All disposal should be in accordance with appropriate Federal, state or local procedures.

Empty container retains vapor and product residue. Observe all labels thoroughly until container is destroyed.

Do not reuse container. Triple rinse original container. Then puncture and dispose of in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

BEST AVAILABLE COPY

1006 B



**LIMIT OF WARRANTY AND LIABILITY**

This Company warrants that the product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use label (hereinafter "Directions") when used in accordance with these Directions under the conditions described therein. NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein.

Buyer and all users shall promptly notify this Company of any claims whether based in contract, negligence, strict liability, other tort or otherwise.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this Company, including but not limited to, incompatibility with products other than those set forth in the Directions, application to or contact with desirable vegetation, unusual weather, weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application range set forth in the Directions, application in any manner not explicitly set forth in the Directions, moisture conditions outside the moisture range specified in the Directions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED, OR, AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY, OR, IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

The Buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement.


In case of an emergency involving this product, Call Collect, day or night, (314) 696-6888.

EPA Reg. No. 524-  
© MONSANTO COMPANY 1987  
\* Registered trademark of Monsanto Company  
\* FALLOW MASTER is a trademark of, and used under license from, Sandoz Ltd.

2-2-84 MCG



MONSANTO COMPANY  
AGRICULTURAL PRODUCTS  
ST. LOUIS, MISSOURI, 63167 U.S.A.



**BEST AVAILABLE COPY**

# FALLOW MASTER

REDUCED TILLAGE HERBICIDE **Monsanto**

For control or suppression of emerged weeds in fallow and reduced tillage small grain systems in the States of Alabama, Alaska, Arizona, Arkansas, California, Colorado, Connecticut, Delaware, Florida, Georgia, Hawaii, Idaho, Illinois, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Maryland, Massachusetts, Michigan, Minnesota, Mississippi, Missouri, Montana, Nebraska, Nevada, New Hampshire, New Jersey, New Mexico, New York, North Carolina, North Dakota, Ohio, Oklahoma, Oregon, Pennsylvania, Rhode Island, South Carolina, South Dakota, Tennessee, Texas, Utah, Vermont, Virginia, Washington, West Virginia, Wisconsin and Wyoming.

**Complete Directions for Use**  
AVOID CONTACT WITH FOLIAGE OF CROP OR OTHER DESIRABLE VEGETATION SINCE SEVERE INJURY OR DESTRUCTION MAY RESULT.

EPA Reg No 524  
"Fallow Master" is a trademark of and used under license from Sandco Ltd.

1987-1 886 65-000.01/53

**ACCEPTED**  
8-1-87  
Under the Federal Insecticide, Fungicide, and Rodenticide Act  
EPA Reg No 524-220

© MONSANTO COMPANY 1987

MONSANTO COMPANY  
AGRICULTURAL PRODUCTS  
ST LOUIS, MISSOURI 63167 U.S.A.



Read the entire label before using this product.  
Use only according to label instructions.  
Read **LIMIT OF WARRANTY AND LIABILITY** before buying or using. If terms are not acceptable, return at once unopened.

**REFORMULATION OR REPACKAGING IS PROHIBITED.**

### LIMIT OF WARRANTY AND LIABILITY

This Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use label booklet ("Directions") when used in accordance with those Directions under the conditions described therein. **NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE.** This warranty is also subject to the conditions and limitations stated here.

Buyer and all users shall promptly notify this Company of any claims whether based in contract, negligence, strict liability, other tort or otherwise.

Buyer and all users are responsible for a loss or damage from use or handling which results from conditions beyond the control of this Company, including but not limited to incompatibility with products other than those set forth in the Directions, application to or contact with undesirable vegetation, unusual weather, weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application ranges set forth in the Directions, application in any manner not explicitly set forth in the Directions, moisture conditions outside the moisture range specified in the Directions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

**THE EXCLUSIVE REMEDY OF THE USER OR BUYER AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED OR AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY IN ANY EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL CONSEQUENTIAL OR SPECIAL DAMAGES.**

The Buyer and all users are deemed to have accepted the terms of this **LIMIT OF WARRANTY AND LIABILITY** which may not be varied by any verbal or written agreement.

**BEST AVAILABLE COPY**

### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children

## DANGER!

CAUSES EYE BURNS  
HARMFUL IF SWALLOWED OR INHALED  
MAY CAUSE ALLERGIC SKIN REACTION

Do not get in eyes, on skin or on clothing.  
Wear goggles or face shield and rubber gloves in transferring and mixing and when adjusting, repairing or cleaning equipment.

Avoid breathing vapor or spray mist.

Wash thoroughly with soap and water after handling.  
**FIRST AID: IF IN EYES**, immediately flush with plenty of water for at least 15 minutes. Call a physician.

**IF ON SKIN**, flush with plenty of water while removing contaminated clothing. If irritation persists, call a physician. Wash clothing before reuse. Sensitive persons should avoid further contact and reuse of contaminated clothing.

**IF INHALED**, remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Call a physician.

**IF SWALLOWED**, this product will cause gastroenteric and tract irritation. Immediately dilute by swallowing water or milk. Call a physician. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

In case of an emergency involving this product, Call Collect, day or night: (314) 694-4000

### Environmental Hazards

Avoid direct application to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

### Physical or Chemical Hazards

Spray solutions of this product should be mixed, stored and applied only in stainless steel, aluminum, fiberglass plastic and plastic lined steel containers.

**DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL, EXCEPT STAINLESS STEEL CONTAINERS OF SPRAY TANKS.** This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury. High temperature flame, sparks, welder's torch, lit cigarettes or other ignition source.

### Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Do not store near fertilizers, acids, insecticides or fungicides.

**STORAGE**  
STORE ABOVE 40°F to keep product in solution. If crystals form, place in a warm room (72°F), allow the product to reach room temperature and roll or shake periodically until crystals have dissolved. Keep containers closed to prevent spills and contamination.

For both containers, see the container label for alternate storage information.

**DISPOSAL**

Wastes resulting from the use of this product that can not be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or buried on site in a safe place away from water supplies. All disposal should be in accordance with applicable Federal, state or local procedures.

See the individual container label for disposal information.

**ACTIVE INGREDIENTS\***

Glyphosate [N-phosphonomethyl glycine] as the isopropylamine salt 16.5%

Dicamba (3,6-dichloro-p-anisic acid) as the isopropylamine salt 7.0%

**INERT INGREDIENTS** 76.5%

\*Contains 180 grams per litre or 1.5 lbs per U.S. gallon of the active ingredient glyphosate as its isopropylamine salt and 72 grams per litre or 0.6 lb per U.S. gallon of the active ingredient dicamba as its isopropylamine salt. Equivalent to 132 grams per litre or 1.1 lbs per U.S. gallon of the acid glyphosate and 60 grams per litre or 0.5 lb per U.S. gallon of the acid dicamba.

The glyphosate component of Fallow Master herbicide is protected by U.S. Patent No. 3,799,758 and U.S. Patent No. 4,405,531. Other patents are pending.

**GENERAL INFORMATION**

Fallow Master is a postemergence herbicide for control or suppression of emerged weeds in fallow and reduced tillage systems. This product should be applied 15 days prior to planting of wheat, barley, oats, or sorghum grain or forage.

This product enters the plant through the foliage and moves throughout the plant. Visual effects of control are a gradual wilting or yellowing of the plant, which advances to complete browning of aboveground growth and deterioration of affected underground plant parts. Visible symptoms will usually develop on labeled weeds within 2 to 4 days after application, but may not occur for 7 or more days. Extremely cool or cloudy weather following treatment may slow activity of this product and delay the visual effects of control.

Keep people and domestic animals off treated areas until foliage has dried.

**APPLICATION PRECAUTIONS AND WARNINGS**

- Delay planting of wheat, barley, oats, or sorghum grain or forage 15 days after application of this product.
- Do not graze animals or other than wheat, barley, oats, or sorghum grain or forage 15 months after application of this product until the product has disappeared from the soil.
- Do not feed or forage treated vegetation from treated areas within 8 weeks after application.
- THIS PRODUCT MAY CAUSE INJURY TO DESIRABLE TREES, PLANTS, OR CROPS ESPECIALLY SENSITIVE BROADLEAF PLANTS SUCH AS BEANS, COTTON, FLOWERS, FRUIT TREES, GRAPES, ORNAMENTALS, PEAS, POTATOES, SOYBEANS, SUNFLOWERS, TOMATOES AND OTHER BROADLEAF PLANTS IF BROUGHT INTO CONTACT WITH THEIR ROOTS, STEMS, OR FOLIAGE. THESE PLANTS ARE MOST SENSITIVE DURING THEIR ACTIVE GROWTH AND DEVELOPMENT STAGE.

- Do not use aerial equipment to apply this product when sensitive crops and plants are growing in the vicinity of area to be treated.
- Applications should be made only when there is no hazard from spray drift since very small quantities of spray, which may not be visible, may severely injure susceptible crops or desirable vegetation.
- The likelihood of injury occurring to adjacent crops from the use of this product is greatest when winds are gusty or in excess of 5 miles per hour or when other conditions including lesser wind velocities will favor spray drift.
- Movement of this product on soil particles during windstorms may cause damage to susceptible plants that are contacted. This hazard is reduced if rainfall occurs shortly after application.
- Buyer and all users are responsible for all loss or damage in connection with the use or handling of mixtures of this herbicide or other materials that are not expressly recommended in this labeling. Mixing this product with herbicides or other materials not recommended on this label may result in reduced performance. Use of this product in any manner not consistent with this label may result in injury to persons, animals or crops or other unintended consequences.
- Fallow Master herbicide is subject to all state and county regulations for dicamba.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

**TIMING OF APPLICATION**

This product should be applied postemergence to vigorously growing weeds when they have reached the recommended size given in the "RECOMMENDED RATES AND WEEDS CONTROLLED" section of this label. Application should be delayed until maximum emergence of the target weeds, but before weeds exceed the maximum size recommended. For annual weeds allow 1 day after treatment before tillage.

Control may result if applications are made during poor growing conditions such as drought stress, disease or insect damage or if weeds have been mowed, grazed or cut. Heavy dust on foliage or an overstory canopy covering targeted weeds may also reduce control.

Rainfall or irrigation occurring within 6 hours after application may reduce effectiveness. Heavy rainfall or irrigation within 2 hours after application may wash this product off the foliage and a repeat application may be required.

**RECOMMENDED RATES AND WEEDS CONTROLLED**

For best results, apply this product after most weed seeds have germinated, but before seedhead formation in grasses or flower bud formation in broadleaves.

When applied as directed, Fallow Master herbicide will provide control or suppression of the grass and broadleaf weed species listed below. Rates recommended are for maximum weed height at treatment time.

ANNUAL WEED SPECIES	FALLOW MASTER*	
	RATE PER ACRE	MAXIMUM HEIGHT
Foxtail, green <i>Setaria viridis</i>	21 oz	12"
Barley <i>Hordeum vulgare</i>	32 oz	6"
Brome downy* <i>Bromus tectorum</i>		
Cheat* <i>Bromus secalinus</i>		
Foxtail <i>Setaria spp.</i>		
Kochia* <i>Kochia scoparia</i>		
Lettuce prickly* <i>Lactuca serriola</i>		
Mustard, tansy <i>Descurainia pinnata</i>	32 oz	12"
Mustard, tumble <i>Sisymbrium altissimum</i>		
Wheat <i>Triticum aestivum</i>		
Barnyardgrass <i>Echinochloa crus galli</i>	42 oz	6"
Buffalobur <i>Solanum rostratum</i>		
Goatgrass <i>Aegilops cylindrica</i>		
Mustard, blue <i>Chorispora tenella</i>		
Panicum fall <i>Panicum dichotomiflorum</i>		
Oat, wild <i>Avena fatua</i>	42 oz	12"
Thistle, Russian <i>Salsola kali</i>		

\*For control of heavy infestations or dense, overwintered stands, use 42 ounces.

**BEST AVAILABLE COPY**

The 300 weight (3 gallons of Master) contains a concave material in nozzle jar test 1 gallon of sediment in water ammonium add slow outlet for COMPLETE ADDING SPRAY REDUCE NOTE A problem

AF This product sprayed drifting or fruit coverage of GROUND this product broadcast coverage using 10 apart and to the measure and pressure Use appropriate coverage AERIAL this product cast sprays TIONS. 1 CONDITION DAMAGE TREATMENT TO ADJACENT BUFFER Coarse nozzles c fine spray airstreaming nozzle

**RECOMMENDED RATES AND WEEDS CONTROLLED**

For best results apply this product after most weeds have germinated but before seedhead formation in grasses or flower bud formation in broadleaves.

When applied as directed, Fallow Master herbicide will provide control or suppression of the grass and broadleaf weed species listed below. Rates recommended are for maximum weed height at treatment time.

ANNUAL WEED SPECIES	"FALLOW MASTER"	
	RATE PER ACRE	MAXIMUM HEIGHT
<b>Foxtail green</b> <i>Setaria viridis</i>	21 oz	12"
<b>Barley</b> <i>Hordeum vulgare</i>	32 oz	6"
<b>Brome Downy*</b> <i>Bromus tectorum</i>		
<b>Cheat*</b> <i>Bromus secalinus</i>		
<b>Foxtail</b> <i>Setaria sp.</i>		
<b>Kochia*</b> <i>Kochia scoparia</i>		
<b>Lettuce prickly*</b> <i>Lactuca serriola</i>		
<b>Mustard tansy</b> <i>Descurainia pinnata</i>	32 oz	12"
<b>Mustard tumble</b> <i>Sisymbrium altissimum</i>		
<b>Wheat</b> <i>Triticum aestivum</i>		
<b>Barnyardgrass</b> <i>Echinochloa crus-galli</i>	12 oz	6"
<b>Buffalobur</b> <i>Solanum rostratum</i>		
<b>Goatgrass</b> <i>Aegilops cylindrica</i>		
<b>Mustard blue</b> <i>Chorispora tenella</i>		
<b>Panicum fall</b> <i>Panicum dichotomiflorum</i>		
<b>Oat, wild</b> <i>Avena fatua</i>	42 oz	12"
<b>Thistle, Russian</b> <i>Salsola kali</i>		

\*For control of heavy infestations or dense overwintered stands, use 42 ounces.

**AMMONIUM SULFATE**

The addition of 2 percent dry ammonium sulfate by weight (or liquid equivalent) of 17 pounds per 100 gallons of water may increase the performance of Fallow Master on annual weeds. The improvement in performance may be apparent where environmental stress is a concern. Low-quality ammonium sulfate may contain material that will not readily dissolve which could result in nozzle tip plugging. To determine quality, perform a jar test by adding 1-3 cup of ammonium sulfate to a gallon of water and agitate for 1 minute. If undissolved sediment is observed, predissolve the ammonium sulfate in water and filter prior to addition to the spray tank. If ammonium sulfate is added directly to the spray tank, add slowly with agitation. Adding too quickly may clog outlet line. **ENSURE THAT AMMONIUM SULFATE IS COMPLETELY DISSOLVED IN THE SPRAY TANK BEFORE ADDING THIS PRODUCT. THOROUGHLY RINSE THE SPRAY SYSTEM WITH CLEAN WATER AFTER USE TO REDUCE CORROSION.**

NOTE: When using ammonium sulfate, compatibility problems may occur at carrier volumes below 5 GPA.

**APPLICATION EQUIPMENT**

This product may be applied using either ground or aerial spray equipment. Use extreme care to avoid misting or drifting of herbicide solution onto foliage, green stems or fruit of desirable crops, trees or plants during both growing and dormant periods since even very small quantities of spray can cause severe plant injury.

**GROUND APPLICATION:** Apply recommended rates of this product in 3 to 10 gallons of water per acre as a broadcast spray. For optimum spray distribution and coverage, use flat fan or low volume flood nozzles. When using flood nozzles, space them no more than 40 inches apart and ensure double overlap of spray pattern. Refer to the manufacturer's recommendations for correct pressure and nozzle height above the target canopy. Avoid pressure and nozzles which produce fine droplets or mist.

Use appropriate marking devices to ensure uniform spray coverage and best results from Fallow Master herbicide.

**AERIAL APPLICATION:** Apply the recommended rates of this product in 3 to 5 gallons of water per acre as a broadcast spray. **DO NOT APPLY DURING INVERSION CONDITIONS WHEN WINDS ARE GUSTY OR WHEN OTHER CONDITIONS WILL FAVOR DRIFT. DRIFT MAY CAUSE DAMAGE TO ANY VEGETATION CONTACTED TO WHICH TREATMENT WAS NOT INTENDED TO PREVENT INJURY TO ADJACENT DESIRABLE VEGETATION. APPROPRIATE BUFFER ZONES MUST BE MAINTAINED.**

Coarse sprays are less likely to drift, therefore, do not use nozzles or nozzle configurations which dispense spray as fine spray droplets. Do not angle nozzles forward into the airstream and do not increase spray volume by increasing nozzle pressure.

**MIXING INSTRUCTIONS**

Fill the spray tank to about 3/4 of the desired volume with clean water. Add the recommended amount of this product, then complete the filling process while maintaining agitation. Remove the hose from the mixing tank immediately after filling to avoid siphoning back into the carrier source. During mixing and application, foaming of the spray solution may occur. To prevent or minimize foam, terminate by pass and return lines at the tank bottom and/or use an agriculturally approved antifoam or defoaming agent.

Additional surfactant is not necessary for this formulation.

NOTE: Residue deposits may occur if water containing soil is used, such as water from ponds and unlined ditches.

**SPRAYER CLEANUP**

The steps listed below are suggested for thorough cleaning of spray equipment following applications of Fallow Master herbicide. Failure to clean the sprayer thoroughly may result in injury to desirable vegetation subsequently sprayed with the equipment.

1. Hose down thoroughly the inside as well as outside surfaces of equipment while filling the spray tank half full with water. Flush by operating the sprayer until the system is purged of the rinse water.
2. Fill the tank with water while adding 1 quart of household ammonia for every 25 gallons of water. Operate the pump to circulate the ammonia solution through the sprayer system for 15 to 20 minutes and discharge a small amount of the ammonia solution through the boom and nozzles. Let the solution stand for several hours, preferably overnight.
3. Flush the solution out of the spray tank through the boom.
4. Remove the nozzles and screens and flush the system with two full tanks of water.

Thoroughly wash aircraft, especially landing gear, after each day of spraying to remove residues of this product accumulated during spraying or from spills. **PROLONGED EXPOSURE OF THIS PRODUCT TO UNCOATED STEEL SURFACES MAY RESULT IN CORROSION AND POSSIBLE FAILURE OF THE PART. LANDING GEAR ARE MOST SUSCEPTIBLE.** The maintenance of an organic coating (Paint) which meets aerospace specification MIL-C-38413 may prevent corrosion.

386 65-000 01 53

MONSANTO COMPANY 1987

In case of an emergency involving this product, call Collect day or night, (314) 634-4000

**BEST AVAILABLE COPY**



MONSANTO COMPANY  
AGRICULTURAL PRODUCTS  
ST. LOUIS, MISSOURI 63167 USA

PM 25  
524-390-

1/12

# FALLOW MASTER

REDUCED TILLAGE HERBICIDE Monsanto

For control or suppression of emerged weeds in fallow and reduced tillage small grain systems in the States of Alabama, Alaska, Arizona, Arkansas, California, Colorado, Connecticut, Delaware, Florida, Georgia, Hawaii, Idaho, Illinois, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Maryland, Massachusetts, Michigan, Minnesota, Mississippi, Missouri, Montana, Nebraska, Nevada, New Hampshire, New Jersey, New Mexico, New York, North Carolina, North Dakota, Ohio, Oklahoma, Oregon, Pennsylvania, Rhode Island, South Carolina, South Dakota, Tennessee, Texas, Utah, Vermont, Virginia, Washington, West Virginia, Wisconsin and Wyoming.

**Complete Directions for Use**  
**AVOID CONTACT WITH FOLIAGE OF CROP OR OTHER DESIRABLE VEGETATION SINCE SEVERE INJURY OR DESTRUCTION MAY RESULT.**

EPA Reg. No. 524  
Fallow Master is a trademark of and used under license from Sandoz Ltd.  
1987-1 846 65-000.01/83

**ACCEPTED**  
8 - JAN 1983  
Under the Federal Insecticide, Fungicide, and Plant Repellent Act, as amended, in the pesticide registration file  
EPA Reg. No. 524-390

©MONSANTO COMPANY 1987

MONSANTO COMPANY  
AGRICULTURAL PRODUCTS  
ST. LOUIS, MISSOURI 63167 U.S.A.



Read the entire label before using this product.  
Use only according to label instructions.  
Read LIMIT OF WARRANTY AND LIABILITY before buying or using. If terms are not acceptable, return at once unopened.  
REFORMULATION OR REPACKAGING IS PROHIBITED.

**LIMIT OF WARRANTY AND LIABILITY**  
This Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use label booklet ("Directions") when used in accordance with these Directions under the conditions described therein. NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated hereafter.

Buyer and all users shall promptly notify this Company of any claims whether based in contract, negligence, strict liability, or other tort or otherwise.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this Company, including but not limited to incompatibility with products other than those set forth in the Directions, application to or contact with desirable vegetation, unusual weather, weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions when it is outside the application ranges set forth in the Directions, application in any manner not explicitly set forth in the Directions, moisture conditions outside the moisture range specified in the Directions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

**THE EXCLUSIVE REMEDY OF THE USER OR BUYER AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED OR, AT THE OPTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY OR, IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES.**

The Buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY, which may not be varied by any verbal or written agreement.

### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children

**DANGER!**

CAUSES EYE BURNS.

HARMFUL IF SWALLOWED OR INHALED

MAY CAUSE ALLERGIC SKIN REACTION.

Do not get in eyes, on skin or on clothing

Wear goggles or face shield and rubber gloves in transit, ferret and mixing and when adjusting, repairing or cleaning equipment.

Avoid breathing vapor or spray mist.

Wash thoroughly with soap and water after handling.  
**FIRST AID: IF IN EYES**, immediately flush with plenty of water for at least 15 minutes. Call a physician.

**IF ON SKIN**, flush with plenty of water while removing contaminated clothing. If irritation persists, call a physician. Wash clothing before reuse. Sensitive persons should avoid further contact and removal of contaminated clothing.

**IF INHALED**, remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Call a physician.

**IF SWALLOWED**, this product will cause gastroenteritis and throat irritation. Immediately dilute by swallowing water or milk. Call a physician. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

In case of an emergency involving this product, Call Collect, day or night, (316) 694-4925.

### Environmental Hazards

Avoid direct application to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

### Physical or Chemical Hazards

Spray solutions of this product should be mixed, stored and applied only in stainless steel, aluminum, fiberglass plastic and plastic-lined steel containers.

**DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL CONTAINERS OF SPRAY TANKS).** This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury. If ignited, the open flame, smoke, and toxic gases could cause serious damage to life and property.

### Storage and Disposal

Do not contaminate water, food, or feed by storage or disposal. Do not store near feedstuffs, animal products, fertilizers.

**STORAGE**  
STORE ABOVE 40°F. To keep product in solution, if crystals form, place in a warm place (20°C) to allow the product to reach room temperature. Add rate or spray periodically until crystals have dissolved. Keep containers closed to prevent spills and contamination.

For bulk containers, see the container label for alternate storage information.

### DISPOSAL

Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or buried on site in a safe place away from water supplies. An disposal should be in accordance with applicable Federal, state or local procedures.

See the individual container label for disposal information.

### ACTIVE INGREDIENTS\*

Glyphosate (N-phosphonomethyl glycine) as the isopropylamine salt	16.5%
Dicamba (2, 6-dichloroguanic acid) as the isopropylamine salt	7.0%
<b>INERT INGREDIENTS</b>	<b>76.5%</b>
	<b>100.0%</b>

\*Contains 180 grams per litre or 1.5 lbs per U.S. gallon of the active ingredient, glyphosate, as its isopropylamine salt and 72 grams per litre or 0.6 lb per U.S. gallon of the active ingredient, dicamba, as its isopropylamine salt. Equivalent to 132 grams per litre or 1.1 lbs per U.S. gallon of the acid glyphosate and 60 grams per litre or 0.5 lb per U.S. gallon of the acid dicamba.

The glyphosate component of Fallow Master herbicide is protected by U.S. Patent No. 3,789,758 and U.S. Patent No. 4,405,531. Other patents are pending.

### GENERAL INFORMATION

Fallow Master is a post-emergence herbicide for control or suppression of emerged weeds in fallow and reduced tillage systems. This product should be applied 15 days prior to planting of wheat, barley, oats, or spring annuals or forage.

This product enters the plant through the foliage and moves throughout the plant. Visual effects of control are a gradual wilting or yellowing of the plant, which advances to complete browning of aboveground growth and deterioration of affected underground plant parts. Visible symptoms usually develop on treated weeds within 2 to 4 days after application, but may not occur for 7 or more days. Extremely cool or cloudy weather following treatment may slow activity of this product and delay the visual effects of control.

Keep people and domestic animals off treated areas until foliage has dried.

### APPLICATION PRECAUTIONS AND WARNINGS

• Do not plant of wheat, barley, oats, or spring annuals or forage for 15 days after application of this product.

• Do not plant any crop other than wheat, barley, oats, or spring annuals or forage for 15 days after application of this product has succeeded from the soil.

• Do not feed or forage treated vegetation from treated areas within 8 weeks after application.

• THIS PRODUCT MAY CAUSE INJURY TO DESIRABLE TREES, PLANTS, OR CROPS, ESPECIALLY SENSITIVE BROADCLEAF PLANTS SUCH AS BEANS, COTTON, FLOWERS, FRUIT TREES, GRAPES, ORNAMENTALS, TREES, POTATOES, SWEETANS, SUNFLOWERS, TOMATOES AND OTHER BROADCLEAF PLANTS IF BROUGHT INTO CONTACT WITH THEIR ROOTS, STEMS, OR FOLIAGE. THESE PLANTS ARE MOST SENSITIVE DURING THEIR ACTIVE GROWTH AND DEVELOPMENT STAGE.

**BEST AVAILABLE COPY**

- Do not use aerial equipment to apply this product when sensitive crops and plants are growing in the vicinity of area to be treated.
- Applications should be made only when there is no hazard from spray drift to nearby sensitive crops or plants which may not be susceptible to the herbicide.
- The label hazard of injury occurring to adjacent crops from the use of this product is greatest when winds are gusty or in excess of 5 miles per hour or when other conditions including lesser wind velocities will favor spray drift.
- Movement of this product on soil particles during windstorms may cause damage to susceptible plants that are contacted. This hazard is reduced if a that occurs shortly after application.
- Buyer and all users are responsible for all loss or damage in connection with the use of any of the materials of this herbicide or other materials that are not expressly recommended in this labeling. Mixing this product with herbicides or other materials not recommended on this label may result in reduced performance. Use of this product in any manner not consistent with this label may result in injury to persons or animals or crops or other unintended consequences.
- Fallow Master herbicide is subject to state and county regulations for damage.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

### TIMING OF APPLICATION

This product should be applied postemergence to a growing weed when they have reached the recommended size given in the "RECOMMENDED RATES AND WEEDS CONTROLLED" section of this label. Application should be delayed until maximum emergence of the target weeds, but before weeds exceed the maximum size recommended. For aerial weeds allow 1 day after treatment before a stage.

Reduced control may result if applications are made during poor growing conditions such as drought stress, use of insecticide or if weeds have been mowed, grazed or cut. Heavy dust on foliage or an overcast canopy covering targeted weeds may also reduce control. Rainfall or irrigation occurring within 24 hours after application may reduce effectiveness. Heavy rainfall or irrigation within 2 hours after application may wash this product off the foliage and a repeat application may be required.

### RECOMMENDED RATES AND WEEDS CONTROLLED

For best results apply this product after most weed seeds have germinated but before seedhead formation in grasses or flower bud formation in broadleaves. When applied as directed, Fallow Master herbicide will provide control or suppression of the grass and broadleaf weed species listed below. Rates recommended are for maximum weed height at treatment time.

ANNUAL WEED SPECIES	FALLOW MASTER*	
	RATE PER ACRE	MAXIMUM HEIGHT
Festul, green Setaria kinds	21 oz	12"
Barley Hordeum vulgare Brome, Spangy* Bromus tectorum Cheat* Bromus secus flus Festul Setaria spp Kochia* Kochia scopulina Lettuce, prickly* Lactuca serriola	32 oz	6"
Mustard, taney Descurainia bicolorata Mustard, tumble Sisymbrium officinalium Wheat Triticum aestivum	32 oz	12"
Barnyardgrass Echinochloa crus-galli Barnabuber Solanum rostratum Goatgrass Aegilops cylindrica Mustard, blue Chorispora tenella Panicum fall Cenchrus ciliaris	42 oz	6"
Oat, wild Avena fatua Thistle, Russian Salsola kali	42 oz	12"

\*For control of heavy infestations or dense, over-mature stands, use 42 ounces.

### AMMONIUM SULFATE

The addition of 2 percent dry ammonium sulfate by weight (or liquid equivalent of 13 pounds per 100 gallons of water) may increase the performance of Fallow Master on annual weeds. The improvement in performance may be apparent where environmental stress is a concern. Low quality ammonium sulfate may contain material that will not readily dissolve which could result in nozzle clogging. To determine quality, perform a jar test by adding 1/3 cup of ammonium sulfate to 1 gallon of water and agitate for 1 minute. If a visible sediment is observed, pre-dissolve the ammonium sulfate in water and filter prior to addition to the spray tank. If ammonium sulfate is added directly to the spray tank, add slowly with agitation. Adding too quickly may clog the nozzle. ENSURE THAT AMMONIUM SULFATE IS COMPLETELY DISSOLVED IN THE SPRAY TANK BEFORE ADDING THIS PRODUCT. THOROUGHLY RINSE THE SPRAY SYSTEM WITH CLEAN WATER AFTER USE TO REDUCE CORROSION.

NOTE: When using ammonium sulfate, compatibility problems may occur at carrier volumes below 5 GPA.

### APPLICATION EQUIPMENT

This product may be applied using either ground or aerial spray equipment. Use extreme care to avoid misting or drifting of herbicide solution onto foliage, green stems or fruit of desirable crops, trees, or plants during both growing and dormant periods since even very small quantities of spray can cause severe plant injury.

**GROUND APPLICATION:** Apply recommended rates of this product in 3 to 10 gallons of water per acre as a broadcast spray. For optimum spray distribution and coverage, use flat fan or low volume flood nozzles. When using flood nozzles, space them no more than 40 inches apart and ensure double overlap of spray pattern. Refer to the manufacturer's recommendations for correct pressure and nozzle height above the target canopy. Avoid pressure and nozzles which produce fine droplets or mist. Use appropriate marking devices to ensure uniform spray coverage and best results from Fallow Master herbicide.

**AERIAL APPLICATION:** Apply the recommended rates of this product in 3 to 5 gallons of water per acre as a broadcast spray. DO NOT APPLY DURING INVERSION CONDITIONS WHEN WINDS ARE GUSTY, OR WHEN OTHER CONDITIONS WILL FAVOR DRIFT. DRIFT MAY CAUSE DAMAGE TO ANY VEGETATION CONTACTED TO WHICH TREATMENT WAS NOT INTENDED. TO PREVENT INJURY TO ADJACENT DESIRABLE VEGETATION, APPROPRIATE BUFFER ZONES MUST BE MAINTAINED.

Coarse sprays are less likely to drift, therefore, do not use nozzles or nozzle configurations which disperse spray as fine spray droplets. Do not angle nozzles forward into the airstream and do not increase spray volume by increasing nozzle pressure.

### MIXING INSTRUCTIONS

Fill the spray tank to about 3/4 of the desired volume with clean water. Add the recommended amount of this product. Then complete the mixing process as follows: Turn on agitation. Remove the hose from the mixing tank immediately after filling to avoid splashing back into the carrier source. During mixing and application, turning of the spray solution may occur. To prevent or minimize foam, terminate by pass and return lines at the tank bottom and/or use an agriculturally approved foam or defoaming agent.

Additional surfactant is not necessary for this formulation. NOTE: Reduced results may occur if water containing soil is used, such as water from ponds and unlined ditches.

### SPRAYER CLEANUP

The steps listed below are suggested for thorough cleaning of spray equipment following applications of Fallow Master herbicide. Failure to clean the sprayer thoroughly may result in injury to desirable vegetation subsequently sprayed with the equipment.

1. Hose down thoroughly the inside as well as outside surfaces of equipment while filling the spray tank half full with water. Flush by operating the sprayer until the system is purged of the herbicide.
2. Fill the tank with water while adding 1 gallon of household ammonia for every 25 gallons of water. Operate the pump to circulate the ammonia solution through the sprayer system for 15 to 20 minutes and discharge a small amount of the ammonia solution through the boom and nozzles. Let the solution stand for several hours, preferably overnight.
3. Flush the solution out of the spray tank through the boom.
4. Remove the nozzles and screens and flush the system with two full tanks of water.

Thoroughly wash a tank, especially landing gear. After each day of spraying to remove residues of this product accumulated during spraying or from spots. PROLONGED EXPOSURE OF THIS PRODUCT TO UNCOATED STEEL SURFACES MAY RESULT IN CORROSION AND POSSIBLE FAILURE OF THE PART. LANDING GEAR ARE MOST SUSCEPTIBLE. The maintenance of an organic coating (Paint) which meets aerospace specifications MIL-C-38413 may prevent corrosion.

385 65-000 01-53

MONSANTO COMPANY 1987

In case of an emergency involving this product, call Collect day or night (314) 634-4000



MONSANTO COMPANY  
AGRICULTURAL PRODUCTS  
ST. LOUIS, MISSOURI 63167 U.S.A.

BEST AVAILABLE COPY

3/12

# FALLOW MASTER™

HERBICIDE BY **Monsanto**

For control or suppression of emerged weeds in fallow and reduced tillage small grain systems.

AVOID CONTACT WITH FOLIAGE OF CROP OR OTHER DESIRABLE VEGETATION SINCE SEVERE INJURY OR DESTRUCTION MAY RESULT.

Carefully follow detailed instructions in attached booklet

Read the entire label before using this product. Use only according to label instructions. Read "LIMIT OF WARRANTY AND LIABILITY" which appears in the label booklet before buying or using. If terms are not acceptable, return at once unopened. The contents of this container may not be REFORMULATED nor, except in accordance with the Monsanto to Repackaging Agreement, REPACKAGED.

### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children.  
**DANGER!**  
CAUSES EYE BURNS.  
HARMFUL IF SWALLOWED OR INHALED.  
MAY CAUSE ALLERGIC SKIN REACTION.  
Do not get in eyes, on skin or on clothing.  
Wear goggles or face shield and rubber gloves in transferring and mixing and when adjusting, repairing or cleaning equipment.

Avoid breathing vapor or spray mist.  
Wash thoroughly with soap and water after handling.  
**FIRST AID:** IF IN EYES, immediately flush with plenty of water for at least 15 minutes. Call a physician.  
IF ON SKIN, flush with plenty of water while removing contaminated clothing. If irritation occurs, call a physician. Wash clothing before reuse. Sensitized persons should avoid further contact and reuse of contaminated clothing.  
IF INHALED, remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Call a physician.  
IF SWALLOWED, this product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Call a physician. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**  
In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

### Environmental Hazards

Avoid direct application to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

### Physical or Chemical Hazards

Spray solutions of this product should be mixed, stored and applied only in stainless steel, aluminum, fiberglass, plastic and plastic-lined steel containers.

**DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS.** This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

### Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Do not store near fertilizers, seeds, insecticides or fungicides.

**STORAGE:**  
STORE ABOVE 40°F. TO KEEP PRODUCT IN SOLUTION. If crystals form, place product in a warm area and mix well or recirculate until crystals have dissolved.

**DISPOSAL:**  
Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or buried on site in a safe place away from water supplies. All disposal should be in accordance with applicable Federal, state or local procedures.

Empty container retains vapor and odor. Observe all labeled safeguards until container is properly reconditioned or destroyed.

Triple rinse emptied bulk containers before recycling or reconditioning, or disposal as required by state and local authorities.

**ACTIVE INGREDIENTS\*:**  
Glyphosate (N-phosphonomethyl) glycine as the isopropylamine salt .....  
Dicamba (3,6-dichloro-p-anisic acid) as the isopropylamine salt .....  
**INERT INGREDIENTS:** .....

\*Contains 180 grams per litre or 1.5 lb per gallon of the active ingredient, glyphosate isopropylamine salt and 72 grams per litre or 0.6 lb per gallon of the active ingredient, dicamba isopropylamine salt. Equivalent to 132 grams per U.S. gallon of the acid glyphosate and 0.5 lb per U.S. gallon of the acid dicamba.

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

EPA Reg. No. 524-  
©MONSANTO COMPANY 1987  
\*Registered trademark of Monsanto Company.  
\*FALLOW MASTER is a trademark of Monsanto Company. License from Sandoz Ltd.



In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000

LOT NO.

PACKER

NET



# FALLOW MASTER™

HERBICIDE BY **Monsanto**

For control or suppression of emerged weeds in fallow and reduced tillage small grain systems.

AVOID CONTACT WITH FOLIAGE OF CROP OR OTHER DESIRABLE VEGETATION SINCE SEVERE INJURY OR DESTRUCTION MAY RESULT.

Carefully follow detailed instructions in attached booklet

Read the entire label before using this product  
Use only according to label instructions  
Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable, return at once unopened.

REFORMULATION OR REPACKAGING IS PROHIBITED

Keep out of reach of children

**DANGER!** Read precautions on side panel

ACTIVE INGREDIENTS*	
Glyphosate (N phosphonomethyl glycine) as the isopropylamine salt	16.5%
Dicamba (3,6 dichloro-p-anisic acid) as the isopropylamine salt	7.0%
INERT INGREDIENTS	76.5%
	100.0%

\*Contains 180 grams per litre or 1.5 lbs per U.S. gallon of the active ingredient, glyphosate, as its isopropylamine salt and 72 grams per litre or 0.6 lb per U.S. gallon of the active ingredient, dicamba, as its isopropylamine salt. Equivalent to 132 grams per litre or 1.1 lbs per U.S. gallon of the acid glyphosate and 60 grams per litre or 0.5 lb per U.S. gallon of the acid dicamba.

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

Keep out of reach of children

### DANGER!

CAUSES EYE BURNS.  
HARMFUL IF SWALLOWED OR INHALED.

MAY CAUSE ALLERGIC SKIN REACTION.

Do not get in eyes, on skin or on clothing.

Wear goggles or face shield and rubber gloves in transferring and mixing and when adjusting, repairing or cleaning equipment

Avoid breathing vapor or spray mist

Wash thoroughly with soap and water after handling.

**FIRST AID IF IN EYES.** Immediately flush with plenty of water for at least 15 minutes. Call a physician.

**IF ON SKIN.** Flush with plenty of water while removing contaminated clothing. If irritation occurs, call a physician. Wash clothing before reuse. Sensitized persons should avoid further contact and reuse of contaminated clothing.

**IF INHALED,** remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Call a physician.

**IF SWALLOWED,** this product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Call a physician. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000

### Environmental Hazards

Avoid direct application to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

### Physical or Chemical Hazards

Spray solutions of this product should be mixed, stored and applied only in stainless steel, aluminum, fiberglass, plastic and plastic-lined steel containers.

DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

### Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Do not store near fertilizers, seeds, insecticides or fungicides.

**STORAGE**  
STORE ABOVE 40°F TO KEEP PRODUCT IN SOLUTION. If crystals form, place in a warm room (72°F), allow the product to reach room temperature and roll or shake periodically until crystals have dissolved. Keep container closed to prevent spills and contamination.

**DISPOSAL**  
Wastes resulting from the use of this product that can not be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or buried on site in a safe place away from water supplies. All disposal should be in accordance with applicable Federal, state or local procedures.

Empty container retains vapor and product residue. Observe all labeled safeguards until container is destroyed.

Do not reuse container. Triple rinse emptied container. Then puncture and dispose of in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

### LIMIT OF WARRANTY AND LIABILITY

This Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use label booklet ("Directions") when used in accordance with those Directions under the conditions described therein. **NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE.** This warranty is also subject to the conditions and limitations stated herein.

Buyer and all users shall promptly notify this Company of any claims, whether based in contract, negligence, strict liability, other tort or otherwise.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this Company, including but not limited to incompatibility with products other than those set forth in the Directions, application to or contact with desirable vegetation, unusual weather, weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application range set forth in the Directions, application in any manner not explicitly set forth in the Directions, moisture conditions outside the moisture range specified in the Directions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED, OR AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY, OR, IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

The Buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement.

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000

EPA Reg. No. 524

©MONSANTO COMPANY 1987

\*Registered trademark of Monsanto Company

\*FALLOW MASTER is a trademark of and used under license from, Sandoz Ltd.

MONSANTO COMPANY  
AGRICULTURAL PRODUCTS  
ST. LOUIS, MISSOURI 63167 USA



EPA Est.

886 65 000 02

NET 30 GAL

# FALLOW MASTER™

BY **Monsanto**

For control or suppression of emerged weeds in fallow and reduced tillage small grain systems.

AVOID CONTACT WITH FOLIAGE OF CROP OR OTHER DESIRABLE VEGETATION SINCE SEVERE INJURY OR DESTRUCTION MAY RESULT.

Carefully follow detailed instructions in booklet

Read the entire label before using this product. Use only according to label instructions. See "LIMIT OF WARRANTY AND LIABILITY", which appears in the label booklet before buying or using. If terms are not acceptable, return at once unopened. The contents of this container may not be repackaged, nor, except in accordance with the Monsanto Repackaging Agreement, repackaged.

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

Keep out of reach of children.

### DANGER!

CAUSES EYE BURNS  
HARMFUL IF SWALLOWED OR  
INHALED

### JAY CAUSE ALLERGIC SKIN REACTION

Do not get in eyes, on skin or on clothing.

Wear goggles or face shield and rubber gloves in transferring and mixing and when adjusting, repairing or cleaning equipment.

Ward breathing apparatus or spray mist.

Wash thoroughly with soap and water after handling.

FIRST AID: IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Call a physician.

IF ON SKIN: Flush with plenty of water while removing contaminated clothing. If irritation occurs, call a physician. Wash clothing before reuse. Sensitized persons should avoid further contact and reuse of contaminated clothing.

IF INHALED: remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Call a physician.

IF SWALLOWED: This product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Call a physician. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

### Environmental Hazards

Avoid direct application to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

### Physical or Chemical Hazards

Spray solutions of this product should be mixed, stored and applied only in stainless steel, aluminum, fiberglass, plastic and plastic lined steel containers.

DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash

or explode, causing serious personal injury if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

### Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Do not store near fertilizers, seeds, insecticides or fungicides.

STORAGE: STORE ABOVE 40°F TO KEEP PRODUCT IN SOLUTION.

If crystals form, place product in a warm area and mix well or recirculate until crystals dissolve after temperature is above 40°F.

### DISPOSAL

Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or buried on site in a safe place away from water supplies. All disposal should be in accordance with applicable Federal, state or local procedures.

Empty container retains vapor and product residue. Observe all labeled safeguards until container is cleaned, reconditioned or destroyed.

Do not reuse containers, except in accordance with Monsanto Repackaging Agreement. Return emptied containers per the Monsanto container return program. If not returned, triple rinse emptied bulk containers. Then offer for recycling or reconditioning or dispose of in a manner approved by state and local authorities.

ACCEPTED

8 JAN 1988

U.S. Dept. of Agriculture, Federal Insecticide, Fungicide, and Plant Growth Regulator Division, Washington, D.C. 20250  
EPA Reg. No. 524-390

PLACE  
Complete Directions For Use  
Booklet  
HERE

### ACTIVE INGREDIENTS\*

Glyphosate (N-phosphonomethyl glycine) as the isopropylamine salt . . . . . 16.5%

Dicamba (3,6-dichloro-p-aminic acid) as the isopropylamine salt . . . . . 7.6%

INERT INGREDIENTS . . . . . 76.5%

100.0%

\*Contains 180 grams per litre or 1.5 lbs per U.S. gallon of the active ingredient, glyphosate, as its isopropylamine salt and 72 grams per litre or 0.6 lb per U.S. gallon of the active ingredient, dicamba, as its isopropylamine salt. Equivalent to 132 grams per litre or 1.1 lbs per U.S. gallon of the acid glyphosate and 60 grams per litre or 0.5 lb per U.S. gallon of the acid dicamba.

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

EPA Reg. No. 524-

©MONSANTO COMPANY 1987

\*Registered trademark of Monsanto Company.

FALLOW MASTER is a trademark of and used under license from Sandoz Ltd.

MONSANTO COMPANY  
AGRICULTURAL PRODUCTS  
ST. LOUIS, MISSOURI 63167 U.S.A.



886 65-000 05

NET CONTENTS

EPA Est. \_\_\_\_\_

# FALLOW MASTER™



HERBICIDE BY **Monsanto**

For control or suppression of emerged weeds in fallow and reduced tillage small grain systems.

AVOID CONTACT WITH FOLIAGE OF CROP OR OTHER DESIRABLE VEGETATION SINCE SEVERE INJURY OR DESTRUCTION MAY RESULT

Carefully follow detailed instructions in label booklet.

Read the entire label before using this product.

Use only according to label instructions.

Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable, return at once unopened.

Keep out of reach of children.

**DANGER!** Read precautions on side panel.

REFORMULATION OR REPACKAGING  
IS PROHIBITED

ACTIVE INGREDIENTS\*

Glyphosate (N-phosphonomethyl glycine) as the isopropylamine salt	16.5%
Dicamba (3,6-dichloro- <i>o</i> -anisic acid) as the isopropylamine salt	7.0%

INERT INGREDIENTS

	76.5%
	100.0%

\*Contains 180 grams per litre or 1.5 lbs per U.S. gallon of the active ingredient, glyphosate, as its isopropylamine salt and 72 grams per litre or 0.6 lb per U.S. gallon of the active ingredient, dicamba, as its isopropylamine salt. Equivalent to 132 grams per litre or 1.1 lbs per U.S. gallon of the acid glyphosate and 60 grams per litre or 0.5 lb per U.S. gallon of the acid dicamba.

NET 2.5 GAL

# SPOUT

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

Keep out of reach of children.

#### **DANGER!**

**CAUSES EYE BURNS.  
HARMFUL IF SWALLOWED OR  
INHALED.**

**MAY CAUSE ALLERGIC SKIN REACTION.**

Do not get in eyes, on skin or on clothing.

Wear goggles or face shield and rubber gloves in transferring and mixing and when adjusting, repairing or cleaning equipment.

Avoid breathing vapor or spray mist.

Wash thoroughly with soap and water after handling.

**FIRST AID: IF IN EYES,** immediately flush with plenty of water for at least 15 minutes. Call a physician.

**IF ON SKIN,** flush with plenty of water while removing contaminated clothing. If irritation occurs, call a physician. Wash clothing before reuse. Sensitized persons should avoid further contact and reuse of contaminated clothing.

**IF INHALED,** remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Call a physician.

**IF SWALLOWED,** this product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Call a physician. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

In case of an emergency involving this product. Call Collect, day or night, (314) 694-4000.

### Environmental Hazards

Avoid direct application to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

## Physical or Chemical Hazards

Spray solutions of this product should be mixed, stored and applied only in stainless steel, aluminum, fiberglass, plastic and plastic-lined steel containers.

**DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS.** This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

## Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Do not store near fertilizers, seeds, insecticides or fungicides.

#### STORAGE:

**STORE ABOVE 40°F TO KEEP PRODUCT IN SOLUTION.** If crystals form, place in a warm room (72°F.), allow the product to reach room temperature and roll or shake periodically until crystals have dissolved. Keep container closed to prevent spills and contamination.

#### DISPOSAL:

Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or buried on site in a safe place away from water supplies. All disposal should be in accordance with applicable Federal, state or local procedures.

Empty container retains vapor and product residue. Observe all labeled safeguards until container is destroyed.

Do not reuse container. Triple rinse emptied container. Then puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

\*FALLOW MASTER is a trademark of, and used under license from, Sanduz Ltd.

8/12

**ACCEPTED**  
 5 - JAN 1988

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended for the pesticide registered under EPA Reg. No. 520-100-012

BACK

# FALLOW MASTER™



HERBICIDE BY **Monsanto**

For control or suppression of emerged weeds in fallow and reduced tillage small grain systems.  
 AVOID CONTACT WITH FOLIAGE OF CROP OR OTHER DESIRABLE VEGETATION SINCE SEVERE INJURY OR DESTRUCTION MAY RESULT.

Carefully follow detailed instructions in label booklet.

Read the entire label before using this product.  
 Use only according to label instructions.  
 Read **LIMIT OF WARRANTY AND LIABILITY** before buying or using. If terms are not acceptable, return at once unopened.

Keep out of reach of children.

**DANGER!** Read precautions on side panel

**REFORMULATION OR REPACKAGING IS PROHIBITED**

**ACTIVE INGREDIENTS\*:**

Glyphosate (N-phosphonomethyl glycine) as the isopropylamine salt .....	16.5%
Dicamba (3,6 dichloro-p-aminic acid) as the isopropylamine salt .....	7.0%
<b>INERT INGREDIENTS:</b> .....	<b>76.5%</b>
	<b>100.0%</b>

\*Contains 180 grams per litre or 1.5 lbs per U.S. gallon of the active ingredient, glyphosate, as its isopropylamine salt and 72 grams per litre or 0.6 lb per U.S. gallon of the active ingredient, dicamba as its isopropylamine salt. Equivalent to 132 grams per litre or 1.1 lbs per U.S. gallon of the acid glyphosate and 60 grams per litre or 0.5 lb per U.S. gallon of the acid dicamba.

**NET 2.5 GAL**

HANDLE

#### LIMIT OF WARRANTY AND LIABILITY

This Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use label booklet ("Directions") when used in accordance with those Directions under the conditions described therein. NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein.

Buyer and all users shall promptly notify this Company of any claims whether based in contract, negligence, strict liability, other tort or otherwise.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this Company, including but not limited to, incompatibility with products other than those set forth in the Directions, application to or contact with desirable vegetation, unusual weather, weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application range set forth in the Directions,

application in any manner not explicitly set forth in the Directions, moisture conditions outside the moisture range specified in the Directions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED, OR, AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY, OR, IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

The Buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement.

To remove booklet "TAKE HOLD AT A CORNER" and "PULL UP!"

In case of an emergency involving this product,  
Call Collect, day or night, (314) 694-4000.

EPA Reg. No. 524-

© MONSANTO COMPANY 1987

® registered trademark of Monsanto Company.

MONSANTO COMPANY  
AGRICULTURAL PRODUCTS  
ST. LOUIS, MISSOURI, 63167 U.S.A.




EPA Est.

886.65-000 QZ

10/12

886.65-000\_03  
EPA Est. 524-

THIS SIDE UP



# FALLOW MASTER™

**ACCEPTED**

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 524-396

**Monsanto**

For control or suppression of emerged weeds in fallow and reduced tillage small grain systems.

AVOID CONTACT WITH FOLIAGE OF CROP OR OTHER DESIRABLE VEGETATION SINCE SEVERE INJURY OR DESTRUCTION MAY RESULT.

Carefully follow detailed instructions in label booklet

Read the entire label before using this product  
Use only according to label instructions  
Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable, return at once unopened.

REFORMULATION OR REPACKAGING IS PROHIBITED

<b>ACTIVE INGREDIENTS*</b>	
Glyphosate (N-phosphonomethyl glycine) as the isopropylamine salt	16.5%
Dicamba (3,6-dichloro- <i>o</i> -anisic acid) as the isopropylamine salt	7.0%
<b>INERT INGREDIENTS</b>	<b>16.5%</b>
	<b>100.0%</b>

\*Contains 120 grams per litre or 1.5 lbs per U.S. gallon of the active ingredient, glyphosate, as its isopropylamine salt and 72 grams per litre or 0.6 lb per U.S. gallon of the active ingredient, dicamba as its isopropylamine salt. Equivalent to 132 grams per litre or 1.1 lbs per U.S. gallon of the acid glyphosate and 60 grams per litre or 0.5 lb per U.S. gallon of the acid dicamba.

Keep out of reach of children

**DANGER!** Read precautions on side panel

TWO <sup>2.5</sup> GAL UNITS

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

Keep out of reach of children

#### **DANGER!**

**CAUSES EYE BURNS.**

**HARMFUL IF SWALLOWED OR INHALED.**

**MAY CAUSE ALLERGIC SKIN REACTION.**

Do not get in eyes, on skin or on clothing.

Wear goggles or face shield and rubber gloves in transferring and mixing and when adjusting, repairing or cleaning equipment.

Avoid breathing vapor or spray mist.

Wash thoroughly with soap and water after handling.

**FIRST AID: IF IN EYES,** immediately flush with plenty of water for at least 15 minutes. Call a physician.

**IF ON SKIN,** flush with plenty of water while removing contaminated clothing. If irritation occurs, call a physician. Wash clothing before reuse. Sanitized persons should avoid further contact and reuse of contaminated clothing.

**IF INHALED,** remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Call a physician.

**IF SWALLOWED,** this product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Call a physician. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000

### Environmental Hazards

Avoid direct application to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

### Physical or Chemical Hazards

Spray solutions of this product should be mixed, stored and applied only in stainless steel, aluminum, fiberglass, plastic and plastic-lined steel containers.

**DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS.** This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flammable or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

### Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Do not store near fertilizers, seeds, insecticides or fungicides.

#### STORAGE

**STORE ABOVE 40°F TO KEEP PRODUCT IN SOLUTION.** If crystals form, place in a warm room (72°F), allow the product to reach room temperature and roll or shake periodically until crystals have dissolved. Keep container closed to prevent spills and contamination.

#### DISPOSAL

Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or burned on site in a safe place away from water supplies. All disposal should be in accordance with applicable Federal, state or local procedures.

Empty container retains vapor and product residue. Observe all labeled safeguards until container is destroyed.

Do not reuse container. Triple rinse empty container. Then puncture and dispose of in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.





**LIMIT OF WARRANTY AND LIABILITY**

This Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use label booklet ("Directions") when used in accordance with those Directions under the conditions described therein. NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein.

Buyer and all users shall promptly notify this Company of any claims whether based in contract, negligence, strict liability, other tort or otherwise.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this Company, including but not limited to, incompatibility with products other than those set forth in the Directions, application to or contact with desirable vegetation, unusual weather, weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application range set forth in the Directions, application in any manner not explicitly set forth in the Directions, moisture conditions outside the moisture range specified in the Directions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED, OR, AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY, OR, IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

The Buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement.

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

EPA Reg. No. 524-  
©MONSANTO COMPANY 1987  
® Registered trademark of Monsanto Company  
\*FALLOW MASTER is a trademark of and used under license from, Sandoz Ltd.

2 x 3 5/8 inch PSC



MONSANTO COMPANY  
AGRICULTURAL PRODUCTS  
ST. LOUIS, MISSOURI, 63167 U.S.A.

