

SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL BOOKLET FOR ROUNDUP® WSD HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the booklet for Roundup WSD herbicide and this supplement.

ROUNDUP® WSD Herbicide by Monsanto


(EPA Reg. No. 524-427)

FOR DISTRIBUTION AND USE IN CALIFORNIA

FOR POSTEMERGENCE WEED CONTROL PRIOR TO THE
EMERGENCE OF TOMATOES

Keep out of reach of children.

CAUTION!



**In case of an emergency involving this product, Call
Collect, day or night, (314) 694-4000.**

Roundup® is a registered trademark of Monsanto Company.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This label must be in the possession of the user at the time of the herbicide application.

2 4 5
AVOID CONTACT WITH FOLIAGE, GREEN STEMS, OR FRUIT OF CROPS, DESIRABLE PLANTS AND TREES, SINCE SEVERE INJURY OR DESTRUCTION MAY RESULT.

When applied as directed under the conditions described in the label booklet for Roundup WSD, the product controls annual and perennial weeds listed on the label, prior to the emergence of tomatoes.

See the "GENERAL INFORMATION", "MIXING, ADDITIVES AND APPLICATION INSTRUCTIONS", "APPLICATION EQUIPMENT AND TECHNIQUES" AND "WEEDS CONTROLLED" sections of the label booklet for Roundup WSD for essential product performance information.

This product may be applied by ground or aerial application equipment. FOR AERIAL APPLICATION IN CALIFORNIA, REFER TO THE FEDERAL SUPPLEMENTAL LABEL FOR AERIAL APPLICATIONS IN THAT STATE FOR SPECIFIC INSTRUCTIONS, RESTRICTIONS AND REQUIREMENTS, AND DO NOT EXCEED 14 OUNCES OF THIS PRODUCT PER ACRE.

Applications made to light, sandy soils with low organic matter may result in injury to seedling tomatoes.

Applications made at emergence will result in injury or death to emerged seedlings.

RECOMMENDATIONS

This product will control annual and perennial weeds listed in the label booklet for Roundup WSD prior to the emergence of direct seeded tomatoes.

Annual Weed Control -- Apply 3.5 to 21 ounces of this product per acre plus 1 percent or more nonionic surfactant in 3 to 10 gallons of water per acre as directed in the "Low-Volume Broadcast Applications" section of the label booklet for Roundup WSD. When using 10 to 40 gallons of water per acre, use 14 ounces of this product if annual weeds are less than 6 inches tall. If weeds are greater than 6 inches tall, use 21 ounces of this product per acre.

Perennial Weed Control -- Apply 2.6 to 4.4 pounds of this product per acre when weeds are actively growing and most have reached early head or early bud stage of growth. See the "Perennial Weeds" section of the label booklet for Roundup WSD for perennial weeds controlled and for specific treatment recommendations.

Read the "LIMIT OF WARRANTY AND LIABILITY" in the label booklet for Roundup WSD before using this product. Those terms apply to this supplemental labeling and if those terms are not acceptable,

return the product unopened at once.

MAP-

©MONSANTO COMPANY 1992

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167