

PM 25 524-432

1 of 27

**EXPEDITE®
GRASS & WEED HERBICIDE
by Monsanto**

**High Visibility - High Mark
For Total Vegetation Control**

Contains glyphosate, the active ingredient in Roundup® herbicide.

[The Roundup Logo]

Specially formulated for Expedite™ Application Equipment.

Complete Directions for Use

EPA Reg. No. 524-432


Covers from 14,000 to 87,000 square feet

®™ Expedite is a registered trademark of, and used under license from, Nomix Plc.

® Roundup is a registered trademark of Monsanto Company.

1993-12

875.15.200.46/53



©MONSANTO COMPANY 1993

**MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.**

(GRASS & WEED SUPERPRO)

(3/1/93)

20/27

Read the entire label before using this product.

Use only according to label instructions.

Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable, return at once unopened.

~~REFORMULATION OR REPACKAGING IS PROHIBITED.~~

[REDACTED]

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children.

WARNING!

CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY.

HARMFUL IF SWALLOWED OR INHALED.

Do not get in eyes, on skin or on clothing.

Wear goggles or face shield.

Avoid breathing vapor or spray mist.

Wash thoroughly with soap and water after handling.

Remove contaminated clothing and wash before reuse.

FIRST AID: IF IN EYES, immediately flush with plenty of water for at least 15 minutes. Get medical attention.

IF ON SKIN, wash with plenty of soap and water. Get medical attention if irritation persists.

IF INHALED, remove individual to fresh air. Seek medical attention if breathing difficulty develops.

IF SWALLOWED, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention.

KEEP PEOPLE AND PETS OFF TREATED AREA UNTIL FOLIAGE IS DRY.

BEST AVAILABLE COPY

30/27

In case of an ~~emergency~~ emergency involving this product,
Call Collect, day or night, (314) 694-4000.

Environmental Hazards

Do not apply directly to water or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment cleaning solutions.

Physical or Chemical Hazards

Apply this product ONLY through Expedite application equipment designed for its use. DO NOT STORE OR APPLY THIS PRODUCT IN ANY OTHER TYPE OF CONTAINER, PARTICULARLY GALVANIZED STEEL OR UNLINED STEEL CONTAINERS OR SPRAY TANKS. This product will react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

ACTIVE INGREDIENT:

*Glyphosate, N-(phosphonomethyl)glycine
in the form of its isopropylamine salt18.3%

INERT INGREDIENTS:..... 81.7%
100.0%

*Contains 199 grams per litre or 1.66 pounds per U.S. gallon of the active ingredient, glyphosate, in the form of its isopropylamine salt. Equivalent to 147 grams per litre or 1.23 pounds per U.S. gallon of the acid, glyphosate.

This product is protected by U.S. Patent No. 4,405,531. Other patents are pending. No license granted under any non-U.S. patent(s).

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

BEST AVAILABLE COPY

40427

STORAGE and DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

STORAGE:

Store this product between 32°F and 100°F in its original container and in a secured storage area.

DISPOSAL:

Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures.

Emptied container retains vapor and product residue. Observe all labeled safeguards until container is destroyed. Do not reuse container.

When container is completely emptied through ~~Expedite~~ application equipment, puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL INFORMATION

This product is a nonselective weed killer that is applied, using Expedite application equipment, to the foliage of actively growing weeds. It is absorbed by the leaves and moves throughout the stem and roots to control the entire plant. Visible symptoms of control may require a week or more to appear, with complete browning usually occurring in 2 to 4 weeks. Symptoms are a gradual wilting and yellowing of the treated plant foliage followed by browning and deterioration of both shoots and roots. This product will not wash or leach to affect nearby vegetation.

This product is recommended for commercial, industrial, noncropland and residential vegetation management in areas such as airports, golf courses, highways and roadsides, industrial plant sites, institutional sites, municipalities, lawns, lumberyards, nurseries, parking areas, parks, playgrounds, petroleum tank farms, pipeline, power, telephone and utility rights-of-way, railroads, schools, storage areas and similar sites.

THIS PRODUCT CAN INJURE OR DESTROY ALL VEGETATION CONTACTED. AVOID SPRAY CONTACT WITH THE FOLIAGE OF DESIRABLE TURF, ORNAMENTALS, SHRUBS OR TREES. DO NOT CONTACT BARK OF TREES OR SHRUBS.

BEST AVAILABLE COPY

WEEDS CONTROLLED

When applied as recommended under the conditions described, this product CONTROL many common annual grasses and broadleaf weeds, including the following:

ANNUALS

- | | |
|-----------------------|--------------------------|
| Barnyardgrass | Lettuce, prickly |
| Bluegrass: annual | Mustard, tansy |
| Brome, downy | Pennycress, field |
| Cheat | Pigweed: redroot, smooth |
| Chickweed | Ragweed, common |
| Crabgrass | Ryegrass: annual |
| Foxtail | Sandbur, field |
| Geranium, Carolina | Shepherdspurse |
| Goosegrass | Sowthistle |
| Lambsquarters, common | Stinkgrass |

PERENNIALS

When applied as recommended under the conditions described, this product CONTROLS or PARTIALLY CONTROLS many common perennial grasses and broadleaf weeds, including the following:

- | | |
|---------------------|--------------------------|
| Bahiagrass | Fescues |
| Bentgrass | Johnsongrass |
| Bermudagrass* | Nutsedge: purple, yellow |
| Bindweed, field | Orchardgrass |
| Bluegrass, Kentucky | Quackgrass |
| Bromegrass, smooth | Ryegrass: perennial |
| Clover: red, white | Thistle, Canada |
| Dallisgrass | Timothy |
| Dandelion | Vaseygrass |
| Dock, curly | |

*Partial control

HOW TO APPLY

Apply this product as a uniform spray over the foliage of undesirable vegetation. Avoid applications during windy conditions, as spray drift or swath displacement may cause damage to any vegetation contacted. Use only Expedite application equipment when applying this product.

To select flow rate settings for general weed control, use the Expedite Set-N-Spray settings listed in the following application guide. The letters followed by a number (A1...E3) represent



equipment settings for flow rates within the application range recommended for this product and will provide weed control in most use situations. For tough-to-control perennial weeds (e.g., Bermudagrass), or dense vegetation, increased flow rates may be needed. For small annual weeds, decreased flow rates may be used. Where the application rate needs to be specific to the type of weeds to be controlled, or if more precise equipment calibration is desired, see the "WEEDS CONTROLLED, HOW TO USE THE CALIBRATION GUIDES" and "HOW TO CALIBRATE" sections of this label for specific flow rates needed and calibration procedures.

EXPEDITE® GRASS & WEED HERBICIDE

**APPLICATION GUIDE
SET-N-SPRAY SETTING**

SPINNER TYPE	SPRAY SWATH WIDTH	WALKING SPEED	
		1.5 MPH	2.25 MPH
Spiral Spinner	6"	A1	B1
	12"	B3	B5
Square Spinner	18"	B5	C5
	24"	C4	D5
Serrated Spinner	30"	D2	E5
	36"	D5	F2

BEST AVAILABLE COPY

HOW TO USE THE CALIBRATION GUIDES

1. Determine walking speed
2. Select spray width desired
3. Select the calibration guide for either annual or perennial weeds.
4. Find where the walking speed column intersects with the spray width row on the calibration guide.

7027

5. Where the row and column intersect are numbers for the Multi Flow™ units needed to deliver the desired rate.

6. Using the calibration cup provided with the Expedite unit, measure the flow of the product for 30 seconds. If needed, adjust the equipment and measure the flow rate again for 30 seconds. Repeat this procedure until the amount of the product collected matches the desired rate from the calibration guide.

7. For specific calibration procedures, see the "HOW TO CALIBRATE" section of this label.

**EXPEDITE® GRASS & WEED HERBICIDE
CALIBRATION GUIDE**

30 SECOND MULTI FLOW™ MEASUREMENT*

SPINNER TYPE	SPRAY SWATH WIDTH	1.5 MPH	ANNUAL WEEDS
			<u>WALKING SPEED</u> 2.25 MPH
Spiral Spinner	6"	2 to 4**	3 to 5
	12"	4 to 7	5 to 11
Square Spinner	18"	5 to 11	8 to 16
	24"	7 to 14	11 to 22
Serrated Spinner	30"	9 to 18	13 to 26
	36"	11 to 21	16 to 32

BEST AVAILABLE COPY

*One Multi Flow equals 0.8 milliliter.

** Use the lower rate when treating small actively growing annual weeds. Increase the rate within the recommended range as height and density of the vegetation increase.

SPINNER TYPE	SPRAY SWATH WIDTH	1.5 MPH	PERENNIAL WEEDS
			<u>WALKING SPEED</u> 2.25 MPH

Spiral Spinner	6"	4 to 11***	5 to 16
	12"	7 to 21	11 to 32
Square Spinner	18"	11 to 32	16 to 48
	24"	14 to 42	22 to 63
Serrated Spinner	30"	18 to 53	26 to 79
	36"	22 to 64	32 to 95

*One Multi Flow equals 0.8 milliliter.

*** Increase the rate within the recommended range as height and density of the vegetation increase. Use the higher number for tough-to-control weeds.

*Multi Flow is a trademark of Nomix Manufacturing Company Limited of the United Kingdom used under exclusive license by Monsanto Company.

HOW TO CALIBRATE

1. Attach the Expedite calibration flow cup to the Expedite equipment. Remove spinner, if attached.
2. Connect the product container and prime the equipment to remove the trapped air. Priming must be done with the head of the lance held above the handle but below the level of the product container.
3. Lower the lance head with attached calibration cup to spraying position.
4. Depress the trigger with the power on. Collect the product for a measured period of time, such as 30 seconds. Check the amount of product collected in the calibration cup.
5. Raise the lance tip above head level and depress the trigger long enough to allow product to flow back into the lance.
6. Repeat until the correct volume is obtained.

WHEN TO APPLY

Apply to vigorously growing plants. Apply to undesirable grasses and broadleaf weeds any time after emergence and when sufficient



9 of 27

foliage is present for good spray interception. After mowing, clipping or tilling, allow weeds to regrow before applying this product.

Rainfall or watering within 6 hours after application may wash the product off plant foliage resulting in reduced activity and the need for retreatment. Delay mowing, clipping, tilling, planting or sodding of treated areas for at least 7 days after application. This allows time for this product to move within the plant for the most effective kill. THIS PRODUCT HAS NO SOIL RESIDUAL ACTIVITY. RETREATMENTS WILL BE NECESSARY TO KILL NEW WEEDS EMERGING FROM SEED.

One application will control or suppress weeds listed in the "WEEDS CONTROLLED" section of this label. If control is not achieved within 4 weeks, allow time for sufficient regrowth of the vegetation and make a repeat application.

ORNAMENTALS AND PLANT BEDS

Ornamentals, flowers and other plants used for landscaping may be planted in treated areas 7 or more days after application. This product may also be used as a directed application to control undesirable vegetation growing around ornamentals, trees or shrubs. Avoid spray contact with any desirable plants. To avoid injury on desirable plants, prevent spray or drift contact with foliage, stems or bark. DO NOT SPRAY INTO OR OVER THE TOP OF DESIRABLE PLANTS, TREES OR SHRUBS.

GREENHOUSE/SHADEHOUSE

This product will control or suppress grasses and broadleaf weeds listed on this label which are growing in greenhouses. Removal of desirable vegetation during application is recommended to avoid injury. Air circulation fans must be turned off during application. DESIRABLE GREENHOUSE PLANTS WILL BE INJURED IF CONTACTED BY SPRAY OR DRIFT OF THIS PRODUCT.

CLEANING OF EQUIPMENT

The Expedite application equipment must be cleaned after each use and prior to storage using Expedite cleaner to remove residues of this product. Failure to properly clean the equipment may result in equipment failure or injury to subsequently treated desirable vegetation. After thorough cleaning, equipment may be used to apply other products especially formulated for use in Expedite application equipment.

Wastes resulting from the use or cleaning of equipment that cannot be used or chemically reprocessed should be disposed of in accordance with applicable Federal, state or local procedures. See the "Storage and Disposal" section of this label for more information.



100127

LIMIT OF WARRANTY AND LIABILITY

This Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use ("Directions") when used in accordance with those Directions under the conditions described therein. NO OTHER EXPRESS WARRANTY OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein.

Buyers and all users shall promptly notify this Company of any claims whether based in contract, negligence, strict liability, other tort or otherwise.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this Company, including, but not limited to, incompatibility with products other than those set forth in the Directions, application to or contact with desirable vegetation, unusual weather, weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application ranges set forth in the Directions, application in any manner not explicitly set forth in the Directions, moisture conditions outside the moisture range specified in the Directions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED, OR, AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY, OR, IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

Buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement.

875-158-200.28/53

BEST AVAILABLE COPY

BEST AVAILABLE COPY

110427


EPA Reg. No. 524-432

©MONSANTO COMPANY 1993

In case of an emergency involving this product,
Call Collect, day or night, (314) 694-4000.

)
MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.

ACCEPTED
 APR - 1 1993
 Under the Federal Insecticide, Fungicide, and
 Rodenticide Act, as amended, for the
 pesticide registered under
 EPA Reg. No. S-24-432



EXPEDITE®

GRASS & WEED HERBICIDE

by Monsanto

**HIGH VISIBILITY - HIGH MARK
 FOR TOTAL VEGETATION CONTROL**
 Specially formulated for Expedite® Application Equipment

Covers from 14,000 to 87,000 square feet

SHAKE WELL BEFORE USING

Read the entire label before using this product.
 Use only according to label instructions.
 Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable, return at once unopened.
REFORMULATION IS PROHIBITED.
 This package may be used to refill 750 ml containers that are specifically labeled for refilling with this product. Follow refilling instructions on side panel of this container.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

**Keep out of reach of children.
 WARNING!**

**CAUSES SUBSTANTIAL BUT TEMPORARY EYE
 INJURY.
 HARMFUL IF SWALLOWED OR INHALED.**

Do not get in eyes, on skin or on clothing. Wear goggles or face shield. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.
FIRST AID: IF IN EYES, Immediately flush with plenty of soap and water for 15 minutes. Get medical attention.
IF ON SKIN, wash with plenty of soap and water. Get medical attention if irritation persists.
IF INHALED, remove individual to fresh air. Seek medical attention if breathing difficulty develops.

IF SWALLOWED, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention.

KEEP PEOPLE AND PETS OFF TREATED AREA UNTIL FOLIAGE IS DRY.

In case of emergency involving this product,
 Call Collect, day or night, (314) 694-4000.

(Continued on back panel)

ACTIVE INGREDIENT:

*Glyphosate, N-(phosphonomethyl)glycine, in the form of its isopropylamine salt	18.3%
INERT INGREDIENTS:	81.7%
	100.0%

*Contains 199 grams per litre or 1.66 pounds per U.S. gallon of the active ingredient, glyphosate, in the form of its isopropylamine salt. Equivalent to 147 grams per litre or 1.23 pounds per U.S. gallon of the acid, glyphosate.



This product contains the same active ingredient as Roundup® herbicide.

*Roundup is a registered trademark of Monsanto Company.

NET 1 GALLON

Part 1 of 2
 875.15-200.53/53HT

BEST AVAILABLE COPY

134211



GRASS & WEED HERBICIDE by Monsanto

(See other side for Precautionary Statements)

Environmental Hazards

Do not apply directly to water or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment cleaning solutions.

Physical or Chemical Hazards

Apply this product ONLY through the Expedite application equipment designed for its use. DO NOT STORE OR APPLY THIS PRODUCT IN ANY OTHER TYPE OF CONTAINER, PARTICULARLY GALVANIZED STEEL OR UNLINED STEEL CONTAINERS OR SPRAY TANKS. This product will react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

STORAGE:

Store this product between 32°F and 100°F in its original container and in a secured storage area.

DISPOSAL:

Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures.

Emptied container retains vapor and product residue. Observe all labeled safeguards until container is destroyed. Do not reuse container.

When container is completely emptied, puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

(See label booklet for Complete Directions for Use.)

LIMIT OF WARRANTY AND LIABILITY

This Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use label booklet ("Directions") when used in accordance with those Directions under the conditions described therein. NO OTHER EXPRESS WARRANTY OR IMPLIED

WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein.

Buyer and all users shall promptly notify this Company of any claims whether based in contract, negligence, strict liability, other tort or otherwise.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this Company, including, but not limited to, incompatibility with products other than those set forth in the Directions, application to or contact with desirable vegetation, unusual weather, weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application ranges set forth in the Directions, application in any manner not explicitly set forth in the Directions, moisture conditions outside the moisture range specified in the Directions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED, OR, AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY, OR, IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

Buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement.

This product is protected by U.S. Patents No. 3,790,798, No. 4,405,531 and No. 4,840,650. Other patents are pending. No license granted under any non-U.S. patent(s).

©MONSANTO COMPANY 1981

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.



EPA Reg. No. 524-432

EPA Est. 34313-TX-001


• TMExpedite is a trademark of, and used under license from Norix Plc.

Part 2 of 2


875.15-200.54/53HT

BEST AVAILABLE COPY


AS A BACKPACK




Insert Nomix Link-Up cassette into the Compact



Insert Big Five into backpack. Connect to herbicide pack by aligning groove of pipe to ridges of Big Five and twist through 90° clockwise.




Raise Compact above backpack. Depress Compact trigger to drain herbicide through lance and into Big Five.




Unlock by twisting anti-clockwise through 90° and disconnect.


TO REFILL




Align grooves of the Compact cartridge to ridges of the Big Five refill pack.



Twist the cartridge clockwise through 90° to lock the two containers and open valves.



Invert, ensuring the Big Five pack is uppermost and allow the cartridge to refill.



Unlock the packs by twisting anti-clockwise through 90° and disconnect.

Keep a cloth handy to wipe the nozzle of the refilled cartridge.

121 of 27
NB. Empty cartridges should only be refilled for one season. Ensure cartridges are only refilled with the same herbicide as originally labelled.

BEST AVAILABLE COPY

**EXPEDITE®
GRASS & WEED HERBICIDE
by Monsanto**

**High Visibility - High Mark
For Total Vegetation Control**

Contains glyphosate, the active ingredient in Roundup® herbicide.

[The Roundup Logo]

Specially formulated for Expedite™ Application Equipment.

Complete Directions for Use

EPA Reg. No. 524-432


Covers from 2,800 to 17,000 square feet

®™ Expedite is a registered trademark of, and used under license from, Nomix Plc.

® Roundup is a registered trademark of Monsanto Company.

1993-12

875-15-A-200.46/53



BEST AVAILABLE COPY

©MONSANTO COMPANY 1993

**MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.**

(GRASS & WEED COMPACT)

1

(3/1/93)

160927

Read the entire label before using this product.

Use only according to label instructions.

Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable, return at once unopened.

~~REFORMULATION OR REPACKAGING IS PROHIBITED.~~

[REDACTED]

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children.

WARNING!

CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY.

HARMFUL IF SWALLOWED OR INHALED.

Do not get in eyes, on skin or on clothing.

Wear goggles or face shield.

Avoid breathing vapor or spray mist.

Wash thoroughly with soap and water after handling.

Remove contaminated clothing and wash before reuse.

FIRST AID: IF IN EYES, immediately flush with plenty of water for at least 15 minutes. Get medical attention.

IF ON SKIN, wash with plenty of soap and water. Get medical attention if irritation persists.

IF INHALED, remove individual to fresh air. Seek medical attention if breathing difficulty develops.

IF SWALLOWED, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention.

KEEP PEOPLE AND PETS OFF TREATED AREA UNTIL FOLIAGE IS DRY.

BEST AVAILABLE COPY

In case of an ~~and human health~~ emergency involving this product,
Call Collect, day or night, (314) 694-4000.

Environmental Hazards

Do not apply directly to water or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment cleaning solutions.

Physical or Chemical Hazards

Apply this product ONLY through Expedite application equipment designed for its use. DO NOT STORE OR APPLY THIS PRODUCT IN ANY OTHER TYPE OF CONTAINER, PARTICULARLY GALVANIZED STEEL OR UNLINED STEEL CONTAINERS OR SPRAY TANKS. This product will react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

ACTIVE INGREDIENT:

*Glyphosate, N-(phosphonomethyl)glycine
in the form of its isopropylamine salt18.3%

INERT INGREDIENTS:..... 81.7%
100.0%

*Contains 199 grams per litre or 1.66 pounds per U.S. gallon of the active ingredient, glyphosate, in the form of its isopropylamine salt. Equivalent to 147 grams per litre or 1.23 pounds per U.S. gallon of the acid, glyphosate. This product is protected by U.S. Patent No. 4,405,531. Other patents are pending.

No license granted under any non-U.S. patent(s).

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

~~STORAGE and DISPOSAL~~ ~~Storage and Disposal~~

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.



180421

STORAGE:

Store this product between 32°F and 100°F in its original container and in a secured storage area.

DISPOSAL:

Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures.

Emptied container retains vapor and product residue. Observe all labeled safeguards until container is destroyed. ~~Do not reuse container.~~

When container is completely emptied through Expedite application equipment, ~~do not~~ puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL INFORMATION

This product is a nonselective weed killer that is applied, using Expedite application equipment, to the foliage of actively growing weeds. It is absorbed by the leaves and moves throughout the stem and roots to control the entire plant. Visible symptoms of control may require a week or more to appear, with complete browning usually occurring in 2 to 4 weeks. Symptoms are a gradual wilting and yellowing of the treated plant foliage followed by browning and deterioration of both shoots and roots. This product will not wash or leach to affect nearby vegetation.

This product is recommended for commercial, industrial, noncropland and residential vegetation management in areas such as airports, golf courses, highways and roadsides, industrial plant sites, institutional sites, municipalities, lawns, lumberyards, nurseries, parking areas, parks, playgrounds, petroleum tank farms, pipeline, power, telephone and utility rights-of-way, railroads, schools, storage areas and similar sites.

THIS PRODUCT CAN INJURE OR DESTROY ALL VEGETATION CONTACTED. AVOID SPRAY CONTACT WITH THE FOLIAGE OF DESIRABLE TURF, ORNAMENTALS, SHRUBS OR TREES. DO NOT CONTACT BARK OF TREES OR SHRUBS.

WEEDS CONTROLLED

When applied as recommended under the conditions described, this product CONTROL many common annual grasses and broadleaf weeds, including the following:

(GRASS & WEED CONTACT)

(3/1/93)

BEST AVAILABLE COPY

ANNUALS

Barnyardgrass
 Bluegrass: annual
 Brome, downy
 Cheat
 Chickweed
 Crabgrass
 Foxtail
 Geranium, Carolina
 Goosegrass
 Lambsquarters, common

Lettuce, prickly
 Mustard, tansy
 Pennycress, field
 Pigweed: redroot, smooth
 Ragweed, common
 Ryegrass: annual
 Sandbur, field
 Shepherdspurse
 Sowthistle
 Stinkgrass

PERENNIALS

When applied as recommended under the conditions described, this product **CONTROLS** or **PARTIALLY CONTROLS** many common perennial grasses and broadleaf weeds, including the following:

Bahiagrass
 Bentgrass
 Bermudagrass*
 Bindweed, field
 Bluegrass, Kentucky
 Bromegrass, smooth
 Clover: red, white
 Dallisgrass
 Dandelion
 Dock, curly

Fescues
 Johnsongrass
 Nutsedge: purple, yellow
 Orchardgrass
 Quackgrass
 Ryegrass: perennial
 Thistle, Canada
 Timothy
 Vaseygrass

*Partial control

HOW TO APPLY

Apply this product as a uniform spray over the foliage of undesirable vegetation. Avoid applications during windy conditions, as spray drift or swath displacement may cause damage to any vegetation contacted. Use only Expedite application equipment when applying this product.

To select flow rate settings for general weed control, use the Expedite Set-N-Spray settings listed in the following application guide. The letters followed by a number (A1...E25) represent equipment head settings for flow rates within the application range recommended for this product and will provide weed control in most use situations. For tough-to-control perennial weeds (e.g., Bermudagrass), or dense vegetation, increased flow rates may be needed. For small annual weeds, decreased flow rates may be used. Where the application rate needs to be specific to the type of weeds to be controlled, or if more precise equipment calibration is desired, see the "WEEDS CONTROLLED, HOW TO USE THE CALIBRATION



2007

GUIDES" and "HOW TO CALIBRATE" sections of this label for specific flow rates needed and calibration procedures.

EXPEDITE® GRASS & WEED HERBICIDE

**APPLICATION GUIDE
SET-N-SPRAY SETTING**

SPINNER TYPE	SPRAY WIDTH	WALKING SPEED	
		1.5 MPH	2.25 MPH
Spiral Spinner	6"	A3	A5
	12"	B1	B4
Square Spinner	18"	B4	C2
	24"	C1	D1
Serrated Spinner	30"	C3	D3
	36"	D1	E2

HOW TO USE THE CALIBRATION GUIDES

1. Determine walking speed
2. Select spray width desired
3. Select the calibration guide for either annual or perennial weeds.
4. Find where the walking speed column intersects with the spray width row on the calibration guide.
5. Where the row and column intersect are numbers for the Multi Flow™ units needed to deliver the desired rate.
6. Using the calibration cup provided with the Expedite unit, measure the flow of the product for 30 seconds. If needed, adjust the equipment and measure the flow rate again for 30 seconds.

210/21

Repeat this procedure until the amount of the product collected matches the desired rate from the calibration guide.

7. For specific calibration procedures, see the "HOW TO CALIBRATE" section of this label.

**EXPEDITE® GRASS & WEED HERBICIDE
CALIBRATION GUIDE**

30 SECOND MULTI FLOW™ MEASUREMENT*

SPINNER TYPE	SPRAY SWATH WIDTH	ANNUAL WEEDS WALKING SPEED	
		1.5 MPH	2.25 MPH
Spiral Spinner	6"	2 to 4**	3 to 5
	12"	4 to 7	5 to 11
Square Spinner	18"	5 to 11	8 to 16
	24"	7 to 14	11 to 21
Serrated Spinner	30"	9 to 18	13 to 26
	36"	11 to 21	16 to 32

*One Multi Flow equals 0.8 milliliter.

** Use the lower rate when treating small actively growing annual weeds. Increase the rate within the recommended range as height and density of the vegetation increase.

BEST AVAILABLE COPY

220427

SPINNER TYPE	SPRAY SWATH WIDTH	PERENNIAL WEEDS WALKING SPEED	
		1.5 MPH	2.25 MPH
	6"	4 to 11***	5 to 16
	12"	7 to 21	11 to 32
Square Spinner	18"	11 to 32	16 to 48
	24"	14 to 42	22 to 63
Serrated Spinner	30"	18 to 53	26 to 79
	36"	21 to 64	32 to 95

*One Multi Flow equals 0.8 milliter.

*** Increase the rate within the recommended range as height and density of the vegetation increase. Use the higher number for tough-to-control weeds.

*Multi Flow is a trademark of Nomix Manufacturing Company Limited of the United Kingdom used under exclusive license by Monsanto Company.

HOW TO CALIBRATE

1. Attach the Expedite calibration flow cup to the Expedite equipment. Remove spinner, if attached.
2. Connect the product container and prime the equipment to remove the trapped air. Priming must be done with the head of the lance held above the handle but below the level of the product container.
3. Lower the lance head with attached calibration cup to spraying position.
4. Depress the trigger with the power on. Collect the product for a measured period of time, such as 30 seconds. Check the amount of product collected in the calibration cup.
5. Raise the lance tip above head level and depress the trigger long enough to allow product to flow back into the lance.
6. Repeat until the correct volume is obtained.

BEST AVAILABLE COPY

23027

WHEN TO APPLY

Apply to vigorously growing plants. Apply to undesirable grasses and broadleaf weeds any time after emergence and when sufficient foliage is present for good spray interception. After mowing, clipping or tilling, allow weeds to regrow before applying this product.

Rainfall or watering within 6 hours after application may wash the product off plant foliage resulting in reduced activity and the need for retreatment. Delay mowing, clipping, tilling, planting or sodding of treated areas for at least 7 days after application. This allows time for this product to move within the plant for the most effective kill. THIS PRODUCT HAS NO SOIL RESIDUAL ACTIVITY. RETREATMENTS WILL BE NECESSARY TO KILL NEW WEEDS EMERGING FROM SEED.

One application will control or suppress weeds listed in the "WEEDS CONTROLLED" section of this label. If control is not achieved within 4 weeks, allow time for sufficient regrowth of the vegetation and make a repeat application.

ORNAMENTALS AND PLANT BEDS

Ornamentals, flowers and other plants used for landscaping may be planted in treated areas 7 or more days after application. This product may also be used as a directed application to control undesirable vegetation growing around ornamentals, trees or shrubs. Avoid spray contact with any desirable plants. To avoid injury on desirable plants, prevent spray or drift contact with foliage, stems or bark. DO NOT SPRAY INTO OR OVER THE TOP OF DESIRABLE PLANTS, TREES OR SHRUBS.

GREENHOUSE/SHADEHOUSE

This product will control or suppress grasses and broadleaf weeds listed on this label which are growing in greenhouses. Removal of desirable vegetation during application is recommended to avoid injury. Air circulation fans must be turned off during application. DESIRABLE GREENHOUSE PLANTS WILL BE INJURED IF CONTACTED BY SPRAY OR DRIFT OF THIS PRODUCT.

CLEANING OF EQUIPMENT

The Expedite application equipment must be cleaned after each use and prior to storage using Expedite cleaner to remove residues of this product. Failure to properly clean the equipment may result in equipment failure or injury to subsequently treated desirable vegetation. After thorough cleaning, equipment may be used to apply other products especially formulated for use in Expedite application equipment.

240/27

Wastes resulting from the use or cleaning of equipment that cannot be used or chemically reprocessed should be disposed of in accordance with applicable Federal, state or local procedures. See the "Storage and Disposal" section of this label for more information.

LIMIT OF WARRANTY AND LIABILITY

This Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use ("Directions") when used in accordance with those Directions under the conditions described therein. NO OTHER EXPRESS WARRANTY OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein.

Buyers and all users shall promptly notify this Company of any claims whether based in contract, negligence, strict liability, other tort or otherwise.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this Company, including, but not limited to, incompatibility with products other than those set forth in the Directions, application to or contact with desirable vegetation, unusual weather, weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application ranges set forth in the Directions, application in any manner not explicitly set forth in the Directions, moisture conditions outside the moisture range specified in the Directions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED, OR, AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY, OR, IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

Buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement.

875-157-200-28/53

BEST AVAILABLE COPY

250727

EPA Reg. No. 524-432

©MONSANTO COMPANY 1993

In case of an ~~environmental~~ health emergency involving this product,
Call Collect, day or night, (314) 694-4000.

)
)
MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.

)
)
BEST AVAILABLE COPY

2607



GRASS & WEED HERBICIDE

by Monsanto

HIGH VIBRILITY - HIGH MARK
FOR TOTAL VEGETATION CONTROL
Specially formulated for Expedite® Application Equipment

SHAKE WELL BEFORE USING

Read the entire label before using this product.

Use only according to label instructions.

Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable, return at once unopened.

REFORMULATION IS PROHIBITED

This container may be refilled with this product from 1 gallon containers specifically labeled for refilling. Follow refilling instructions on the side panel of the 1 gallon container.

PRECAUTIONARY STATEMENTS

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

Keep out of reach of children.

WARNING!

CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY.

HARMFUL IF SWALLOWED OR INHALED

Do not get in eyes, on skin or on clothing. Wear goggles or face shield. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and shoes before reuse.

FIRST AID: IF IN EYES, immediately flush with plenty of cool and water for 15 minutes. Get medical attention.

IF ON SKIN, wash with plenty of soap and water. Get medical attention if irritation persists.

IF SWALLOWED, remove individual as soon as possible. Seek medical attention if breathing difficulty develops.

Covers from 2,800 to 17,000 square feet

IF SWALLOWED, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention.

KEEP PEOPLE AND PETS OFF TREATED AREA UNTIL FOLIAGE IS DRY

In case of emergency involving this product, Call Collect, day or night, (314) 636-4880

(Continued on back panel)

ACTIVE INGREDIENT

Glyphosate, N-(phosphonomethyl)glycine, in the form of its isopropylamine salt

WEIGHT INGREDIENTS

Contains 750 grams per liter or 1.86 pounds per U.S. gallon of the active ingredient, glyphosate, in the form of its isopropylamine salt. Equivalent to 147 grams per liter or 1.23 pounds per U.S. gallon of the acid, glyphosate.

This product contains the same active ingredient as Roundup® herbicide. Roundup is a registered trademark of Monsanto Company.



NET 750 ML

Part 1 of 2
875 IS-20853/53H7

ACCEPTED
APR - 1 1993
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this pesticide registered under EPA Reg. No. 564-432

BEST AVAILABLE COPY

27 of 27

EXPEDITE[®] GRASS & WEED HERBICIDE by Monsanto

(See other side for Precautionary Statements)

Environmental Hazards

Do not apply directly to water or to areas where surface water is present, or to flooded areas below the mean high water mark. Do not contaminate water when disposing of equipment cleaning solutions.

Physical or Chemical Hazards

Apply this product ONLY through an Expedite application equipment designed for its use. DO NOT STORE OR APPLY THIS PRODUCT IN ANY OTHER TYPE OF CONTAINER, PARTICULARLY GALVANIZED STEEL OR UNPAINTED STEEL CONTAINERS OR SPRAY TRUCKS. This product will react with such containers and tubes to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury. If ignited by open flame, spark, motor's torch, lighted cigarette or other ignition source

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

Store this product between 32°F and 80°F in its original container and in a secured storage area.

Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a manner approved for products disposal or in accordance with applicable Federal, state or local regulations.

Empty container should be kept upright and product residue cleaned off immediately with copious water.

When container is completely emptied through Expedite application equipment, or can no longer be refilled, puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

(See label for Complete Directions for Use)

LIMIT OF WARRANTY AND LIABILITY

This Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use label hereon ("Directions") when used in accordance with these Directions under the conditions described therein. NO OTHER EXPRESS WARRANTY OR IMPLIED

WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein.

Buyer and all users shall promptly notify this Company of any claims whether based in contract, negligence, strict liability, other tort or otherwise.

Buyer and all users are responsible for all loss or damage from use or handling of all results from conditions beyond the control of this Company, including, but not limited to, incompatibility with products other than those set forth in the Directions, application in or contact with desirable vegetation, unusual weather conditions which are outside the range of normal forecast at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application range set forth in the Directions. Application in any manner not explicitly set forth in the Directions, including conditions outside the minimum range specified in the Directions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES, DAMAGES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE (AND BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED, OR, AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY, OR, IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

Buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement.

This product is protected by U.S. Patents No. 3,788,738; No. 4,408,524 and No. 4,848,658. Other patents are pending. See labels printed under any non-U.S. patents.

MONSANTO COMPANY 1981
MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63102 U.S.A.



EPA Reg. No. 524-432

EPA Est. 34713-74-001

• "EXPEDITE" is a trademark of, and used under license from, Hoechst AG.

Part 2 of 2

075-15-20054/53HT

BEST AVAILABLE COPY