524-432

11/17/97

Revision of text EPA Approved 24-Mar-94 as G&WNEW.5LT Produced: September 15, 1995

EXPEDITE® GRASS & WEED HERBICIDE by Monsanto

High Visibility - High Mark

Contains glyphosate, the active ingredient in Roundup[®] herbicide.

[The Roundup Logo]

Specially formulated for Expedite® and Nomix Application Equipment.

Complete Directions for Use

EPA Reg. No. 524-432

[®]Roundup is a registered trademark of Monsanto Company.

1997-1

)

875.15.200.46/53

CMONSANTO COMPANY 1997

MONSANTO COMPANY AGRICULTURAL PRODUCTS ST. LOUIS, MISSOURI 63167 U.S.A.

MGWI5LT.DFT Printed: Thu, Jul 24, 199712:37 PM]

Revision of text EPA Approved 24-Mar-94 as G&WNEW.5LTProduced: September 15, 1995 Read the entire label before using this product.

Use only according to label instructions.

Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable, return at once unopened.

REFORMULATION IS PROHIBITED. This package may be used to refill 750 ml containers that are specifically labeled for refilling with this product. Follow refilling instructions on side panel of this container.

PRECAUTIONARY STATEMENTS

Hazards to Humans (and Domestic Animals)

Keep out of reach of children.

)

AVISO WARNING!

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail).

CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY.

HARMFUL IF SWALLOWED OR INHALED.

Do not get in eyes, on skin or on clothing. Avoid contact with skin

Avoid breathing vapor or spray mist.

Personal Protective Equipment:

Applicators and other handlers must wear:

Long-sleeved shirt and long pants

MGWI5LT.DFT Printed: Fri, Aug 1, 19974:09 PM

- shoes plus socks
- protective eyewear
- chemical resistant gloves (such as Nitrile, Butyl, Neoprene, and/or Barrier Laminate).

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ACCEPTED NOV 17 1997

Under the Federal Insecticide. Fungicide. and Rodenticide Act. as amended, for the posticide registered under EPA Reg. No. 524-432

User Safety Recommendations:

User should:

)

- -Wash hands before cating, drinking, chewing gum, using tobacco or using the toilet.
- -Wash thoroughly with soap and water after handling.
- -Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID: IF IN EYES, hold evelids open and immediately flush with plenty steady, gentle stream of water for at least 15 minutes. Get medical attention.

IF ON SKIN, wash with plenty of soap and water. Get medical attention if irritation persists.

IF INHALED, remove individual to fresh air. Seek medical attention if breathing difficulty develops.

IF SWALLOWED, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention. Do not induce vomiting or give anything by mouth to an unconscious person.

Note to physicians: Probable mucosal damage may contraindicate the use of gastric lavage.

In case of a human health emergency involving this product, Call Collect, day or night, (314) 694-4000.

Environmental Hazards

Do not apply directly to water or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment cleaning solutions.

Physical or Chemical Hazards

Apply this product ONLY through Expedite and Nomix application equipment designed for its use. DO NOT STORE OR APPLY THIS PRODUCT IN ANY OTHER TYPE OF CONTAINER, PARTICULARLY GALVANIZED STEEL OR UNLINED STEEL CONTAINERS OR SPRAY TANKS. This product will react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

ACTIVE INGREDIENT:

*

Glyphosate, N-(phosphonomethyl)glycine in the form of its isopropylamine salt INERT INGREDIENTS:

Contains 199 grams per litre or 1.66 pounds per U.S. gallon of the active ingredient, glyphosate, in the form of its isopropylamine salt. Equivalent to 147 grams per litre or 1.23 pounds per U.S. gallon of the acid, glyphosate.

18.3%

<u>81.7%</u> 100.0%

This product is protected by U.S. Patent No. 4,405,531. Other patents are pending. No license granted under any non-U.S. patent(s).

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, are:

- coveralls

)

- waterproof chemical resistant gloves
- shoes plus socks
- protective eyewear

Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep people and pets off treated areas until foliage is dry.

. . :

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

STORAGE:

Store this product between 32%F and 100%F in its original container and in a secured storage area.

DISPOSAL:

)

Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures.

Emptied container retains vapor and product residue. Observe all labeled safeguards until container is destroyed. Do not reuse container.

When container is completely emptied, puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL INFORMATION

This product is a nonselective weed killer that is applied, using Expedite and Nomix application equipment, to the foliage of actively growing weeds. It is absorbed by the leaves and moves throughout the stem and roots to control the entire plant. Visible symptoms of control may require a week or more to appear, with complete browning usually occurring in 2 to 4 weeks. Symptoms are a gradual wilting and yellowing of the treated plant foliage followed by browning and deterioration of both shoots and roots. This product will not wash or leach to affect nearby vegetation.

THIS PRODUCT IS FOR NON-RESIDENTIAL USE ONLY such as commercial, industrial, and noncropland vegetation management in areas such as airports, golf courses, highways and roadsides, industrial plant sites, institutional sites, municipalities, lawns, lumberyards, nurseries, parking areas, parks, playgrounds, petroleum tank farms, pipeline, power, telephone and utility rights-of-way, railroads, schools, storage areas and similar sites.

THIS PRODUCT CAN INJURE OR DESTROY ALL VEGETATION CONTACTED. AVOID SPRAY CONTACT WITH THE FOLIAGE OF DESIRABLE TURF, ORNAMENTALS, SHRUBS OR TREES. DO NOT CONTACT BARK OF TREES OR SHRUBS.

5

WEEDS CONTROLLED

When applied as recommended under the conditions described, this product CONTROL many common annual grasses and broadleaf weeds, including the following:

ANNUALS

Barnyardgrass Bluegrass: annual Brome, downy Cheat Chickweed Crabgrass Foxtail Geranium, Carolina Goosegrass Lambsquarters, common

)

}

Lettuce, prickly Mustard, tansy Pennycress, field Pigweed: redroot, smooth Ragweed, common Ryegrass: annual Sandbur, field Shepherdspurse Sowthistle Stinkgrass

PERENNIALS

When applied as recommended under the conditions described, this product CONTROLS or PARTIALLY CONTROLS many common perennial grasses and broadleaf weeds, including the following:

6

Bahiagrass Bentgrass Bermudagrass* Bindweed, field Bluegrass, Kentucky Bromegrass, smooth Clover: red, white Dallisgrass Dandelion Dock, curly Fescues Johnsongrass Nutsedge: purple, yellow Orchardgrass Quackgrass Ryegrass: perennial Thistle, Canada Timothy Vaseygrass

*Partial control

· · · · · · · · . . .

HOW TO APPLY

Apply this product as a uniform spray over the foliage of undesirable vegetation. Avoid applications during windy conditions, as spray drift or swath displacement may cause damage to any vegetation contacted. Use only Expedite and Nomix application equipment when applying this product.

To select the flow rate settings for general weed control, use the Set-N-Spray settings listed in the following application guide. The letters followed by a number (A1...G5) represent equipment head settings for flow rates within the application range recommended for this product and will provide weed control in most use situations. For tough-to-control perennial weeds (e.g., Bermudagrass), or for dense vegetation, increased flow rates may be needed. For small annual weeds, decreased flow rates may be used. Where the application rate needs to be specific to the type of weeds to be controlled, or if more precise equipment calibration is desired, see the "WEEDS CONTROLLED" and "HOW TO CALIBRATE" sections of this label for specific flow rates needed and calibration procedures.

í

)

EXPEDITE[®] GRASS & WEED HERBICIDE EXPEDITE/SUPERPRO™ APPLICATION GUIDE SET-N-SPRAY SETTINGS

| SPINNER TYPE | SPRAY SWATH WIDTH | | NNUAL WEE <u>ALKING SPE</u> 2.0 MPH | | 3.0 MPH |
|---------------------|-------------------------|----------|---|----------|-----------------|
| | 6" | Al | A1 | A1 | A1 |
| Spiral Spinner | 12" | Al | A1 | A1 to A2 | <u>A1 to A3</u> |
| Square Spinner | 18" | A1 to A2 | A1 to A3 | A1 to B1 | A2 to B2 |
| | 24" | A1 to A3 | A1 to B1 | A2 to B3 | A3 to B5 |
| Serrated Spinner | . 30" | A1 to B1 | A2 to B3 | A4 to B5 | B1 to C3 |
| | 36" | A2 to B2 | A3 to B5 | B1 to C1 | B2 to C3 |

The rate range in this guide represents 0.5 to 1.0 pounds acid equivalent glyphosate or 0.5 to 1.0 gallons of product per acre.

8

)

. . .

EXPEDITE[®] GRASS & WEED HERBICIDE EXPEDITE/SUPERPRO APPLICATION GUIDE SET-N-SPRAY SETTING

| SPINNER TYPE | SPRAY SWATH | PERENNIAL WEEDS WALKING SPEED | | | |
|---------------------|----------------|----------------------------------|-----------------|----------------|-----------------|
| I II L | WIDTH | 1.5 MPH | 2.0 MPH | 2.5 MPH | 3.0 MPH |
| | | | | | |
| | 6" | A1 to A2 | A1 to A3 | A1 to B1 | A1 to B2 |
| Spiral Spinner | 12" | A1 to B2 | A1 to B5 | A2 to C1 | A3 to C3 |
| Square | 18" | A2 to B5 | A3 to C3 | B1 to D1 | B2 to D5 |
| Spinner | 24" | A3 to C3 | <u>B1 to D2</u> | B3 to E3 | <u>B5 to F5</u> |
| | 30" | B1 to D1 | B3 to E3 | B5 to G4 | C1 to * |
| Serrated Spinner | 36" | B2 to D5 | B5 to F5 | <u>C1 to *</u> | <u>C3 to *</u> |

)

)

The rate range in this guide represents 1.0 to 3.0 pounds acid equivalent glyphosate or 1.0 to 3.0 gallons of product per acre.

9

* The flow rate through the equipment may not be adequate to apply the recommended rates at these walking speed and swath width combinations.

. . . · · · · ·

EXPEDITE[®] GRASS & WEED HERBICIDE

COMPACT MARK I APPLICATION GUIDE SET-N-SPRAY SETTINGS

| SPINNER TYPE | SPRAY SWATH WIDTH | ANNUAL WEEDS <u>WALKING SPEED</u> 2.25 MPH |
|---------------------|-------------------------|--|
| | 6" | Al |
| Spiral Spinner | 10" | |
| <u> </u> | 12" | A1 to A2 |
| | 18" | A1 to B1 |
| Square Spinner | | |
| | . 24" | A2 to B3 |
| | 30" | A4 to B5 |
| Serrated Spinner | | |
| | | B1 to C2 |

)

)

The rate range in this guide represents 0.5 to 1.0 pounds acid equivalent glyphosate or 0.5 to 1.0 gallons of product per acre.

COMPACT MARK I APPLICATION GUIDE SET-N-SPRAY SETTINGS


| SPINNER TYPE | SPRAY SWATH WIDTH | PERENNIAL WEEDS <u>WALKING SPEED</u> 2.25 MPH |
|---------------------|-------------------------|---|
| Spiral Spinner | 6" | A1 to B1 |
| · | 12" | A2 to C2 |
| Square Spinner | 18" | B1 to D4 |
| , | 24" | B3 to G3 |
| Serrated Spinner | 30" | B5 to * |
| <u></u> | 36" | <u>C2 to *</u> |

)

)

The rate range in this guide represents 1.0 to 3.0 pounds acid equivalent glyphosate or 1.0 to 3.0 gallons of product per acre.

* The flow rate through the equipment may not be adequate to apply the recommended rate at these walking speed and swath width combinations.



11

HOW TO CALIBRATE THE EXPEDITE/SUPERPRO AND COMPACT MKI

- 1. Determine the proper Multi Flow® units required from the following calibration guide. The number of Multi Flow units required is where the swath width row intersects the walking speed column. For example, to control perennial weeds with the Expedite at a 2.0 mph walking speed and a 12" swath width, 10 to 29 Multi Flow units are recommended.
- 2. Before calibrating, the lance must be primed to remove trapped air. To prime the lance, set the head setting to G+ and depress the trigger until all air is removed from the lance. Priming must be done with the head of the lance held above the handle but below the level of the product container.
- 3. Remove the spinner and attach the Calibration Flow Cup.
- 4. Lower the lance head to the spraying position, depress the trigger for 30 seconds and compare the measured volume to the desired Multi Flow units.
- 5. To remove the product from the Calibration Flow Cup, raise the lance above head level and depress the trigger long enough to allow the product to flow back into the lance. Do not allow air to reenter the lance. If air enters the lance, it must be reprimed.
- 6. If required, adjust the head setting and repeat the process until the desired Multi Flow units are obtained.
- 7. When the desired head setting is obtained, remove the Calibration Flow Cup and reattach the desired spinner and follow the instructions in the "HOW TO APPLY" section on how to spray this product.

EXPEDITE[®] GRASS & WEED HERBICIDE EXPEDITE/SUPERPRO CALIBRATION GUIDE

30 SECOND MULTI FLOW® MEASUREMENTS*

| SPINNER TYPE | SPRAY ANNUAL WEEDS SWATH <u>WALKING SPEED</u> | | | | |
|---------------------|--|----------------|-----------------|----------|-----------------|
| | WIDTH | 1.5 MPH | 2.0 MPH | 2.5 MPH | 3.0 MPH |
| Spiral Spinner | 6" | 2 to 4** | 3 to 5 | 3 to 6 | 4 to 7 |
| | <u>12"</u> | 4 to 7 | 5 to 10 | 6 to 12 | <u>7 to 14</u> |
| Square Spinner | 18" | 5 to 11 | 7 to 14 | 9 to 18 | 10 to 21 |
| <u></u> , | .24" | <u>7 to 14</u> | 9 to 19 | 12 to 24 | <u>14 to 28</u> |
| Serrated Spinner | 30" | 9 to 18 | 12 to 24 | 15 to 30 | 18 to 36 |
| | 36" | 10 to 21 | <u>14 to 28</u> | 17 to 35 | <u>21 to 42</u> |

The rate range in this guide represents 0.5 to 1.0 pounds acid equivalent glyphosate or 0.5 to 1.0 gallons of product per acre.

One Multi Flow equals 0.8 milliliter.

)

)

** Use the lower rate when treating small actively growing annual weeds. Increase the rate within the recommended range as height and density of the vegetation increase.

| SPINNER TYPE | SPRAY SWATH | PERENNIAL WEEDS WALKING SPEED | | | |
|-------------------|----------------|----------------------------------|----------|-----------|---------------|
| | WIDTH | 1.5 MPH | 2.0 MPH | 2.5 MPH | 3.0 MPH . |
| Spiral Spinner | 6" | 4 to 1]*** | 5 to 14 | 6 to 18 | 7 to 22 |
| | 12" | 7 to 22 | 10 to 29 | _12 to 36 | 14 to 43 |
| Square Spinner | 18" | 11 to 32 | 14 to 43 | 18 to 54 | 21 to 65 |
| | 24" | 14 to 43 | 19 to 57 | 24 to 72 | 28 to 86 |
| | 30" | 18 to 54 | 24 to 72 | 30 to 90 | 36 to 108 |
| <u> </u> | 36" | <u>21 to 65.</u> | 28 to 86 | 35 to 108 | 42 to 129**** |

The rate range in this guide represents 1.0 to 3.0 pounds acid equivalent glyphosate or 1.0 to 3.0 gallons of product per acre.

One Multi Flow equals 0.8 milliliter.

}

)

*** Increase the rate within the recommended range as height and density of the vegetation increase. Use the higher number for tough-to-control weeds.

**** The flow rate through the equipment may not be adequate to apply the recommended rates at these walking speed and swath width combinations.

: ...

. . . .

EXPEDITE[®] GRASS & WEED HERBICIDE COMPACT MARK I CALIBRATION GUIDE

30 SECOND MULTI FLOW® MEASUREMENT*

| SPINNER TYPE | SPRAY SWATH WIDTH | ANNUAL WEEDS WALKING SPEED 2.25 MPH |
|---------------------|-------------------------|---|
| Spiral Spinner | 6" | 3 to 5** |
| | 12" | <u> </u> |
| Square Spinner | 18" | 8 to 16 |
| | 24" | <u>11 to 22</u> |
| Serrated Spinner | 30" | 13 to 26 |
| | .36" | 16 to 32 |

The rate range in this guide represents 0.5 to 1.0 pounds acid equivalent glyphosate or 0.5 to 1.0 gallons of product per acre.

* One Multi Flow equals 0.8 milliliter.

)

)

** Use the lower rate when treating small actively growing annual weeds. Increase the rate within the recommended range as height and density of the vegetation increase.

MGWISLT.DFT Printed: Mon, Jul 21, 19972:02 PM

15

Revision of text EPA Approved 24-Mar-94 as G&WNEW.5LTProduced: September 15, 1995

| SPINNER TYPE | SPRAY SWATH WIDTH | PERENNIAL WEEDS <u>WALKING SPEED</u> 2.25 MPH |
|---------------------|-------------------------|---|
| Spiral | 6" | 5 to 16*** |
| Spinner | 12" | <u>11 to 32</u> |
| Square Spinner | 18" | 16 to 48 |
| | 24" | <u>22 to 63</u> |
| | 30" | 26 to 79**** |
| Serrated Spinner | <u>36"</u> | <u>32 to 95****</u> |

The rate range in this guide represents 1.0 to 3.0 pounds acid equivalent glyphosate or 1.0 to 3.0 gallons of product per acre.

- * One Multi Flow equals 0.8 milliliter.
- *** Increase the rate within the recommended range as height and density of the vegetation increase. Use the higher number for tough-to-control weeds.
- **** The flow rate through the equipment may not be adequate to apply the recommended rates at these walking speed and swath width combinations.

INSTRUCTIONS FOR THE SETTING UP AND CALIBRATION OF THE NOMIX700/COMPACT MARK II

EXPEDITE® GRASS & WEED II HERBICIDE NOMIX 700/COMPACT MARK II SET-N-SPRAY SETTINGS AND CALIBRATION GUIDE

WALKING SPEED 1.1 YARDS/SEC (2.25 MPH)

| SPINNER TYPE | SPRAY SWATH | ANNUAL WEEDS | PERENNIAL WEED |
|-----------------|----------------|--------------|----------------|
| 1110 | WIDTH | 63 (secs) 32 | 32 (secs) 11 |
| | | | |
| Spiral | 6" | A1 | A1 to A4 |
| Spinner | 12" | A1 to A2 | A2 to C2 |
| Square | 18" | A1 to A3 | A3 to E1 |
| Spinner | 24" | A2 to A5 | A5 to E5 |
| Serrated | 30" | A4 to C2 | C2 to G4 |
| Spinner | _36" | A5 to D2 | D2 to * |

The rate range in this guide represents 0.5 to 1.0 pounds acid equivalent glyphosate or 0.5 to 1.0 gallons of product per acre for annual weeds and 1.0 to 3.0 pounds acid equivalent glyphosate or 1.0 to 3.0 gallons of product per acre for perennial weeds.

* The flow rate through the equipment may not be adequate to apply the recommended rate at these walking speed and swath width combinations.

17

18/21

CALIBRATION INSTRUCTIONS FOR NOMIX 700/COMPACT MARK II

HOW TO CALIBRATE

)

`}

- Determine the proper flow rate setting required from the above Calibration guide. The flow
 rate setting required is where the swath width row intersects the Set-N-Spray column. For
 example, for a 12" swath width with the Nomix 700\Compact Mark II, settings between A1
 to C2 are recommended. Use the lowest range of settings (A1 to A2) for eacy-to-control
 weeds such as small annuals, and the highest range of settings (A2 to C2) for difficult-tocontrol weeds such as bermudagrass and field bindweed.
- 2. Note the time required for calibration as shown above the required Flow Rate setting column. For example, for applying at the minimum rate, a calibration time of 11 seconds is required.
- 3. Before calibrating, the lance must be primed to remove trapped air. To prime the lance, set the Flow Rate control to G+ and depress the trigger until all air is removed from the lance. Priming must be done with the head of the lance held lower than the product container.
- 4. Remove the spinner and attach the Calibration Flow Cup.

5. Prime the Calibration Flow Cup by lowering the lance into the spraying position, depressing the trigger for 5 seconds. Raise the spray head to head level and depress the trigger to allow the product to flow back to the zero line of the Calibration Flow Cup.

6. Lower the lance head to the spraying position, depress the trigger for the required calibration time and check the measured volume matches the desired spray swath width line on the Calibration Flow Cup.

7. If the measured volume does not match the line, adjust the Flow Rate control up or down and repeat the process until the desired volume is obtained.

8. To remove the product from the Calibration Flow Cup, raise the spray head to head height and depress the trigger to allow the Calibration Flow Cup to empty. Do not allow air to reenter the lance. If air enters the lance, ie. the Flow Rate window empties, the lance must be reprimed.

9. When the desired flow rate is obtained, remove the calibration cup and reattach the desired spinner and follow the instructions in the "HOW TO APPLY" section on how to spray this product.



WHEN TO APPLY

Apply to vigorously growing plants. Apply to undesirable grasses and broadleaf weeds any time after emergence and when sufficient foliage is present for good spray interception. After mowing, clipping or tilling, allow weeds to regrow before applying this product.

Rainfall or watering within 6 hours after application may wash the product off plant foliage resulting in reduced activity and the need for retreatment. Delay mowing, clipping, tilling, planting or sodding of treated areas for at least 7 days after application. This allows time for this product to move within the plant for the most effective kill. THIS PRODUCT HAS NO SOIL RESIDUAL ACTIVITY. RETREATMENTS WILL BE NECESSARY TO KILL NEW WEEDS EMERGING FROM SEED.

One application will control or suppress weeds listed in the "WEEDS CONTROLLED" section of this label. If control is not achieved within 4 weeks, allow time for sufficient regrowth of the vegetation and make a repeat application.

ORNAMENTALS AND PLANT BEDS

Ornamentals, flowers and other plants used for landscaping may be planted in treated areas 7 or more days after application. This product may also be used as a directed application to control undesirable vegetation growing around ornamentals, trees or shrubs. Avoid spray contact with any desirable plants. To avoid injury on desirable plants, prevent spray or drift contact with foliage, stems or bark. DO NOT SPRAY INTO OR OVER THE TOP OF DESIRABLE PLANTS, TREES OR SHRUBS.

MGWI5LT.DFT Printed: Tue, Jul 22, 199710:00 AM 19

)

GREENHOUSE/SHADEHOUSE

This product will control or suppress grasses and broadleaf weeds listed on this label which are growing in greenhouses. Removal of desirable vegetation during application is recommended to avoid injury. Air circulation fans must be turned off during application. DESIRABLE GREENHOUSE PLANTS WILL BE INJURED IF CONTACTED BY SPRAY OR DRIFT OF THIS PRODUCT.

CLEANING OF EQUIPMENT

The Expedite and Nomix application equipment must be cleaned after each use and prior to storage using Expedite or Nomix cleaner to remove residues of this product. To clean the lance, connect the lance to the cleaner box, set the head setting to G+ and let the cleaner flow until it runs clear. Disconnect the lance from the cleaner box and remove the remaining cleaner from the lance. Do not drain cleaner back into the box. Failure to properly clean the equipment may result in equipment failure or injury to subsequently treated desirable vegetation. After thorough cleaning, equipment may be used to apply other products especially formulated for use in Expedite and Nomix application equipment.

Wastes resulting from the use or cleaning of equipment that cannot be used or chemically reprocessed should be disposed of in accordance with applicable Federal, state or local procedures. See the "Storage and Disposal" section of this label for more information.

LIMIT OF WARRANTY AND LIABILITY

This Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for Use ("Directions") when used in accordance with these Directions under the conditions described therein. NO OTHER EXPRESS WARRANTY OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein.

Buyers and all users shall promptly notify this Company of any claims whether based in contract, negligence, strict liability, other tort or otherwise.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this Company, including, but not limited to, incompatibility with products other than those set forth in the Directions, application to or contact with desirable vegetation, unusual weather, weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application ranges, set, forth in the Directions, application in any manner not explicitly set forth in the Directions, meisture conditions outside the moisture range specified in the Directions, or the presence of product, other than those set forth in the Directions in or on the soil, crop or treated vegetation.

THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL

MGWI5LT.DFT Printed: Tue, Jul 22, 199710:00 AM

}

)

Revision of text EPA Approved 24-Mar-94 as G&WNEW.5LT Produced: September 15, 1995

THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED, OR, AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACEMENT OF SUCH QUANTITY, OR, IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

Buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement.

 Expedite and Multi Flow are registered trademarks of Nomix Chipman Limited, UK. NOMIX and SUPERPRO are trademarks of Nomix Chipman Limited, UK.

875.15-200.28/53

EPA Reg. No. 524-432

ì

)

©MONSANTO COMPANY 1997

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

MONSANTO COMPANY AGRICULTURAL PRODUCTS ST. LOUIS, MISSOURI 63167 U.S.A.

21/21