

MON 35085

Herbicide by Monsanto

Complete Directions for Use

EPA Reg. No. 524-445

AVOID CONTACT WITH FOLIAGE, GREEN STEMS, OR FRUIT OF CROPS, DESIRABLE PLANTS AND TREES, SINCE SEVERE INJURY OR DESTRUCTION MAY RESULT.

This product has been approved for use in California except as stated otherwise on pages XXX.

~~1991-1~~

~~898.07-000.01/53~~


PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children.

WARNING!

~~CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY.
HARMFUL IF INHALED.~~



~~Do not get in eyes or breathe spray mist or get in or on clothing.~~

~~Wear goggles, face shield or safety glasses.~~

~~Wash thoroughly with soap and water after handling.~~

~~Remove contaminated clothing and wash before reuse.~~

~~FIRST AID: IF IN EYES, hold eyelids open and flush with plenty
of water. Get medical attention.~~

~~IF INHALED, remove victim to fresh air. If not breathing,
give artificial respiration, preferably mouth to mouth. Get
medical attention.~~

~~IF SWALLOWED, drink promptly a large quantity of milk, egg
whites, or gelatin solution. If these are not available,
drink large quantities of water. Get medical attention.~~

WARNING!

**CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY.
HARMFUL IF SWALLOWED OR INHALED.**

Do not get in eyes or on clothing.

Wear goggles or face shield.

Avoid breathing vapor or spray mist.

Wash thoroughly with soap and water after handling.

Remove contaminated clothing and wash before reuse.

FIRST AID: IF IN EYES, immediately hold eyelids open and flush with plenty of water for at least 15 minutes. Get medical attention.

IF INHALED, Remove individual to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF SWALLOWED, this product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Get medical attention.

BEST AVAILABLE COPY

Makes
Up To
84 Gallons

MON 35085

SUPER CONCENTRATE

by Monsanto

Grass & Weed Killer

- COVERS 25,200 SQUARE FEET • DOES NOT HAVE SOIL ACTIVITY
- KILLS LABELED ANNUAL AND PERENNIAL GRASSES, WEEDS AND SEDGES
- SYSTEMIC ACTION — KILLS ROOTS AND ALL
- SUITABLE FOR USE AROUND FLOWER BEDS, TREES, SHRUBS, FENCES AND DRIVEWAYS
- USE TO PREPARE GARDEN SITES.
- MIX 3 TO 5 TABLESPOONS (1 1/4 TO 2 1/4 OZ) PER GALLON

Read the entire label before using this product.
Use only according to label instructions.

NOTICE BUYER ASSUMES ALL RESPONSIBILITY FOR SAFETY AND USE NOT IN ACCORDANCE WITH DIRECTIONS IF THESE TERMS ARE NOT ACCEPTABLE RETURN AT ONCE UNOPENED.


Keep out of reach of children.

WARNING! Read precautions on back panel

ACTIVE INGREDIENT:	
Glyphosate, N-(phosphonomethyl)	
glycine, in the form of its	
isopropylamine salt	41.0%
INERT INGREDIENTS	59.0%
	<hr/> 100.0%

NET 1 GAL

897 17 000 19-1



KEEP PEOPLE AND PETS OFF TREATED AREAS UNTIL SPRAY SOLUTION HAS DRIED

DOMESTIC ANIMALS: This product is considered to be relatively nontoxic to dogs and other domestic animals. However, ingestion of this product or large amounts of freshly sprayed vegetation may result in temporary gastrointestinal irritation (vomiting, diarrhea, colic, etc.) If such symptoms are observed, provide the animal with plenty of fluids to prevent dehydration. Call a veterinarian if symptoms persist for more than 24 hours.

ADDITIONAL PRECAUTIONS

DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

MON 35085 is a nonselective herbicide that is diluted and applied to the foliage of actively growing weeds as a spot or broadcast application. It is absorbed by the leaves and moves throughout the stem and roots to control the entire plant. Visible symptoms may require a week or more to appear, with burn-down usually occurring in 2 to 4 weeks. Symptoms are a gradual wilting and yellowing of the sprayed plant followed by deterioration of both shoots and roots. This product has no herbicidal activity in the soil and will not wash or leach to affect nearby vegetation.



BERRIES, SMALL FRUIT & VEGETABLE GARDENS

The following vegetables may be planted in treated areas 7 days or more after application: asparagus, beans, beet greens, beets, blackberry, blueberry, boysenberry, broccoli, cabbage, carrot, cauliflower, celery, chicory, corn, cranberry, cucumber, currant, dewberry, elderberry, eggplant, garlic, gourds, gooseberry, horseradish, huckleberry, Jerusalem artichoke, kale, lentils, lettuce, loganberry, melons, mustard greens, okra, ollaliberry, onion, parsnips, peas, peppers, Irish and sweet potatoes, pumpkin, radish, raspberry (black, red), rutabagas, spinach, squash (summer, winter), strawberry, tomatillo, tomato*, watercress, watermelon and turnips. In the treated area, do not plant any vegetables not listed on this label for one year following application. Do not apply this product in or around growing vegetables.

*Use on tomatoes is restricted to direct seeded tomatoes only

CLEANING EQUIPMENT

Triple-rinse spray tank and flush all sprayer components with water to remove residues of this product. After thorough cleaning, equipment may be used to apply other products.

This product controls many weeds around buildings, vacant lots, storage and recreational areas, gravel or ground bark mulch, shade trees, ornamentals and shrubs, along fences, sidewalks, driveways and patios, and prior to planting turfgrasses, shrubs, flower beds or vegetables listed on the label. When used as a spot treatment in lawns, all vegetation contacted will be damaged.

THIS PRODUCT CAN INJURE OR DESTROY ALL VEGETATION CONTACTED. AVOID SPRAY DRIFT CONTACT WITH DESIRABLE LAWN GRASSES, FLOWERS, VEGETABLES, SHRUBS OR TREES. DO NOT CONTACT GREEN BARK OF TREES OR SHRUBS. IF DESIRABLE VEGETATION IS CONTACTED, WASH IMMEDIATELY WITH WATER.

For more product information, call toll-free 1-800-225-2883.

Storage and Disposal

Do not contaminate water, food, feed or seed by storage or disposal.

STORAGE:

Store this product in its original container and in a secured storage area.

In case of SPILL or LEAK, soak up with paper towels and discard in trash.

DISPOSAL:

To dispose of unused product, securely wrap original container in several layers of newspaper and discard in trash.

Empty container retains vapor and product residue. Observe all labeled safeguards until container is discarded.

Do not reuse container. Rinse thoroughly before discarding in trash.

WEEDS CONTROLLED

When applied as recommended under the conditions described, MON 35085 controls many common weeds including the following:

Annuals

Barnyardgrass	Lettuce, prickly	Ryegrass, annual
Bluegrass, annual	Mustard, tansy	Sandbar, field
Chickweed	Pennycress, field	Shepherdspurse
Crabgrass	Pigweed, redroot, smooth	Sowthistle
Foxtail		
Lambsquarter, common	Ragweed, common	

This page is intentionally left blank.

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

A

Keep out of reach of children.

WARNING!

CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY.

HARMFUL IF SWALLOWED OR INHALED.

Do not get in eyes or on clothing.

Wear safety glasses.

Avoid breathing vapor or spray mist.

Wash thoroughly with soap and water after handling.

Remove contaminated clothing and wash before reuse.

FIRST AID: IF IN EYES, immediately hold eyelids open and flush with plenty of water for at least 15 minutes. Get medical attention.

IF INHALED, remove individual to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF SWALLOWED, this product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Get medical attention.

In case of an emergency involving this product, Call Collect, day or night (314) 694-4000.

Keep out of reach of children.

WARNING!

CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY.

HARMFUL IF SWALLOWED OR INHALED.

Do not get in eyes or on clothing.

Wear safety glasses.

Avoid breathing vapor or spray mist.

Wash thoroughly with soap and water after handling.

Remove contaminated clothing and wash before reuse.

FIRST AID: IF IN EYES, Immediately hold eyelids open and flush with plenty of water for at least 15 minutes. Get medical attention.

IF INHALED, remove individual to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF SWALLOWED, this product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Get medical attention.

In case of an emergency involving this product, Call Collect, day or night (314) 694-4000.

BEST AVAILABLE COPY

Carefully read and follow detailed instructions in pamphlet.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children.

WARNING!

CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY. HARMFUL IF INHALED. Do not get in eyes or breathe spray mist or get in or on clothing. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID: IF IN EYES, hold eyelids open and flush with plenty of water. Get medical attention.

IF INHALED, remove person to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF SWALLOWED, drink promptly a large quantity of milk, egg whites, or gelatin solution. If these are not available drink large quantities of water. Get medical attention.

In case of an emergency involving this product, Call Collect, day or night (314) 694-4000.

Environmental Hazards

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Physical or Chemical Hazards

Spray solutions of this product should be mixed, stored and applied only in stainless steel, aluminum, fiberglass, plastic and plastic lined steel containers. **DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS.**

(SEE ADDITIONAL PRECAUTIONS INSIDE PAMPHLET)

(SEE PAMPHLET FOR STORAGE AND DISPOSAL)

This product is protected by U.S. Patent No. 4,405,531. Other patents pending. No license granted under any non-U.S. patent(s).



MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.
©MONSANTO COMPANY 1992
EPA Reg. No. 524-445
EPA Est. 524-LA-1
897 17-000 19L-2

▲ Cut or tear along perforation ▲

Printed in U.S.A. by
Monsanto Agricultural Products Co. • 0900 1 0000



7.15

MAKES
UP TO
21 GALLONS

MON 35085

SUPER CONCENTRATE

by Monsanto

Grass & Weed Killer

- COVERS UP TO 6,300 SQUARE FEET • DOES NOT HAVE SOIL ACTIVITY
- KILLS LABELED ANNUAL AND PERENNIAL GRASSES, WEEDS AND SEDGES.
- SYSTEMIC ACTION - KILLS ROOTS AND ALL
- SUITABLE FOR USE AROUND FLOWER BEDS, TREES, SHRUBS, FENCES AND DRIVEWAYS
- USE TO PREPARE GARDEN SITES
- MIX 3 TO 5 TABLESPOONS (1 1/4 TO 2 1/4 OZ) PER GALLON

Read the entire label before using this product.

Use only according to label instructions.

NOTICE: BUYER ASSUMES ALL RESPONSIBILITY FOR SAFETY AND USE NOT IN ACCORDANCE WITH DIRECTIONS IF THESE TERMS ARE NOT ACCEPTABLE RETURN AT ONCE UNOPENED

Keep out of reach of children.

WARNING! Read precautions on back panel.

ACTIVE INGREDIENT

Glyphosate, K (phosphoramidate) glyphosate, in the form of its potassium salt	41.0%
INERT INGREDIENTS	59.0%
	100.0%

NET 32 fl.oz. (1 qt)

897 37-000 1B-1

ACCEPTED

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 524-445

Carefully read and follow detailed instructions in pamphlet.
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children.

WARNING! CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY. HARMFUL IF INHALED. Do not get in eyes or on clothing. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.
FIRST AID: IF IN EYES hold eyelids open and flush with plenty of water. Get medical attention.
IF INHALED remove individual to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.
IF SWALLOWED drink promptly a large quantity of milk, egg whites, or vegetable oil. If these are not available drink large quantities of water. Get medical attention.

Environmental Hazards

Do not apply directly to water. Do not apply to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Physical or Chemical Hazards

Spray solutions of this product should be mixed, stored and applied only in stainless steel, aluminum, fiberglass, plastic and plastic lined steel containers. DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR LINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS.
(SEE ADDITIONAL PRECAUTIONS INSIDE PAMPHLET)

(SEE PAMPHLET FOR STORAGE AND DISPOSAL)

This product is protected by U.S. Patent No. 4,405,531. Other patents pending. No license granted under any non-U.S. patents.



MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.
©MONSANTO COMPANY 1992
EPA Reg. No. 524-445
EPA Est. 524-A-1
897 17-0001R-2

Cut or tear along perforation

File No. 524-445, U.S. Pat. No. 4,405,531
and other U.S. patents © 1992 Monsanto

KEEP PEOPLE AND PETS OFF TREATED AREAS UNTIL SPRAY SOLUTION HAS DRIED.

DOMESTIC ANIMALS: This product is considered to be relatively nontoxic to dogs and other domestic animals. However, ingestion of this product or large amounts of freshly sprayed vegetation may result in temporary gastrointestinal irritation (vomiting, diarrhea, colic, etc.) If such symptoms are observed, provide the animal with plenty of fluids to prevent dehydration. Call a veterinarian if symptoms persist for more than 24 hours.

ADDITIONAL PRECAUTIONS

DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

MON 35085 is a nonselective herbicide that is diluted and applied to the foliage of actively growing weeds as a spot or broadcast application. It is absorbed by the leaves and



Keep out of reach of children.
WARNING!
CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY.
HARMFUL IF SWALLOWED OR INHALED.
Do not get in eyes or on clothing.
Wear safety glasses.
Avoid breathing vapor or spray mist.
Wash thoroughly with soap and water after handling.
Remove contaminated clothing and wash before reuse.
FIRST AID: IF IN EYES, immediately hold eyelids open and flush with plenty of water for at least 15 minutes. Get medical attention.
IF INHALED, remove individual to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.
IF SWALLOWED, this product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Get medical attention.

In case of an emergency involving this product, Call Collect, day or night (314) 694-4000.

regrow to the recommended growth stage before spraying this product.

Rainfall or watering within 6 hours after application can wash the product off plant foliage which may require retreatment. Delay mowing, clipping, tilling, planting or sodding of treated areas for at least 7 days after application. This allows time for this product to move within the plant for most effective results. **SINCE THIS PRODUCT DOES NOT WORK IN SOIL, RETREATMENTS WILL BE NECESSARY TO CONTROL NEW WEEDS EMERGING FROM SEED.**

One application will control most weeds listed. Symptoms on certain tough perennial weeds and woody brush and tree species may be slow to develop. If control is not achieved within 4 weeks, allow time for the sprayed weeds to regrow and make a repeat application. In some cases, control of woody brush and trees treated in the fall may not be fully apparent until the following season.

LAWN RENOVATION

Best results are obtained when at least one mowing is skipped prior to treatment. This provides more leaf surface to intercept the spray. For areas where renovation and reseeding is desired, thorough spray coverage of all existing vegetation is necessary. Delay planting or sodding of treated areas for at least 7 days after application.

ORNAMENTALS

Any ornamental species may be planted in treated areas 7 days or more after application. Apply this product as recommended to control undesirable vegetation growing around ornamentals, trees or shrubs. Avoid spray contact with any desirable plants. To avoid injury on desirable plants, prevent spray or drift contact with foliage, stems or green bark. Do not spray into, or over the top of, growing ornamentals.

moves throughout the stem and roots to control the entire plant. Visible symptoms may require a week or more to appear, with burndown usually occurring in 2 to 4 weeks. Symptoms are a gradual wilting and yellowing of the sprayed plant followed by deterioration of both shoots and roots. This product has no herbicidal activity in the soil and will not wash or leach to affect nearby vegetation.

This product controls many weeds around buildings, vacant lots, storage and recreational areas, gravel or ground bark mulch, shade trees, ornamentals and shrubs; along fences, sidewalks, driveways and patios; and prior to planting turfgrasses, shrubs, flower beds or vegetables listed on the label. When used as a spot treatment in lawns, all vegetation contacted will be damaged.

THIS PRODUCT CAN INJURE OR DESTROY ALL VEGETATION CONTACTED. AVOID SPRAY DRIFT CONTACT WITH DESIRABLE LAWN GRASSES, FLOWERS, VEGETABLES, SHRUBS OR TREES. DO NOT CONTACT GREEN BARK OF TREES OR SHRUBS. IF DESIRABLE VEGETATION IS CONTACTED, WASH IMMEDIATELY WITH WATER.

For more product information, call toll-free 1-800-225-2883.

Storage and Disposal

Do not contaminate water, food, feed or seed by storage or disposal.

STORAGE: Store this product in its original container and in a secured storage area.

In case of SPILL or LEAK, soak up with paper towels and discard in trash.

DISPOSAL:

To dispose of unused product, securely wrap original container in several layers of newspaper and discard in trash.

Empty container retains vapor and product residue. Observe all labeled safeguards until container is discarded.

Do not reuse container. Rinse thoroughly before discarding in trash.

WEEDS CONTROLLED

When applied as recommended under the conditions described, MON 35085 controls many common weeds including the following:

Annuals

- Barnyardgrass
- Bluegrass, annual
- Chickweed
- Crabgrass
- Foxtail
- Lambsquarter, common
- Lettuce, prickly
- Mustard, tansy

- Pennycress, field
- Pigweed; redroot, smooth
- Ragweed, common
- Ryegrass, annual
- Sandbur, field
- Shepherdspurse
- Sowthistle

Perennials

- Bahiagrass
- Bermudagrass
- Bindweed, field
- Bluegrass, Kentucky
- Bromegrass, smooth
- Clover: red, white
- Dallisgrass
- Dandelion
- Fescue species
- Fescue, tall

- Johnsongrass
- Nutsedge; purple, yellow
- Orchardgrass
- Quackgrass
- Ryegrass, perennial
- Thistle, Canada
- Timothy
- Vaseygrass

Brush

- Alder
- Blackberry
- Cherry
- Dewberry
- Elderberry
- Honeysuckle
- Kudzu
- Oak

- Poison Ivy
- Poison Oak
- Raspberry
- Rose, multiflora
- Sumac
- Trumpet creeper
- Willow

MIXING AND SPRAYING

Do not apply this product through any type of irrigation system.

Hand-held Sprayers-Add 1-1/2 to 2-1/2 fluid ounces (3 to 5 tbsp.) of this product to 1 gallon of clean water. Use the higher recommended rate for control of listed perennials and brush. Use pump-up-type or hand-trigger-type sprayers. USE OF HOSE-END SPRAYERS OR SPRINKLER-TYPE DEVICES MAY RESULT IN POOR AND/OR ERRATIC RESULTS.

Ensure uniform and complete spray coverage, but do not spray plants to the point that the spray solution runs off. Use a coarse spray. Do not spray during windy conditions, as spray drift may cause damage to any vegetation contacted.

WHEN TO APPLY

Apply to vigorously growing plants. Apply to annual weeds anytime after emergence. For best results, apply to perennial weeds after seedheads, flowers or berries appear. On woody brush or trees, apply after leaves have fully expanded. Applications made at less than the recommended stage of growth may result in reduced control. After mowing, clipping or tilling, allow weeds to

MON 35085
Super Concentrate
Grass & Weed Killer

Nonselective herbicide for lawn and garden use. Avoid spray on desirable plants as severe injury or destruction may result.

Read "NOTICE" in next paragraph before buying or using. If terms are not acceptable, return at once unopened.

NOTICE: BUYER ASSUMES ALL RESPONSIBILITY FOR SAFETY AND USE NOT IN ACCORDANCE WITH DIRECTIONS IN THIS LABELING.

REFORMULATION OR REPACKAGING IS PROHIBITED

ACTIVE INGREDIENT:

- *Glyphosate, N-(phosphonomethyl)glycine, in the form of its isopropylamine salt . . . 41.0%
- INERT INGREDIENTS: 59.0%
- 100.0%

*Contains 480 grams per litre or 4 pounds per U.S. gallon of glyphosate, N-(phosphonomethyl)glycine, in the form of its isopropylamine salt.

This product is protected by U.S. Patent No. 4,405,531. Other patents pending. No license granted under any non-U.S. patent(s).

© MONSANTO COMPANY 1992

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167 U.S.A.



Carefully read and follow detailed instructions in pamphlet.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING! CAUSES SUBSTANTIAL BUT TEMPORARY EYE IRRITATION. HARMFUL IF INHALED. Do not get in eyes. Breathe spray away or get in or on clothing. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

IF IRRITATED IN EYES: Hold eyelids open and flush with plenty of water. Get medical attention.

IF INHALED: Move victim to fresh air. If not breathing, give artificial respiration. If badly enough, get medical attention.

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, or fruit juice.

Environmental Hazards

Do not apply directly to water, to areas where surface water is present, or to adjacent areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Physical or Chemical Hazards

Spray solutions of this product should be made, stored and applied only in stainless steel, aluminum, fiberglass, plastic and plastic lined steel containers. DO NOT MIX. STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT FOR THE ORIGINAL CONTAINERS OR SPRAY TANKS). (See additional Precautions inside Pamphlet.)

Storage and Disposal

Do not contaminate water, food, feed or seed by storage or disposal. **STORAGE:** Store this product in its original container and in a secured storage area. In case of SPILL or LEAK, soak up with paper towels and discard in trash. **DISPOSAL:** To dispose of unused product, securely wrap original container in several layers of newspaper and discard in trash. Empty container retains vapor and product residue. Observe all labeled safeguards until container is discarded. Do not reuse container. Rinse thoroughly before discarding in trash.

This product is protected by U.S. Patent No. 4,405,531. Other patents pending. No license granted under any non-U.S. patent(s).
© MONSANTO COMPANY 1992
Monsanto of Monsanto Company
MONSANTO COMPANY-AGRICULTURAL PRODUCTS-ST. LOUIS, MISSOURI 63167 U.S.A.
EPA Est. 524-LA-1 EPA Reg. No. 524-A45 897 17 000 18 31

Cut or tear along perforation

Printed in U.S.A. © 1992 Monsanto Company

TREES (Apple, Citrus, Nut, Pear) AND GRAPES/VINES

This product to control undesirable plants growing around these trees and vines. Spray contact, other than with mature bark of the main trunk, can injure the tree or vine. Allow 21 days between application and harvest.

BERRIES, SMALL FRUIT & VEGETABLE GARDENS

The following vegetables may be planted in treated areas 7 days or more after application: asparagus, beans, beet greens, beets, blackberry, blueberry, boysenberry, broccoli, cabbage, carrot, cauliflower, celery, chicory, corn, cranberry, cucumber, currant, dewberry, elderberry, eggplant, garlic, gourds, gooseberry, horseradish, huckleberry, Jerusalem artichoke, kale, lentils, lettuce, loganberry, melons, mustard greens, okra, offalberry, onion, parsnips, peas, peppers, Irish and sweet potatoes, pumpkin, radish, raspberry (black, red), rutabagas, spinach, squash (summer, winter), strawberry, tomatillo, tomato, watercress, watermelon and turnips. In the treated area, do not plant any vegetables not listed on this label for one year following application. Do not apply this product in or around growing vegetables.

*Use on tomatoes is restricted to direct seeded tomatoes only.

CLEANING EQUIPMENT

Triple-rinse spray tank and flush all sprayer components with water to remove residues of this product. After thorough cleaning, equipment may be used to apply other products.

In case of an emergency involving this product, Call Collect, day or night, (314) 694-4000.

A

Keep out of reach of children.

WARNING!

CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY.
HARMFUL IF SWALLOWED OR INHALED.

Do not get in eyes or on clothing.

Wear safety glasses.

Avoid breathing vapor or spray mist.

Wash thoroughly with soap and water after handling.

Remove contaminated clothing and wash before reuse.

FIRST AID: IF IN EYES, immediately hold eyelids open and flush with plenty of water for at least 15 minutes. Get medical attention.

IF INHALED, remove individual to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF SWALLOWED, this product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Get medical attention.

In case of an emergency involving this product, Call Collect, day or night (314) 694-4000.

SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR ROUNDUP® BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Roundup and this supplement.

ROUNDUP®

Herbicide by Monsanto

EPA Reg. No. 524-445

FOR DISTRIBUTION AND USE ONLY WITHIN GEORGIA, NORTH CAROLINA, SOUTH CAROLINA AND VIRGINIA.

PREHARVEST COTTON APPLICATIONS: WEED CONTROL AND HARVEST AID BENEFITS

Keep out of reach of children.

WARNING!

In case of an emergency involving this product, call collect, day or night, (314) 694-4000.

*Roundup is a registered trademark of Monsanto Company.


DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This label must be in the possession of the user at the time of application.

AVOID CONTACT WITH FOLIAGE, GREEN STEMS, OR FRUIT OF CROPS, DESIRABLE PLANTS AND TREES, SINCE SEVERE INJURY OR DESTRUCTION MAY RESULT.

See "GENERAL INFORMATION" and "MIXING, ADDITIVES AND APPLICATION INSTRUCTIONS" sections of the label booklet for Roundup for essential product performance information.



RECOMMENDATIONS

When applied as directed under the conditions described, this product controls annual and perennial weeds listed in the Roundup label booklet prior to the harvest of cotton.

Broadcast Applications - This product may be applied using either aerial or ground spray equipment. For aerial applications, refer to the "APPLICATION EQUIPMENT AND TECHNIQUES" and "AERIAL EQUIPMENT" sections of the label booklet.

DO NOT EXCEED A MAXIMUM RATE OF 1 QUART PER ACRE OF THIS PRODUCT WHEN MAKING APPLICATIONS BY AIR.

Weed Control - To control weeds listed in the label booklet prior to cotton harvest, use a minimum of 32 ounces of this product per acre. For those weed species requiring more than 32 ounces per acre, see the "Weeds Controlled" section of the label booklet.

To control johnsongrass using multiple directed or broadcast over-the-top spray equipment, apply 1 quart of this product plus 0.5 to 1 percent nonionic surfactant by total spray volume. Ensure complete coverage.

Tank Mixtures

This product may be tank-mixed with the following harvest-aid products or combination of harvest-aid products:

DEF™ 6	Folex™
Harvade™	Prep™
Dropp™	

For application guidelines, precautions and use rates, refer to the DEF, Folex, Prep, Harvade and Dropp labels.

Harvest Aid - At rates of 1 to 2 quarts per acre and when tank-mixed with DEF or Folex defoliant at labeled use rates, this product may provide enhancement of cotton leaf drop and will provide regrowth inhibition for approximately 21 days depending on growing conditions. The degree of leaf drop or regrowth inhibition achieved may be reduced on very rank cotton or when applied during drought stress.

TIMING OF APPLICATIONS - Apply this product or these tank mixtures after 60 percent of the cotton bolls have opened.

NOTE: DO NOT APPLY TO CROPS GROWN FOR SEED.

Allow a minimum of 7 days between application and harvest. Do not feed or graze treated cotton forage or hay following preharvest applications.

12.1

Read the "LIMIT OF WARRANTY AND LIABILITY" in the label booklet for Roundup before using. These terms apply to this supplemental labeling and if these terms are not acceptable, return the product unopened at once.

*Def is a trademark of Mobay Chemical Corporation.

*Folex and Prep are trademarks of Rhone-Poulenc, Inc.

*Harvade is a trademark of Uniroyal Chemical Company, Inc.

*Dropp is a trademark of NOR-AM Chemical Company.

©Monsanto Company 1992

MAP

MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63167